

TIRED OF SHRINKFLATION?


2009







2025







PIG MAT STILL MEASURES UP!










Some mat brands cut corners to save costs, but PIG Mat keeps it real.

These days, many brands are dabbling in the dark art of *shrinkflation*. That's when companies reduce the size and/or quality of their products on the sly. But New Pig doesn't do that! PIG Mat is tested and validated in our Absorbatory as well as by our customers in real-world applications, so you can always count on it to do what we say it will do.



See the inside back cover to learn more.

40 YEARS 1985 — 2025 '91 Pigalog Throwback: Life's a beach when you have PIG Products to clean up liquid messes at your workplace!



"So happy with this purchase. This mat absorbs almost anything that spills. Oil, brake fluid, transmission fluid, antifreeze, etc. Wish I bought them sooner."

- Marshall, MAT240 Customer



PIG SHOPREADY DISPOSABLE MICROFIBER WIPERS

We've never met a tougher microfiber wiper!

Engineered for superior durability in rough scrubbing and heavy-duty tasks, wet or dry. The perforated roll allows you to tear off single or multiple sheets to customize sizes, and they're available in four colors for color-coding the different processes at your workplace.

SEE PAGE N13



WE PIG PROMISE TO KEEP CUSTOMERS HAPPY!

Helpful Service — Get through to real people, really fast!

At New Pig, you'll never have to wade through phone menus or repeat yourself five times to a voice recognition robot. From our offices in Tipton, PA, an actual human being says *Hello* and asks how we can help! 96% of calls are answered within 3 rings and 99% of chats connect within 9 seconds.

Reliable Shipping — We bust our tails to deliver your stuff.

Thanks to our speedy warehouse crew and massive in-stock inventory, your order is shipped as fast as humanly possible. And when you order using Autoship, you'll never run out of your favorite PIG products! (newpig.com/autoship)



Risk-Free Shopping — Every penny back. No strings attached.

We stand behind 100% of our products, 100% of the time. So if you buy something and it's just not working out, we'll refund every single penny, including taxes and freight. We'll even schedule and pay for the return shipping!



Orders, service and product support by phone, Mon-Fri, 7 AM-8 PM EST:

1-800-HOT-HOGS[®] (1-800-468-4647)

Online + Chat Live: **newpig.com**

Email: hothogs@newpig.com

Fax: 1-800-621-PIGS (1-800-621-7447)

Text: **855-493-4647**







Table of Contents

| Absorbents | 1 |
|----------------------|----|
| | |
| Spill Kits | 28 |
| Wipers & Rags | 51 |
| Spill Control | 53 |
| Stormwater | 66 |
| Grippy Mats | 78 |
| Safety & Maintenance | 85 |
| Leak Diverters | 92 |
| Storage & | |
| Material Handling | 97 |
| Spill Containment 1 | 14 |
| NEW PRODUCTS | N1 |

NEW PIG SERVICE GOES THE WHOLE NINE YARDS!

96% of calls are answered in 3 rings or less

99% of live chats are engaged within 9 seconds

99.4% customer service order accuracy

ways to order: from email to EDI and more

99.9% shipping accuracy on items we stock

99.5% availability on Absorbents, Spill Kits and more

94.7% same-day shipments (5% are special orders)



PUT PIG TO WORK

You can always count on New Pig for cleaner, safer, better ways to work at your facility.

Scan the code to watch our video!



PURCHASE BY THE PALLET — SAVE ON FREIGHT!

Look for items in this catalog with "Pallet Quantity" listings to get the best cost-per-unit rates on freight.

ABSORBENTS

THE BEST ALL-AROUND SINCE 1985.



World's first sock: The PIG that launched an industry.

In the early '80s, our founders were working hard cleaning up grease and grime in dirty factories. The worst job was shoveling up the loose, oil-soaked cat litter around the bases of leaking machinery. The clay pellets stuck to everything, and when they started losing money on these jobs, they set out to find a better way to soak up the mess.

They cut up pantyhose and stuffed them with everything from sawdust to rice hulls. Then they laid these sausage-shaped things into pools of oil to see what would happen, but nothing worked. Finally, they tried ground corncob, and the world's first contained absorbent was

absorbent was born — the PIG Original Sock!

Old-school "solutions" don't work!



FLIMSY CARDBOARD

Slips and slides underfoot; even when it's taped down.



HEAVY, HAZARDOUS CLAY

Makes a mess of floors, machinery and your lungs.



CHEAP COMPETITOR MATS

Can't hold their liquids and fall apart in tough jobs.

Choose your absorbents to fit your liquids.

Our color-coded absorbents make it easy to choose the appropriate absorbent for the type of liquid you're cleaning up.

UNIVERSAL

They soak up the widest range of liquids for everyday applications including oils, coolants, water and solvents.

See pages 6-13

WATER

PIG Water Absorbents are designed for quick-acting, higher-volume absorbency that works on contact.

See pages 14-16

OIL-ONLY

PIG Oil-Only Absorbents repel water, so you can clean up fuel and oil-based spills even in outdoor applications.

See pages 17-24

HAZMAT

PIG HazMat Absorbents are specially treated to soak up acids and bases without degrading or reacting.

See pages 25-27

IT'S THE WORLD'S #1 BRAND FOR A REASON.



NEW PIG NEVER CUTS CORNERS.



MAT SIZE HASN'T CHANGED

Out most popular PIG Mat (MAT240) has been the same size for over 15 years. No shrinkflation here!



THE BEST RESINS

We always use resins that are the cream of the crop, never cheap fillers or substitutes. Garbage in equals garbage out!



TRUE WEIGHT

We never overloft to make stacks look thicker. You get the same formula every time, always 100% genuine PIG Mat.



QUALITY CONTROL

Monitoring consistency on our PIG Mat production runs avoids lumps, flecks and voids from lines that are run too fast.



REAL-WORLD ACCURATE

Published specs like size, weight and absorbency are tried and true so you know exactly what to expect from your PIG Mat.



OTHER MAT BRANDS GIVE YOU LESS.



SMALLER SIZES

Trimming a 15" x 20" pad down to 15" x 18" reduces surface area and material cost by 10%, giving you 10% less absorbency.



LOWER QUALITY

Using lower grades of resin and cheap fillers saves costs on their side, but performance and chemical compatibility are affected.



OVERLOFTING

Injecting air may reduce material costs, but those overlofted fibers underperform in absorbency and retention.



RUSHED PRODUCTION

In an effort to lower their costs, companies run lines faster than they should, creating voids, hard flecks and high lumps.



MISLEADING SPECS & CLAIMS

Product specs might have been true at one time in lab settings, but they don't reflect real-world use and applications.



🕫 PIG MAT: TRIED.TESTED & TRUSTED!



WE'VE GOT STANDARDS, YES WE DO.

Nobody beats the quality, engineering or performance of the World's #1 Mat Brand. To make sure our claims translate to real-world performance, we conduct regular testing, following strict ASTM and ISO standards. Our goal is for every PIG Mat to do what we say it will do. If it doesn't pass these 7 tests, we don't sell it to you:

- 1. BASIS WEIGHT ASTM D3776
- 2. BULK (LOFT) ASTM D1777
- 3. OIL/WATER CAPACITY ASTM F726-17 and ISO 20158:2018
- 4. TENSILE STRENGTH ASTM D5034

- 5. RECIPROCAL ABRASION ASTM D3884-22
- 6. ROTARY ABRASION ASTM D3389
- 7. VERTICAL WICKING ISO 9073-6-2000



PiE UNIVERSAL ABSORBENT MATS

The one absorbent mat to have if you only have one.

TRIED & TRUSTED

PIG Mat delivers the perfect balance of absorbency, retention and durability. When we say universal, we mean it! Our best-selling gray mat soaks up all sorts of stuff, including hydraulic oil, acetone, coolants, propylene glycol and many other noncorrosive liquids.

SAVES YOU MONEY

By staying down longer and needing fewer changeouts, PIG Mat saves you time and money. When cheaper mats can't keep up and need constant replacing, those initial "savings" go right out the window.

HELPS YOU COMPLY with 29 CFR 1910.22(a)(2) for maintaining floors in a clean, dry condition.





Our physics-based algorithm analyzes your spill risks so you can protect your people, comply with regs, and be more prepared for inspections.

GET YOUR FREE REPORT AT NEWPIG.COM/ALGORITHM







A CLOSER LOOK

PIG exclusive! Multiple layers of thermally-bonded, melt-blown polypropylene make PIG Mat the toughest mat on the market.



PIG UNIVERSAL MAT PADS

PIG Mat Pads are ideal for catching drips and soaking up spills from machinery or other potentional hard-to-reach areas. Choose lightweight for small jobs and routine changeouts; mediumweight as a great general purpose mat; and heavyweight for bigger leaks and spills.



MAT203



\$138 \$129 \$114



| PIG® | Absorbe | nt Mat Pa | ads | | | | | Big |
|--------|---------|-----------------|----------------|---------------|----------------|-------|-------|-------|
| Weight | Item # | Size (W x L) | Unit (pads) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Light | MAT204 | 15" x 20" | 200 | 22 gal./bag | 36 | \$136 | \$127 | \$112 |
| Med. | MAT412 | 15" x 20" | 125 | 22 gal./bag | 36 | \$136 | \$127 | \$112 |
| | MAT160 | 15" x 20" | 100 | 17.6 gal./bag | 42 | \$109 | \$101 | \$93 |
| Heavy | MAT203 | 15" x 20" | 100 | 22 gal./bag | 36 | \$136 | \$127 | \$112 |
| PIG® | Absorbe | nt Mat Pa | ads in | Dispenser | Вох | | | gig |
| Weight | Item # | Size (W x L) | Unit (pads) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Light | MAT135 | 15" x 20" | 200 | 22 gal./box | 30 | \$138 | \$129 | \$114 |
| Med. | MAT154 | 15" x 20" | 100 | 17.6 gal./box | 36 | \$111 | \$103 | \$98 |



MAT240



22 gal./box

100

"Our company uses these pads, and only these pads. The quality is outstanding and the customer service is delightful. They are so easy to work with and our product arrived within a couple of days!"

- Brandie, MAT204 Customer

ADDITIONAL SIZES AVAILABLE AT NEWPIG.COM

PIG UNIVERSAL MAT ROLLS

Heavy **MAT240** 15" x 20"

Ideal for covering large areas and soaking up leaks and overspray along machinery. Choose lightweight for small tasks and routine changeouts; mediumweight for everyday cleanups; and heavyweight for the most absorbency.







MAT230

| PIG® . | Absorbent | Mat Rol | ls | | | | | big |
|---------|-----------|-----------------|-----------------|---------------|----------------|-------|-------|-------|
| Weight | Item # | Size (W x L) | Unit (rolls) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Light | MAT225 | 30" x 300' | 1 | 40.2 gal./bag | 12 | \$233 | \$217 | \$190 |
| | MAT245 | 24" x 300' | 1 | 32.4 gal./bag | 24 | \$186 | \$174 | \$150 |
| Med. | MAT411 | 30" x 200' | 1 | 42.5 gal./bag | 12 | \$233 | \$218 | \$190 |
| | MAT153 | 30" x 150' | 1 | 31.9 gal./bag | 16 | \$175 | \$160 | \$144 |
| Heavy 🤇 | MAT230 | 30"x 150' | 1 | 40.2 gal./bag | 12 | \$233 | \$218 | \$190 |
| | MAT202-01 | 24" x 150' | 1 | 32.4 gal./bag | 24 | \$187 | \$175 | \$152 |
| | MAT220 | 15" x 150' | 2 | 40.2 gal./bag | 12 | \$233 | \$218 | \$190 |

GET A DISPENSING STATION FOR YOUR MOST-USED ABSORBENTS. SEE CAB590 ON PAGE 13.












A CLOSER LOOK

Super absorbent core fuses natural and synthetic fibers to enhance absorbency, strength and loft.



PIG BLUE MAT

Our most absorbent mat stays down longer so you use less and save \$\$\$.

Clean up big, persistent leaks and drips with our maximum absorbency pads — they soak up more than any other mat we offer. PIG Blue Mat requires fewer changeouts than standard mats, which saves you time and money by staying down longer. Pads and rolls won't fall apart, even when soaked with coolants, paint, gear oil and viscous liquids. Mats contain 75% recycled fibers and are fire retardant.







| Pig B | lue® Abs | sorbent N | lat Pads | 5 | | | | giq | | | |
|---|----------|-----------------|-----------|-------------|----------------|-------|-------|-------|--|--|--|
| Neight | Item # | Size (W x L) | Unit | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Light | BLU100 | 15" x 19" | 100 pads | 24 gal./box | 24 | \$71 | \$68 | \$59 | | | |
| Heavy 🤅 | BLU101 | 15" x 19" | 100 pads | 34 gal./box | 12 | \$100 | \$93 | \$83 | | | |
| Pig Blue® Absorbent Mat Pads in Dispenser Box | | | | | | | | | | | |
| Neight | Item # | Size (W x L) | Unit | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Light | BLU107 | 15" x 19" | 50 pads | 12 gal./box | 42 | \$48 | \$45 | \$41 | | | |
| Heavy | BLU106 | 15" x 19" | 50 pads | 17 gal./box | 24 | \$66 | \$61 | \$55 | | | |
| Pig B | lue® Abs | sorbent N | lat Rolls | S | | | | Biq | | | |
| Neight | Item # | Size (W x L) | Unit | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Light | BLU104 | 30" x 150' | 1 roll | 41 gal./bag | 16 | \$119 | \$111 | \$99 | | | |
| Heavy | BLU102 | 30" x 150' | 1 roll | 64 gal./bag | 10 | \$165 | \$155 | \$136 | | | |

Corrosive Liquids Notice: Not recommended for acids, bases or other corrosive liquids.

Patent 8,182,927



BLU100



BLU106



BLU102

ADDITIONAL SIZES & STYLES AVAILABLE AT NEWPIG.COM





PIG BARREL TOP AND PAIL TOP MAT

Keep drum and pail tops clean enough to eat on with a mat that's shaped to fit.

Barrel Top Mat includes all the great benefits of PIG Mat, perfectly shaped to fit your drums. Soak up pump drips without cluttering up your workspace with dirty rags. Mat won't rip, tear or fray even when it's saturated. Dispenser box makes it easy to take, carry and store your mats.



| | | | | | | | | ` | .000- |
|--------|-----------|--------------------------------------|--------------------|----------------|--------------------------|----------------|-------|-------|-------|
| PIG® | Barrel To | op Absor | bent Ma | at | | | | | gig |
| Weight | Item # | Use With | Bung Opening | Unit (pads) | Abs. Up To (gal./box) | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Light | MAT244 | 55-Gallon Steel Drum | (1) ¾" & (1) 2" | 25 | 3.5 | 64 | \$71 | \$66 | \$57 |
| Heavy | MAT208 | 55-Gallon Steel Drum | (1) ¾" & (1) 2" | 25 | 6.9 | 72 | \$111 | \$102 | \$95 |
| | MAT255 | 55-Gallon Steel/Poly Drum | (2) 2" | 25 | 5.9 | 72 | \$111 | \$102 | \$95 |
| PIG® | Pail Top | Absorbe | nt Mat | | | | | | Biq |
| Weight | Item # | Use With | Bung Opening | Unit (pads) | Abs. Up To (gal./box) | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Heavy | MAT2280 | 5-Gallon Tight-Head Steel Pail | (1) 2" | 25 | 1.3 | 144 | \$42 | \$38 | \$34 |





PIG HIGH-VISIBILITY ABSORBENT MAT

Can't-miss-it safety yellow mat alerts workers to potential hazards.

High-Visibility Mat is easy to see; it alerts workers to potential dangers. Multiple layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market. It won't rip, tear or fray even when fully saturated.

| $\textbf{PIG}^{\text{\tiny{\$}}}$ | High-Vi | sibility A | bsork | ent Mat Pa | ads | | | pig |
|-----------------------------------|---------|-----------------|----------------|---------------|----------------|-------|-------|-------|
| Weight | Item # | Size (W x L) | Unit (pads) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Light | MAT604 | 15"x 20" | 200 | 22 gal./bag | 36 | \$136 | \$127 | \$112 |
| Heavy | MAT603 | 15"x 20" | 100 | 22 gal./bag | 36 | \$134 | \$122 | \$109 |
| PIG® | High-Vi | sibility A | bsork | ent Mat Ro | olls | | | pig |
| Weight | Item # | Size (W x L) | Unit | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Heavy | MAT630 | 30"x 150' | 1 roll | 40.3 gal./bag | 12 | \$233 | \$218 | \$190 |

♠ Best-Seller



PIG ORIGINAL SOCK

Control your everyday leaks.

This is the sock that started it all back in 1985! Formable corncob-filled socks hug corners and surround machine bases to absorb leaks, contain puddles and keep workers safe. Polypropylene skin resists tearing; reduces dust and holds in liquids, even when wet.



| | PIG® O | riginal Absorbe | ent So | ck | | | | giq |
|---|--------|---------------------|-----------------|----------------|----------------|-------|-------|-------|
| | Item # | Size | Unit (socks) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ |
| | PIG209 | Ext. Dia. 3" x 8'L | 16 | 13.75 gal./box | 15 | \$128 | \$112 | \$108 |
| 6 | 404 | Ext. Dia. 3" x 42"L | 40 | 20 gal./box | 16 | \$108 | \$100 | \$80 |
| | 204 | Ext. Dia. 3" x 42"L | 20 | 10 gal./box | 28 | \$62 | \$56 | \$51 |

Corncob filler quickly absorbs leaks. Moldable skin won't fall apart.



"Pig Absorbent Socks work fantastic keeping our floors clean and dry of unwanted oil and solvent leaks. They are priced right and get the job done! Customer service is fantastic and a pleasure to deal with."

— Jeff, Happy Customer



PIG EXTRA-DUTY ABSORBENT MAT

Clean up with two-sided toughness.

Two additional spunbond outer layers resist ripping and fraying from wiping coarse surfaces or parts that would shred conventional mats. Low-lint for wiping rough parts or equipment and for cleaning in paint booth applications. It's great for lining benches or for placing under sharp parts.

| PIG® | PIG® Extra-Duty Absorbent Mat Pads in Dispenser Box 🥦 | | | | | | | | | | |
|---------------|---|-----------------|----------------|--------------------------|----------------|-------|-------|-------|--|--|--|
| Weight | Item # | Size (W x L) | Unit (pads) | Abs. Up To (gal./box) | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Heavy (| MAT173 | 16" x 20" | 100 | 18.1 | 30 | \$129 | \$127 | \$122 | | | |
| PIG® | Extra-Dı | ıty Absorl | oent N | lat Rolls | | | | pig | | | |
| Weight Item # | | Size | Unit (roll) | Abs. Up To (gal./bag) | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Heavy | MAT175 | 32" x 150' | 1 | 36.8 | 16 | \$225 | \$212 | \$203 | | | |
| | MAT176 | 16" x 150' | 1 | 18.4 | 18 | \$127 | \$123 | \$114 | | | |







PIG BLUE SOCK

Contain spills before they spread.


Our heaviest sock, with fine-grade vermiculite filler, hugs floors and stays in place to dam spills. Quickly absorbs oils, coolants, solvents and water; can be air-dried for reuse when soaked with water.

| PIG® Bl | PIG® Blue Absorbent Sock | | | | | | | | |
|---------------|--------------------------|----------|--------------------------|----------------|-------|-------|-------|---|--|
| Item # | Size | Unit | Abs. Up To (gal./box) | Pallet Qty. | 1-2 | 3-6 | 7+ | | |
| PIG217 | Ext. Dia. 5" x 10'L | 4 socks | 32 | 9 | \$162 | \$154 | \$145 | | |
| PIG202 | Ext. Dia. 3" x 10'L | 8 socks | 14.88 | 12 | \$127 | \$115 | \$107 | * | |
| \$4048 | Ext. Dia. 3" x 48"L | 40 socks | 30 | 16 | \$156 | \$146 | \$107 | * | |
| 2048 | Ext. Dia. 3" x 48"L | 20 socks | 15 | 20 | \$93 | \$82 | \$75 | * | |
| PIG201 | Ext. Dia. 3" x 24"L | 55 socks | 20.63 | 20 | \$139 | \$127 | \$119 | * | |

* **MARNING:** Cancer - www.P65Warnings.ca.gov

Additional sizes available at newpig.com

NEED TO TALK ABOUT A SOCK? CALL OUR TECH TEAM AT 1-800-HOT-HOGS!





3 SIMPLE STEPS TO GET THE MOST OUT OF YOUR PIG SOCKS.

- Clean up all loose absorbents, rags and other debris around the source of the leak. Hold each sock by its ends and shake to evenly distribute filler. This will create better surface contact.
- 2. Make sure your PIG Socks have direct contact with the floor and the liquid being absorbed. Don't stack socks on top of each other. When placing end-to-end, overlap them by 3".
- 3. If it ain't soaked, don't pitch it! Let the sock work until it's saturated. Replace the sock when you see liquid seeping out from underneath.





PIG DRI LOOSE ABSORBENT

Highly absorbent granules are heavy like clay and won't blow around.

Unlike clay, which is simply coated with liquid, fast-wicking cellulose-based kaolin granules begin to soak up liquid the moment they touch the spill. 47% recycled content; silica-free composition doesn't pose the health hazards associated with breathing in clay dust. Easier than clay to carry and use without injury.



| PIG® Dri Loose Absorbent | | | pig |
|--|-------------|-------|-------|
| Item # | Pallet Qty. | 1-2 | 3+ |
| PLP213-50 • 50 - 40 lb. Bags • Absorbs up to 250 gal./pallet | 1 | \$631 | \$610 |
| PLP213-1 • 1 - 40 lb. Bag • Absorbs up to 5 gal./bag | 50 | \$2 | 20 |

Corrosive Liquids Notice: Not recommended for acids, bases or other corrosive liquids.
Ingredient Notice: Contains intentionally-added ingredients that may contain fragrance allergens.

* MARNING: Cancer - www.P65Warnings.ca.gov



PIG LITE-DRI LOOSE ABSORBENT

Lighter and easier to carry than clay, plus it absorbs up to 3X more!

Fast-wicking recycled cellulose soaks up the spill the moment it touches, unlike clay, which simply coats itself with liquid. Silica-free, non-abrasive composition is three times more absorbent — you'll use less material on the spill, reducing your labor and disposal costs.



| | PIG® Lite-Dri® Loose Absorbent | | | | gig |
|---|---|-------------|------|-------|------|
| | Item # | Pallet Qty. | 1-9 | 10-53 | 54+ |
| 6 | PLP201 • 1 - 22 lb. Bag • Absorbs up to 8 gal./bag | 54 | \$45 | \$43 | \$40 |

Corrosive Liquids Notice: Not recommended for acids, bases or other corrosive liquids.

PIG ABSORBENT PILLOW

More absorbency for more liquid.

Some messes need more than a mat. Fast-wicking cellulose makes our high-capacity Pillows perfect for soaking up large leaks and spills. Polyproplene skin resists tearing, reduces dust and holds in liquid.



| | PIG® Absorbent Pillow | | | | | | | |
|---|-----------------------|------------------|------------|-------------|-------------|-------|-------|-------|
| | Item # | Size (W x L x H) | Unit | Abs. Up To | Pallet Qty. | 1-2 | 3-9 | 10+ |
| • | PIL201 | 17"x 21"x 2" | 16 pillows | 32 gal./box | 12 | \$155 | \$146 | \$140 |
| | PIL204 | 10"x 10"x 2" | 40 pillows | 20 gal./box | 24 | \$115 | \$111 | \$107 |



PIG EMPTY ABSORBENT DISPENSING STATION

Store absorbents that your facility uses regularly in this cabinet.

Preserve spill kit supplies for emergencies by customizing this cabinet with your facility's most-used, everyday absorbents. Hanging bars serve as holders for mat roll dispensing while removable half walls help to keep absorbents contained. 16-gauge steel adds durability, and yellow powder coat finish stands out for quick identification. Item ships fully assembled.





| PIG® En | npty Absorbent I | Dispensing Station | | gig |
|---------|------------------|--------------------|---------|--------|
| Item # | Storage Capacity | Ext. Dimensions | Shelves | 1+ |
| CAB590 | 900 lbs. | 24"W x 24"L x 72"H | 2 | \$1225 |

^{*} MARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov



PIG ADJUSTABLE WALL-MOUNT MAT ROLL HOLDER

Adjusts to accommodate a range of roll sizes.

NEW! Holder can be adjusted by re-bolting to hold mat rolls up to 36" wide and 20" in diameter, and it's simple to refill with new rolls by using drop-in core rod. Includes wall-mount template for easy installation; hardware not included.



| PIG® Adjustable Wall-Mount Mat Roll Holder | | | | | | |
|--|-------|--|--|--|--|--|
| Item # | 1+ | | | | | |
| MAT1291 • For rolls up to 20"Dia. x 36"W | \$149 | | | | | |





PIG VERTICAL MAT ROLL HOLDER

Put your PIG Mat Roll on wheels.

No more lugging around large rolls of mat! No-tip swivel wheel casters allow holder to move freely, and 3"-high platform is low enough for easy mat positioning. For use with any PIG Mat Roll up to 36" wide x 20" in diameter.

| PIG® Vertical Mat Roll Holder | giq |
|---|-------|
| Item# | 1+ |
| GEN249 • For rolls up to 20"Dia. x 36"W | \$190 |

Prevent costly damage and safety hazards with our specialized products just for water.

WATER ABSORBENTS

PIG Water Mats and Socks are designed for quick-acting, highervolume absorbency that works on contact.



WEATHER-RELATED

Leaky roofs, wet entrances and rising water at loading docks



OPERATIONAL

Washdowns, cleanouts and other maintenance operations





29 CFR 1910.22(A)(2)

For maintaining floors in a clean, dry condition

WORLD'S



DID YOU KNOW?

- The No. 2 business insurance claim is water damage (avg. cost \$17,000)
- The No. 5 business insurance claim is slips and falls (avg. cost \$20,000)




PIG MILDEW-RESISTANT WATER SOCK

Deploy long-term, air-dry and reuse!

Flexible socks absorb water from under freezers, coolers and equipment. Polypropylene skin and filler resist the growth of mildew so they can be left down long-term. To reuse, simply air-dry and redeploy or squeeze water from socks for faster results.

NOTE: Not for use in direct sunlight.





PIG SUPER WATER-ABSORBING SOCK

Absorb and contain large water leaks and water-based spills.

Filled with super absorbent polymer (SAP) to quickly absorb or divert water seeping into your facility under doors or through windows and cracked foundations. Each sock can absorb 15 times its weight, so you can use them as a weighted berm when saturated.

| PIG® Su | PIG® Super Water-Absorbing Sock | | | | | | | | | |
|---------|---------------------------------|--------|-------------|-------------|-------|-------|--|--|--|--|
| Item # | Size | Unit | Abs. Up To | Pallet Qty. | 1-4 | 5+ | | | | |
| WTR018 | Ext. Dia. 3" x 48"L | 40/box | 70 gal./box | 12 | \$149 | \$142 | | | | |
| WTR020 | Ext. Dia. 3" x 48"L | 20/box | 35 gal./box | 24 | \$81 | \$75 | | | | |







A CLOSER LOOK

PIG exclusive! Spunbond top layer adds durability. Fused natural and synthetic fibers create strength and enhance absorbency. Lofty inner core provides superabsorbency.





PIG WATER MAT

The ONE mat to stock for cleaning up water problems.

PIG Water Mat has superfast wicking that helps you quickly eliminate puddles to prevent damage, slips and falls.

Be prepared to soak up water that comes in from roof leaks and seepage through doors and docks, cracked foundations or open windows. Absorb excess water in food service, food processing and other critical areas where standing water is prevalent. And deal with water from maintenance and system breakdowns, including burst or leaking pipes, broken hoses, leaking equipment and cleanouts.

Wring and re-use during a single water spill cleanup, then dispose. Cleaner than dirty mops, rags and towels, which can recontaminate floors by spreading bacteria, mold and odors.





| | PIG® W | ater Abs | sorbent Mats | | | | | Biq |
|---|--------|-----------------|-----------------------------------|---------------|----------------|-------|-------|-------|
| | Item # | Size (W x L) | Unit | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ |
| | WTR006 | 15"x 19" | 50 pads/disp. box | 11.3 gal./box | 42 | \$74 | \$71 | \$61 |
| ¢ | WTR007 | 15"x 19" | 100 pads | 22.7 gal./box | 18 | \$112 | \$104 | \$94 |
| | WTR021 | 15"x 19" | 100 pads (10 packs of 10 pads) | 22.7 gal./box | 15 | \$123 | \$114 | \$104 |
| | WTR008 | 30"x 150' | 1 roll | 42.9 gal./bag | 10 | \$176 | \$167 | \$158 |

Corrosive Liquids Notice: Not recommended for acids, bases or other corrosive liquids.

Patent 8,182,927



WTR006




WTR008



WTR021






PIG HIGH VOLUME WATER-ABSORBING SPILL KIT

Store this high-capacity water kit near plumbing, mechanical rooms and other water sources.



| \sim | | | | |
|-------------------------|--|--------|--------|--|
| PIG® High Large Spil | Volume Water-Absorbing Spill Kit in I Cart | | pig | |
| Item # | | 1-2 | 3+ | |
| WTR550 • Abs | orbs up to 80 gal. • 30" W x 29.5" D x 50" H | \$1200 | \$1125 | |
| RFL550 • Refil | absorbs up to 80 gal. | \$500 | | |
| WTR550 & RFL550 | O Contents • 12 Socks • 72 Mat Pads • 9 Pillows • 2 Flood Barriers • 50 Wi | pers | | |



PIG WATER CLEANUP & RESPONSE CART

Cart kit contains supplies for every step of water cleanup.

Show up to water spills and leaks ready for a range of cleanup types and steps — heavy ceiling leaks, channeling and absorbing water, redirecting foot traffic and much more. See the list of contents below for everything that comes with this wheeled response cart!



| PIG® Water Cleanup & Response Cart | | giq |
|--|-------|------------|
| Item # | 1-2 | 3+ |
| WTR300 • Absorbs up to 80.5 gal. | \$810 | \$761 |
| WTR300 Contents * 3 Socks * 10 Water Mat Pads * 30 Water Absorbent Strips & Pads * 225 W 1 Drainage Hose * 4 Adjustable Hanging Straps * 1 Hose Connector * 1 Bucket * 2 Floor Cones * | | k Diverter |

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

Pis OIL-ONLY ABSORBENTS



Soak up oily leaks and spills without wasting absorbency on water.

PIG Oil-Only Absorbents do not absorb water. They should be your first choice for any application — indoors or out — where you need to soak up oil without wasting absorbency on water. They're perfect for any oil- or hydrocarbon-based liquids, including:

- Motor oil
- Hydraulic oil
- · Cutting oil
- Diesel fuel
- Synthetic oils

- Vehicle fluids
- Vegetable fluids
- · Oil-based solvents



OIL-ONLY ABSORBENTS

FLOATS ON WATER

From oily puddles in your parking lots to oil spills on bodies of water, our mats work without sinking. Even when soaked, they float!



If you know you're only dealing with oil, don't spend more on a universal mat. Get the job done right and soak up the savings!

WORKS IN THE RAIN

These water-repellent PIG Mats are great around leaky outdoor equipment or for spill cleanups during and after rainy weather.











Pis OIL-ONLY MAT

Our most cost-effective mat when you only need to absorb oil.

Absorb and retain fuels and oil-based liquids without taking in a drop of water. Durable multi-layer mat repels rainwater and floats for skimming applications and cleaning up spills on water. White color draws attention to machine leaks and clearly shows saturation level during spill response.

ASK THE EXPERTS

From product support to regulatory compliance, our team is here to help you find cleaner, safer, better ways to work.



Live Chat at newpig.com





SOAKS UP FAST

Our exclusive dimple pattern speeds up the wicking of oil throughout the mat. Leak and spill cleanup is quick and easy.



HOLDS ITS LIQUID

Highly absorbent fine fibers trap oil so it doesn't pour back out when you pick up the mat. The mess is gone for good!



LASTS 2X LONGER

Multiple layers of thermally bonded polypropylene give PIG Mat superior strength and abrasion resistance.







A CLOSER LOOK

PIG exclusive! Multiple layers of thermally-bonded, melt-blown polypropylene make PIG Mat the toughest mat on the market.



PIG Oil-Only Mat Pads are ideal for soaking up spills on water or catching oily leaks and drips from machinery or other potential hard-to-reach areas. Our most cost-effective mat when you only need to absorb oil-based liquids.







| PIG® C | il-Only | Absorbei | nt Ma | t Pads | | | | pig |
|--------|----------|-----------------|----------------|---------------|----------------|--------|-------|-------|
| Weight | Item # | Size (W x L) | Unit (pads) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Light | MAT423 | 15"x 20" | 200 | 22 gal./bag | 36 | \$105 | \$95 | \$82 |
| Medium | MAT460 | 15"x 20" | 125 | 22 gal./bag | 36 | \$105 | \$95 | \$82 |
| | MAT455 | 15"x 20" | 100 | 17.6 gal./bag | 42 | \$87 | \$76 | \$72 |
| Heavy | MAT426 | 30"x 30" | 50 | 33.3 gal./bag | 12 | \$198 | \$189 | \$163 |
| 6 | MAT403 | 15"x 20" | 100 | 22 gal./bag | 36 | \$105 | \$95 | \$82 |
| PIG® C | Dil-Only | Absorbe | nt Ma | t Pads in D | ispens | ser Bo | x | pig |
| Weight | Item # | Size | Unit (pads) | Abs. Up To | Pallet | 1-2 | 3-6 | 7+ |



MAT440



22 gal./box

17.6 gal./box

22 gal./box

30

36

30

\$107

\$89

\$107

\$97

\$83

\$97

\$84

\$76

\$84

"These are the best pads on the market and work fantastic in our metal fabrication shop! We use these under all our waterjet tools and pumps and they really soak up the hydraulic fluid off the surface of water under the intensifier pumps."

— James, MAT403 Customer

NEED A MAT FOR FLAMMABLES? SEE STAT-MAT ON PAGE 21.

PIG OIL-ONLY MAT ROLLS

MAT485

MAT454

MAT440

15"x 20'

15"x 20"

15"x 20"

100

Light

Heavy

Medium

Ideal for covering large areas and soaking up leaks and overspray along machinery. Choose lightweight for small tasks; mediumweight for everyday cleanups; and heavyweight for the most absorbency.



| | - | 4 |
|--|---|---|
| | | |
| | | |
| | | |
| | | 3 |

MAT401

| PIG® Oil-Only Absorbent Mat Rolls | | | | | | | | |
|-----------------------------------|--------|-----------------|---------|---------------|----------------|-------|-------|-------|
| Weight | Item # | Size (W x L) | Unit | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Light | MAT419 | 30"x 300' | 1 roll | 40.2 gal./bag | 12 | \$180 | \$161 | \$149 |
| | MAT441 | 15"x 300' | 2 rolls | 41 gal./bag | 12 | \$180 | \$160 | \$149 |
| Medium | MAT461 | 30"x 200' | 1 roll | 42.5 gal./bag | 12 | \$180 | \$161 | \$149 |
| | MAT458 | 30"x 150' | 1 roll | 32 gal./bag | 16 | \$135 | \$125 | \$114 |
| Heavy 🤇 | MAT401 | 30"x 150' | 1 roll | 40.2 gal./bag | 12 | \$180 | \$161 | \$149 |
| | MAT425 | 15"x150' | 2 rolls | 40.2 gal./bag | 12 | \$180 | \$161 | \$149 |

GET A DISPENSING STATION FOR YOUR MOST-USED ABSORBENTS. SEE CAB590 ON PAGE 13.







A CLOSER LOOK

PIG exclusive! Rugged top layer adds durability. Middle layer absorbs oils and fuels while bottom layer prevents them from seeping into the ground.



PIG OIL-ONLY ABSORBENT GROUND TARP

Durable mat absorbs oils and fuels, not water, in outdoor applications.

Heavy-duty, three-layer, UV-resistant mat ensures oily leaks and drips never reach the ground — perfect for outdoor equipment maintenance or storage.

Top layer is a tough geotextile fabric. Highly absorbent polypropylene middle layer traps oils and fuels but allows rainwater to evaporate, and bottom barrier film prevents liquids from leaching into the ground. Liquids absorb quickly for easier cleanup and the tarp won't rip, tear or fray, even when saturated. Material cuts easily with utility knife or scissors, plus it protects user while they're lying on the ground.

HELPS YOU COMPLY with SPCC and Stormwater Regulations

| | PIG® Oil-Only Absorbent Ground Tarp | | | | | | | | | | |
|---|-------------------------------------|-----------------|--------|-------------|------------------------|----------------|-------|-------|--|--|--|
| | Item # | Size (W x L) | Unit | Abs. Up To | Corner Grommets | Pallet Qty. | 1-2 | 3+ | | | |
| 6 | MAT445 | 10' x 10' | 1 pad | 12 gal./bag | Yes | 36 | \$270 | \$265 | | | |
| * | MAT494 | 5' x 10' | 1 pad | 6 gal./bag | Yes | 50 | \$163 | \$159 | | | |
| * | MAT4016 | 5' x 10' | 1 pad | 6 gal./bag | No | 84 | \$125 | \$118 | | | |
| | MAT444 | 5' x 5' | 1 pad | 3 gal./bag | Yes | 84 | \$98 | \$95 | | | |
| * | MAT4015 | 5' x 5' | 1 pad | 3 gal./bag | No | 84 | \$68 | \$64 | | | |
| | PIG® Oil- | Only Absor | bent G | round Ta | rp Rolls | | | pig | | | |
| | Item # | Size (W x L) | Unit | Abs. Up To | Hook & Loop Closure | Pallet Qty. | 1-2 | 3+ | | | |
| | MAT467 | 59" x 80' | 1 roll | 48 gal./bag | Yes | 12 | \$831 | \$796 | | | |
| * | MAT493 | 59" x 80' | 1 roll | 48 gal./bag | No | 9 | \$661 | \$635 | | | |
| * | MAT492 | 59" x 50' | 1 roll | 30 gal./bag | Yes | 9 | \$505 | \$486 | | | |
| * | MAT491 | 59" x 50' | 1 roll | 30 gal./bag | No | 9 | \$435 | \$416 | | | |
| * | NEW | | | | | | | | | | |

^{.....}



PIG OIL-ONLY RAILROAD MAT

Same great ground tarp, but it's specially sized for railroad tracks.

This rugged, three-layer mat is designed specifically to absorb oils and fuels, not water, from railcars during railyard maintenance. 59" width roll fits right between standard rails; 19" width roll can be used on the outside of rails. UV resistant for outdoor use.

Top layer is extremely durable while middle layer absorbs oils and fuels. Bottom barrier film prevents liquids from leaching into the ground.

| PIG® Oil | PIG® Oil-Only Railroad Absorbent Mat | | | | | | | | | |
|-----------------|--------------------------------------|---------|-------------|-------------|-------|-------|-------|--|--|--|
| Item # | Size (W x L) | Unit | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| ♦ MAT465 | 59" x 100' | 1 roll | 60 gal./bag | 9 | \$767 | \$737 | \$704 | | | |
| MAT466 | 19" x 100' | 2 rolls | 41 gal./bag | 9 | \$601 | \$576 | \$553 | | | |

PIG STAT-MAT

The ONLY absorbent mat for fuels & solvents proven to dissipate static.

The best mat you can buy to reduce the risk of electrostatic discharge; a critical precaution around flammable liquids and vapors. Stat-Mat Pads and Rolls pass ANSI and MIL-SPEC standards for static decay and surface resistivity, making them perfect for fueling areas and solvent cleanup. Mat absorbs and retains oils and fuels — including acetone, benzene, gasoline, toluene, xylene, mineral spirits and jet fuels — but not water.



Stat-Mat is packaged in special bags that dissipate static charge buildup for sensitive environments.

HELPS YOU COMPLY with 29 CFR 1910.106(e)(6)(i) for preventing static that could ignite flammable vapors



MAT214

| PIG® | PIG® Stat-Mat® Absorbent Mat Pads | | | | | | | | | | | |
|---------|-----------------------------------|-----------------|----------------|---------------|----------------|-------|-------|-------|--|--|--|--|
| Weight | Item # | Size (W x L) | Unit (pads) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | | |
| Light | MAT215 | 15" x 20" | 200 | 22 gal./bag | 30 | \$160 | \$148 | \$130 | | | | |
| Heavy 🤇 | MAT214 | 15" x 20" | 100 | 22 gal./bag | 30 | \$160 | \$148 | \$130 | | | | |
| PIG® | Stat-Mat | ® Absorb | ent M | at Rolls | | | | Bid | | | | |
| Weight | Item # | Size (W x L) | Unit | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | | |
| Heavy | MAT402 | 30" x 150' | 1 roll | 40.2 gal./bag | 12 | \$265 | \$241 | \$222 | | | | |



PIG OILY WATER FILTER

Separate oil from water.

Pour-through filters separate oil from water through gravity. The replaceable PIG Oil Absorbent Pillows are easy to change and rotate for maximum life. 55-gallon drum handles up to 8 gallons of liquid per minute. Add optional Carbon Pillows (FLT612) to remove trace hydrocarbons from waste water.





FLT525



FLT612

| PIG® Pour-Through Oily Water Filter | | | giq |
|--|-------------|-------------|-------|
| Item # | | Pallet Qty. | 1+ |
| FLT521 • Absorbs up to 33 gal. • Ext. Dia. 24" x 39"H | | 2 | \$425 |
| FLT525 • Refill for PIG® Pour-Through Oily Water Filter • 6 each | | 12 | \$234 |
| FLT525 Contents • 6 Pillows • 1 Polyethylene Diffuser Funnel | | | |
| Carbon Pillow for PIG® Pour-Through Oily V | Vater F | 'ilter | Biq |
| Item # | Pallet Qty. | 1-4 | 5+ |
| FLT612 • 3 Pillows/box | 36 | \$376 | \$368 |

NOTE: Test effluent regularly to ensure it meets local, state and federal discharge requirements and to determine when to replace the pillows.





PIG OIL-ONLY ABSORBENT SOCK

The best outdoor sock.

Moldable sock hugs corners and equipment bases to absorb leaks and contain puddles. The cellulose filler is 95% recycled content and hydrophobic — absorbs oil-based liquids but not water. Ideal for use on land, but also floats to clean up oil spills on water. UV resistant for up to 12 months; meets ANSI and MIL-SPEC standards for static decay.

| | PIG® Oil-Only Absorbent Sock | | | | | | | | | | | |
|---|---|------|-----------------|--------------------------|----------------|-------------|-------|-------|--|--|--|--|
| | Item # | Size | Unit (socks) | Abs. Up To (gal./box) | Pallet Qty. | 1-4 | 5-11 | 12+ | | | | |
| € | SKM210 Ext. Dia. 3" x 48"L | | 12 | 12 | 24 \$99 | | \$92 | \$83 | | | | |
| | PIG® Clip & Fit® Oil-Only Absorbent Sock | | | | | | | | | | | |
| | Item # Size L SKM230 Ext. Dia. 3" x 120'L | | Unit (sock) | Abs. Up To (g | al./box) | Pallet Qty. | 1-2 | 3+ | | | | |
| | | | 1 | 30 | | 12 | \$220 | \$209 | | | | |





PIG Clip-&-Fit Socks (SKM230) let you create customsized socks.



PIG SKIMMER PILLOW

Quickly soak up oil.

Pillow has large surface area, high capacity and fast-wicking filler to quickly soak up oils, making it ideal for skimming oil off of acid baths or for use in other acidic environments. Skin is UV resistant up to 12 months; meets ANSI and MIL-SPEC standards for static decay.

| PIG® Skimmer Oil-Only Absorbent Pillow | | | | | | | | | |
|---|----------------|-------|-------|-------|--|--|--|--|--|
| Item # | Pallet Qty. | 1-4 | 5-11 | 12+ | | | | | |
| PIL203 16"W x 17"L x 1"H 10 pillows/box Abs. up to 10 gal./box | 24 | \$211 | \$202 | \$194 | | | | | |



PIG SKIMMER SOCKS

Absorb oil from chemical baths.

Skimmer socks are ideal for skimming oil off acid or caustic baths or for use in other acidic environments. PIG Skimmer Socks float at the surface for easy retrieval and meet ANSI and MIL-SPEC standards for static decay.



| PIG® Skimmer Oil-Only Absorbent Sock | | | | | | | | | | | |
|--------------------------------------|---------------------|----------|-------------|----------------|-------|-------|-------|--|--|--|--|
| Item # | Size | Unit | Abs. Up To | Pallet Qty. | 1-4 | 5-11 | 12+ | | | | |
| SKM203 Ext. Dia. 3" x 10'L | | 6 socks | 15 gal./box | 24 | \$281 | \$265 | \$248 | | | | |
| 104PS | Ext. Dia. 3" x 48"L | 10 socks | 10 gal./box | 30 | \$182 | \$166 | \$148 | | | | |





Skimmer floats while absorbing oils without taking in water.


PIG SUMP SKIMMER

Perfectly sized for sumps and tanks.

Simply lower floating skimmer into sumps, tanks and bilges to absorb oil-based liquids without taking in water. Polypropylene loop can be attached to rope (not included) for easy deployment and retrieval. Bright white color makes absorbed oil easy to see.



| PIG® Sump Skimmer | | | | | | | | | | | |
|-------------------|---------------------|-----------------|---------------|----------------|-------|-------|-------|--|--|--|--|
| Item # | Size | Unit (socks) | Abs. Up To | Pallet Qty. | 1-2 | 3-9 | 10+ | | | | |
| SKM403 | Ext. Dia. 8" x 18"L | 12 | 21.6 gal./box | 12 | \$214 | \$207 | \$198 | | | | |
| SKM411 | Ext. Dia. 5" x 18"L | 12 | 10 gal./box | 24 | \$186 | \$180 | \$172 | | | | |
| SKM404 | Ext. Dia. 3" x 18"L | 25 | 9.38 gal./box | 30 | \$154 | \$146 | \$134 | | | | |



PIG OIL-ONLY ABSORBENT BOOMS

Control oil and fuel spills on water.

Booms float at surface for easy retrieval, even when saturated, and let fluids pass through to filler material. White spunbond polypropylene skin is UV resistant up to 12 months; dark color spunbond skin is UV resistant up to 4 months. White boom meets ANSI and MIL-SPEC standards for static decay. Can also be used to contain and absorb oil spills on land.

| | PIG® Oil | Only Absorbe | ent Boo | m | | | | pig | | | |
|---|-----------------------------------|----------------------------|---------|----------------------|----------------|-------|-------|-------|--|--|--|
| | Item # | Size | Unit | Abs. Up To | Pallet Qty. | 1-4 | 5-11 | 12+ | | | |
| | BOM409 | Ext. Dia. 8" x 20'L | 2 booms | 48 gal./bag | 6 | \$186 | \$177 | \$170 | | | |
| | BOM304 | Ext. Dia. 8" x 10'L | 4 booms | 48 gal./bag | 6 | \$186 | \$180 | \$172 | | | |
| | BOM408 | Ext. Dia. 5" x 20'L | 2 booms | 24 gal./bag | 12 | \$144 | \$135 | \$131 | | | |
| (| BOM405 | Ext. Dia. 5" x 10'L | 4 booms | 24 gal./bag 12 \$1 | | \$148 | \$141 | \$135 | | | |
| | BOM407 | Ext. Dia. 3" x 20'L | 4 booms | 16 gal./bag | 12 | \$120 | \$114 | \$108 | | | |
| | BOM406 | Ext. Dia. 3" x 10'L | 8 booms | booms 16 gal./bag 18 | \$122 | \$114 | \$111 | | | | |
| | PIG® Dark Oil-Only Absorbent Boom | | | | | | | | | | |
| | Item # | Size | Unit | Abs. Up To | Pallet Qty. | 1-4 | 5-11 | 12+ | | | |
| | BOM415 | Ext. Dia. 8" x 20'L | 2 booms | 48 gal./bag | 6 | \$186 | \$177 | \$170 | | | |
| | BOM414 | BOM414 Ext. Dia. 8" x 10'L | | 48 gal./bag | 6 | \$186 | \$180 | \$172 | | | |
| | BOM412 | Ext. Dia. 5" x 10'L | 4 booms | 24 gal./bag | 12 | \$148 | \$141 | \$135 | | | |
| | BOM410 | Ext. Dia. 3" x 10'L | 8 booms | 16 gal./bag | 18 | \$122 | \$114 | \$111 | | | |

OIL-ONLY BOOMS AT WORK







As oil is absorbed, the boom sinks in the water. Oil is now exposed to fresh absorbent.



When completely saturated, the boom will "bob" just below the water's surface.



Dark color booms blend in and hide grime so they're barely noticeable.







If you're not happy with your New Pig purchase, we'll refund every penny, including taxes and shipping. Even the return freight is on us!

PIG SHEEN CLEAN ABSORBENTS

Clean up thin, oily residue on water that other absorbents leave behind.

Proprietary filler blends high-capacity recycled cellulose with a copolymer that pulls in thin, "rainbow" sheens of oil. Ideal for long-term deployment to remove sheen from oil spills or absorb residue in retention ponds, catch basins, tanks and more. Skin is UV resistant up to 12 months; provides long-term outdoor use without degradation.







SKM602

| | PIG® Sh | een Clean® O | il-Only | Absorbe | nt Boom | ı/Sock | | pig | | | |
|---|---|---------------------|--|-------------|-------------|--------|-------|-------|--|--|--|
| | Item # | n # Size | | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| | BOM600 | Ext. Dia. 5" x 10'L | 4 booms | 24 gal./bag | 12 | \$380 | \$359 | \$352 | | | |
| | SKM601 | Ext. Dia. 3" x 10'L | 6 socks | 15 gal./box | al./box 24 | | \$245 | \$235 | | | |
| € | SKM600 | Ext. Dia. 3" x 48"L | 12 socks | 12 gal./box | 24 | \$217 | \$203 | \$191 | | | |
| | PIG® Sheen Clean® Oil-Only Absorbent Pillow | | | | | | | | | | |
| | Item # | Size (W x L x H) | H) Unit (pillows) Abs. Up To Pallet Qty. | | 1-2 | 3-6 | 7+ | | | | |
| | SKM602 | 16"x 17"x 1.75" | 10 | 10 gal./box | 24 | \$228 | \$217 | \$206 | | | |





Spaghetti strip filler pulls in thick, petroleum-based liquids for effective spill cleanup.



PIG OIL-ONLY SPAGHETTI BOOM

Specially designed to contain and absorb thick oils on water.

Mesh skin and spaghetti strip filler pull in thick oil. Won't sink, even when saturated, and UV resistant for long-term outdoor use. Rope running along length withstands up to 400 lb. loads.

| | PIG® Oil-Only Spaghetti Boom | | | | | | | | | | |
|---|------------------------------|---------------------|---------|------------------------|----|-------|-------|-------|--|--|--|
| | Item # | m # Size | | Abs. Up To Pallet Qty. | | 1-4 | 5-11 | 12+ | | | |
| • | BOM202 | Ext. Dia. 8" x 10'L | 4 booms | 48 gal./bag | 4 | \$362 | \$348 | \$334 | | | |
| | BOM403 | Ext. Dia. 5" x 20'L | 2 booms | 24 gal./bag | 8 | \$218 | \$208 | \$198 | | | |
| | BOM203 | Ext. Dia. 5" x 10'L | 4 booms | 24 gal./bag | 6 | \$230 | \$220 | \$215 | | | |
| | BOM204 | Ext. Dia. 3" x 10'L | 8 booms | 16 gal./bag | 10 | \$192 | \$187 | \$179 | | | |

NOTE: Spaghetti Booms not recommended for spills on land. See Oil-Only Absorbent Booms on page 23.



PIG LITE-DRI LOOSE ABSORBENT

Lighter and easier to carry than clay, plus it absorbs up to 3X more!

Fast-wicking recycled cellulose soaks up the spill the moment it touches, unlike clay, which simply coats itself with liquid. Silica-free, non-abrasive composition is three times more absorbent — you'll use less material on the spill, reducing your labor and disposal costs.



| PIG® Oil-Only Lite-Dri® Loose Absorbent | | | pig |
|--|-------------|------|------|
| Item # | Pallet Qty. | 1-9 | 10+ |
| PLP410 • 22 lb. Bag • Absorbs up to 8 gal./bag | 54 | \$42 | \$40 |

Corrosive Liquids Notice: Not recommended for acids, bases or other corrosive liquids.

Pig HAZMAT ABSORBENTS

Specially treated to absorb most acids, bases, corrosives and chemicals.

HAZMAT ABSORBENTS

PIG HazMat Absorbents provide the widest range of chemical resistance you can buy, and they're every bit as durable as our gray PIG Mat. Nasty chemical spill? Think pink!

- Sulfuric acid
- Nitric acid
- Phosphoric acid
- Potassium hydroxide

- Hydrochloric acid
- Hydrofluoric acid

- Sodium hydroxide
- Hydrogen peroxide

KICKIN' ACID AND TAKIN' NAMES



OURS

PIG HazMat completely absorbs 98% sulfuric acid.



THEIRS

Highly concentrated corrosives iust puddle on top.



Highly corrosive liquids like 98% sulfuric acid and 30% sodium hydroxide can cause inferior cellulose mats, socks and pillows to degrade or react. But PIG is specially treated to absorb the worst stuff out there, even high concentrations of corrosive chemicals.



PIG HAZMAT SOCKS, PILLOWS & LOOSE

Contain spills and clean up large volumes of acids or bases.

Spreading spills require more than a mat to control the mess. Our HazMat Socks and Dikes are great for corralling chemicals before they can get away. Once the threat is contained, clean up with our Absorbent Pillows or Loose Absorbent. Whichever product you choose, PIG HazMat Absorbents are the best you can buy for concentrated corrosives.



| PIG® H | PIG® HazMat Chemical Absorbent Sock/Dike | | | | | | | | | | | | |
|---------------------------------------|--|------|-----------|---------------|-------------|-------|-------|-------|--|--|--|--|--|
| Item # | Size | Size | | Abs. Up To | Pallet Qty. | 1-2 | 3-9 | 10+ | | | | | |
| HA1010 | Ext. Dia. 5" x 1 | 0'L | 2 socks | 18 gal./box | 21 | \$250 | \$244 | \$239 | | | | | |
| PIG301 | Ext. Dia. 3" x 1 | 0'L | 6 socks | 12 gal./box | 24 | \$260 | \$250 | \$244 | | | | | |
| 124CR | Ext. Dia. 3" x 4 | 6"L | 12 sock | s 9 gal./box | 30 | \$200 | \$179 | \$171 | | | | | |
| PIG® HazMat Chemical Absorbent Pillow | | | | | | | | | | | | | |
| Item # | Size (W x L x H) | | Unit | Abs. Up To | Pallet Qty. | 1-4 | 5-11 | 12+ | | | | | |
| HR7015 | 17"x 16"x 2" | 10 | pillows | 10 gal./box | 24 | \$301 | \$290 | \$280 | | | | | |
| PIL302 | 8"x 8"x 1" | 20 | pillows | 4.69 gal./box | 45 | \$172 | \$165 | \$156 | | | | | |
| PIG® H | azMat Chen | nic | al Loo | se Absorb | ent | | | Big | | | | | |
| Item # | | | | | Pallet Qty. | 1-4 | 5-11 | 12+ | | | | | |
| HA8010 | • 1 - 5 lb. bag • . | Abs. | up to 6.5 | gal./box | 36 | \$80 | \$78 | \$75 | | | | | |

HazMat Notice: To ensure effectiveness and your safety, we recommend that you conduct compatibility and absorption testing of your chemicals with PIG HazMat products prior to purchase. If you have any questions or need samples to test, please call Technical Services.





PIG HAZMAT PADS AND ROLLS

Soaks up hazardous chemicals, even highly concentrated corrosives.

Soak up the widest range of acids, bases, corrosives and chemicals—even those with high concentrations like 98% sulfuric acid and 30% sodium hydroxide. Great for use in chemical storage areas, around dip tanks, in cleaning agents used in food processing plants, in boiler rooms, labs, and R&D departments. High-viz pink color is designated for hazardous chemicals and easy to identify.

| PIG® | HazMat (| Chemica | l Abso | rbent Pads | 3 | | | gig | | | |
|--|----------|-----------------|-----------------|---------------|----------------|-------|-------|-------|--|--|--|
| Weight | Item # | Size (W x L) | Unit (pads) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Light | MAT302 | 15"x 20" | 200 | 22 gal./bag | 36 | \$138 | \$133 | \$113 | | | |
| Heavy | MAT301 | 15"x 20" | 100 | 22 gal./bag | 36 | \$138 | \$133 | \$113 | | | |
| PIG® HazMat Chemical Absorbent Pads in Dispenser Box 📴 | | | | | | | | | | | |
| Weight | Item # | Size (W x L) | Unit (pads) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Heavy | MAT354 | 15"x 20" | 100 | 22 gal./box | 30 | \$140 | \$130 | \$115 | | | |
| | MAT351 | 10"x 13" | 100 | 9.8 gal./box | 48 | \$90 | \$87 | \$77 | | | |
| PIG® | HazMat (| Chemica | l Abso | rbent Rolls | 5 | | | pig | | | |
| Weight | Item # | Size (W x L) | Unit (rolls) | Abs. Up To | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Heavy | MAT309 | 30"x 150' | 1 | 40.2 gal./bag | 12 | \$235 | \$220 | \$192 | | | |

HazMat Notice: To ensure effectiveness and your safety, we recommend that you conduct compatibility and absorption testing of your chemicals with PIG HazMat products prior to purchase. If you have any questions or need samples to test, please call Technical Services.





MAT301



MAT354




MAT309



A CLOSER LOOK

PIG exclusive! Multiple layers of thermally-bonded, melt-blown polypropylene make PIG Mat the toughest mat on the market.



One easy step for safer acid cleanup.

Encapsulate and neutralize common acids in one step. Color changes on contact and during neutralization with liquid acids (pH below 7) and color change continues until pH becomes neutral and is safe for handling. Gelling agents solidify acids during neutralization which prevents them from leaching out of the absorbent. Acid neutralizer instantly absorbs up to 98% concentrations of sulfuric acid and other acids.

Neutralizing pillows and socks are available at newpig.com.



| PIG® Acid Neutralizing Absorbent Mat | | | gig |
|--|-------|-------|-------|
| Item# | 1-2 | 3-6 | 7+ |
| MAT304 • 25 pads/box • Absorbs up to 70.4 oz./box 11"W x 12"L | \$85 | \$79 | \$76 |
| PIG® Acid Neutralizing Loose Absorbent | | | Bid |
| Item # | 1-2 | 3-6 | 7+ |
| PLP801 • 1 - 40 lb. Pail • Neutralizes up to 16 gal. | \$280 | \$274 | \$266 |
| PLP802 • 10 - 2 lb. Shaker Bottles • Neutralizes up to 8 gal. | \$240 | \$234 | \$226 |

Notice: Products above are not for use with hydrofluoric acid. See HazMat notice on opposite page.





Color-change technology takes the guesswork out of safe handling.



SPILL-X NEUTRALIZING ADSORBENTS

Use to neutralize acids or caustics.

Spreadable, loose adsorbent quickly neutralizes larger spills of acids, caustics or solvents for safer cleanup and handling. Use Spill-X-A for acids and Spill-X-C for caustics.

| Spill-X® Neutralizing Adsorbents | | | | |
|--|-------|--|--|--|
| Item # | 1+ | | | |
| GEN323 • Spill-X-C® Caustic-Neutralizing Adsorbent • 44 lb. Pail Neutralizes up to 4–6 gal. | \$660 | | | |
| GEN322 • Spill-X-A® Acid-Neutralizing Adsorbent • 50 lb. Pail Neutralizes up to 4–6 gal. | \$423 | | | |

GOT EPA OR DOT QUESTIONS? GET FREE ADVICE!

"What UN rating should I use to ship benzene?"



We've teamed up with **The Aarcher Institute of Environmental Training**— experts, instructors and consultants in environmental regs — for answers to questions about complicated EPA issues.



We also work with the experts at **Daniels Training Services** for the most current info on complex DOT classifications, packaging requirements and waste management regs.

To reach either Aarcher or Daniels, **call 1-800-HOT-HOGS (4647)** or **email reghelp@newpig.com**. You'll get on-the-spot answers from the PIG Tech Team or we'll connect you with our partners — ASAP!

reghelp@newpig.com • 1-800-HOT-HOGS FREE and CONFIDENTIAL



SPILL KITS

IT'S WHAT'S INSIDE THAT COUNTS.



Top 3 things that separate PIG Spill Kits from the pack:

- World's #1 Absorbents inside
 PIG Mats, Socks, Pillows and Loose
 are the best you can buy found
 exclusively in PIG Spill Kits.
- Filled for fast response
 We pack our kits in the order you need the contents, so there's no dumping or digging required!
- Biggest selection anywhere
 From UN Rated salvage drums to
 grab-and-go bag kits, you'll find
 a Spill Kit that's a perfect fit.



Choose a Kit based on the liquids at your facility:



UNIVERSAL

For everyday cleanup of oils, coolants, solvents and water.

Pages 30-37



OIL-ONLY

Repels water so you can absorb oils and fuels, even in rain or on water.

Pages 38-43



HAZMAT

Specially treated to soak up highly concentrated acids and bases.

Pages 44-50



WATER

Fast-acting and highly absorbent when water is all you're dealing with.

Page 16



PIG SPILL KITS HELP YOU COMPLY

SPCC 40 CFR 112.7

Facilities must have written plans and documentation of the products that are in place to prevent discharge of oil into waters.

STORMWATER 40 CFR 122.26

Facilities with an SWPPP must describe the plan and equipment available to prevent illegal discharge of pollutants into waterways.

HAZWOPER 29 CFR 1910.120 (j)(1)(vii)

Requires spill responders to have "DOT specified salvage drums or containers and suitable quantities of proper absorbents," in areas where spills may occur.

We have Specialty Kits for specific applications.



TRUCKS

Road-ready spill kits for cleaning up oil, gas and other vehicle fluids.



FUEL STATIONS

UV-safe containers hold static-dissipative absorbents for spilled fuel and oil.



BATTERY ACID

Stay ready with kits for cleaning up and neutralizing battery acid.

Nobody delivers a bigger selection of containers!

OVERPACKS

UN Rated containers are perfect when you need to ship your spill cleanup waste.

MOBILE

Roll your spill response supplies right to the spill site in these containers on wheels.

GRAB-N-GO

Store these kits just about anywhere for easy access and quick transport to the spill.



"This is a great kit ... It is worth the investment of purchasing this complete kit rather than throwing items in a box or tote. Our city inspector liked it as well and that is a PLUS!"

- Jeff, PIG Spill Kit Customer

SPILL KIT SUPPLIES **DISAPPEARING?**

If you're thinking about locking up your spill kit, maybe reconsider. Having an easily accessible kit is crucial when a spill emergency happens, but ease of access tempts workers to use those supplies for everyday use, too. Luckily, PIG has some tips on how to stop raiders and keep your kit fully stocked when you really need it.



Have a dispensing station for everyday absorbents

Give workers an eye-catching alternative to opening a spill kit.

- ✓ Secure your kits with a tamperproof seal Encourages employees to only break the seal for true emergencies.
- Add signage to spill kit areas Lets everyone know that the supplies stored here are for spill events.

SEE PAGE 13 FOR MORE INFO ON DISPENSING STATIONS






ষ্টে SPILL KIT IN OVERPACK DRUM

Strong enough to earn a UN Rating for shipping.

Clean up spills and then ship the waste in these durable overpack salvage drums. X-rated for Packing Groups I, II, and III for shipping by land, sea or rail. Leakproof, twist-on lid is notched for easy removal or tightening with a 2x4 or pole. Molded ledges make container easy to move by forklift. Only PIG Spill Kits feature PIG Absorbents — the world's #1 brand.

HELPS YOU COMPLY with HAZWOPER 29 CFR 1910.120 (j)(1)(vii) and 40 CFR 112.7 SPCC Regulations















"This product is great — we had a fuel supplier who was not paying attention and overfilled our tanks. We had this on-hand, ready for action and it held everything we needed to contain and resolve the spill. Great stuff!"

— Jim, KIT236 Customer



NOTE: A PIG Overpack Protection Cover (sold separately on page 50) is suggested for outdoor storage to protect container from dirt, moisture and the elements.

| PIG® Sp | oill Kit in Ove | rpack Salvage | e Drum | | | | | | | | | | Biq | 1 |
|-----------------|-----------------|---------------|---------------|--------------|-------|----------|---------|--------|-------------|--------------------|-------|-------|-------|---|
| Item # | Container Size | Absorbency | Wheels | UN# | Socks | Mat Pads | Pillows | Wipers | Bags & Ties | Tamperproof Labels | 1-2 | 3-5 | 6+ | 1 |
| | 95-gallon | Up to 60 gal. | None | UN1H2/X295/S | 26 | 60 | 8 | 56 | 10 | 6 | \$859 | \$819 | \$774 | * |
| KIT241 | 95-gallon | Up to 60 gal. | 6" Polyolefin | UN1H2/X113/S | 26 | 60 | 8 | 56 | 10 | 6 | \$900 | \$850 | \$795 | * |
| KIT243 | 65-gallon | Up to 39 gal. | None | UN1H2/X200/S | 16 | 40 | 6 | 56 | 10 | 6 | \$635 | \$615 | \$592 | * |
| KIT272 | 50-gallon | Up to 30 gal. | 6" Polyolefin | UN1H2/X125/S | 10 | 40 | 4 | 56 | 5 | 6 | \$608 | \$588 | \$565 | * |
| KIT236 | 30-gallon | Up to 21 gal. | None | UN1H2/X70/S | 4 | 25 | 4 | _ | 5 | 6 | \$298 | \$292 | \$284 | * |
| ⇔ KIT211 | 20-gallon | Up to 12 gal. | None | UN1H2/X46/S | 5 | 15 | 2 | _ | 5 | 6 | \$216 | \$210 | \$202 | * |

| Refill fo | r PIG® Spill Kit in Overp | ack Salvage Dru | m | | | | | | pig |
|-----------|---------------------------|-----------------|-------|----------|---------|--------|-------------|--------------------|-------|
| Item # | For Spill Kit | Absorbency | Socks | Mat Pads | Pillows | Wipers | Bags & Ties | Tamperproof Labels | 1+ |
| KITR202 | KIT202, KIT241, KIT262 | Up to 60 gal. | 26 | 60 | 8 | 56 | 10 | 6 | \$543 |
| RFL243 | KIT243, KIT263, KIT2500 | Up to 39 gal. | 16 | 40 | 6 | 56 | 10 | 6 | \$487 |
| RFL272 | KIT272 | Up to 30 gal. | 10 | 40 | 4 | 56 | 5 | 6 | \$420 |
| RFL236 | KIT236, KIT245, KIT2400 | Up to 21 gal. | 4 | 25 | 4 | _ | 5 | 6 | \$204 |
| KITR211 | KIT211, KIT264, KIT2300 | Up to 12 gal. | 5 | 15 | 2 | _ | 5 | 6 | \$138 |

^{*} WARNING: Cancer - www.P65Warnings.ca.gov



PIG SPILL KIT IN HI-VIZ CONTAINER

Easy to find, even in low light.

Lightweight, plastic container resists chemicals and keeps contents clean and dry (not rated for shipping). Lift-out, prepacked baskets speed access to spill supplies.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

NOTE: Not recommended for outdoor storage.





| PIG® | Spill Kit in Hig | h-Visibility Co | ntainer | | | | | | | | pig | |
|----------------|-------------------------|-----------------|---------|----------|---------|--------|-------------|--------------------|-------|-------|-------|---|
| Item # | Container Size | Absorbency | Socks | Mat Pads | Pillows | Wipers | Bags & Ties | Tamperproof Labels | 1-2 | 3-5 | 6+ | |
| ⇔ KIT26 | 2 95-gallon | Up to 60 gal. | 26 | 60 | 8 | 56 | 10 | 6 | \$755 | \$725 | \$690 | * |
| KIT26 | 3 65-gallon | Up to 39 gal. | 16 | 40 | 6 | 56 | 10 | 6 | \$620 | \$600 | \$577 | * |
| KIT24 | 5 30-gallon | Up to 21 gal. | 4 | 25 | 4 | _ | 5 | 6 | \$283 | \$276 | \$268 | * |
| KIT26 | 4 20-gallon | Up to 12 gal. | 5 | 15 | 2 | _ | 5 | 6 | \$200 | \$195 | \$186 | * |
| * A WADI | JING: Capear Manay P65M | Jarnings ea gov | • | • | | | | | | | | |

REFILLS AVAILABLE ON PAGE 31

* MARNING: Cancer - www.P65Warnings.ca.gov



♦ Best-Seller

PIG SPILL KIT IN BUCKET

Grab-and-go response for spills up to 4 gal.

Polyethylene bucket with secure, screw-on lid can be used to ship or temporarily store used absorbents. UN Rated 1H2/Y30/S for Packing Groups II and III.

HELPS YOU COMPLY with HAZWOPER 29 CFR 1910.120 (j)(1)(vii) and 40 CFR 112.7 SPCC Regulations



^{*} WARNING: Cancer - www.P65Warnings.ca.gov

PIG SPILL KIT IN HI-VIZ ECONOMY CONTAINER

Perfect for everyday spill response.

Packed with top-quality PIG Absorbents, but affordable enough to be stocked in all your spill-prone areas. Basic container saves money when you don't need a UN Rated overpack for disposal.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

NOTE: Not recommended for outdoor storage.



DID YOU KNOW?

74%

OF AREAS DO NOT HAVE SPILL KIT COVERAGE IN LINE WITH SITE POLICY.

Having a stated spill plan for your site is one thing, but being able to follow through with it is another. Auditors will compare what you say to what you do, making it easy for them to identify spill policy violations.

Data provided by our patented Spill Risk Algorithm.

LEARN MORE AT NEWPIG.COM/ALGORITHM



| PIG® Spi | ll Kit in Hig | h-Visibility Ec | onomy | Containe | r | | | | | | Big |
|----------|----------------|-----------------|-------|----------|---------|--------|-------------|--------------------|-------|-------|-------|
| Item # | Container Size | Absorbency | Socks | Mat Pads | Pillows | Wipers | Bags & Ties | Tamperproof Labels | 1-2 | 3-6 | 7+ |
| KIT2500 | 55-gal. | Up to 39 gal. | 16 | 40 | 6 | 56 | 10 | 6 | \$605 | \$585 | \$562 |
| KIT2400 | 32-gal. | Up to 21 gal. | 4 | 25 | 4 | _ | 5 | 6 | \$270 | \$264 | \$256 |
| KIT2300 | 20-gal. | Up to 12 gal. | 5 | 15 | 2 | _ | 5 | 6 | \$187 | \$183 | \$177 |

REFILLS AVAILABLE ON PAGE 31

^{*} MARNING: Cancer - www.P65Warnings.ca.gov



PIG SPILL KIT IN HI-VIZ ECONOMY CONTAINER

Hi-viz, low cost kit.

Our best kit for on-the-go spills is packed with top-quality PIG Absorbents, but affordable enough to be stocked in all your spill-prone areas. Kit is filled with universal absorbents to soak up oils, coolants, solvents and water.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations



| PIG® Spill Kit in High-Visibility Econo | my Cor | ntainer | | pig | |
|---|-------------|---------|------|------|--|
| Item # | Pallet Qty. | 1-2 | 3-6 | 7+ | |
| KIT2200 • Absorbs up to 3.5 gal. | 36 | \$70 | \$68 | \$65 | |
| KIT2200 Contents • 3 Socks • 8 Mat Pads • 2 Disposal Bags and Ties • 6 Tamperproof Labels | | | | | |

^{*} WARNING: Cancer - www.P65Warnings.ca.gov





PIG SPILL KIT IN BULK CONTAINER

Absorb up to 143 gallons with our largest wheeled spill kit.

Prepacked, compartmentalized container provides easy access to contents. Opaque walls block UV rays from degrading contents for up to 8,000 hours. Seamless, polyethylene, lockable container keeps absorbents clean, dry and secure before use. Choose 5" rubber wheels for smooth surfaces or 10" no-flat wheels for rough terrain.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

NOTE: A PIG Bulk Container Protection Cover (available separately) is suggested for outdoor storage to protect container from moisture, dirt and the elements. See PAK800 on page 50.



Packed with PIG Absorbents — the world's #1 brand.



KITR204

| PIG® Spill Kit in Bulk Container | | | pig | | |
|---|---------------|------------|--------|--|--|
| Item # | 1 | 2-5 | 6+ | | |
| KIT204-01 • Absorbs up to 143 gal. • 10" No-flat Wheels | \$2652 | \$2572 | \$2482 | | |
| KIT204 • Absorbs up to 143 gal. • 5" Rubber Wheels | \$2444 | \$2364 | \$2274 | | |
| KIT204-02 • Absorbs up to 143 gal. • No Wheels | \$2132 | \$2028 | \$1898 | | |
| KITR204 • Refill • Absorbs up to 143 gal. | | \$1248 | | | |
| KIT204-01, KIT204, KIT204-02 & KITR204 Contents • 73 Socks • 150 Mat Pa 30 Disposal Bags and Ties • 6 Tamperproof Labels | ds • 17 Pillo | ws • 224 W | ipers | | |

^{*} WARNING: Cancer - www.P65Warnings.ca.gov





PIG SPILL KIT IN HI-VIZ STORAGE CHEST

Mobile kit rolls through standard doorways to get you to the spill fast.

UV-resistant, lockable polyethylene container keeps absorbents secure and dry indoors or out. 31"-wide chest fits through standard doors and aisles and has forklift entry for easy moving. Highly-visible color and bold "Spill Kit" signage helps you locate the kit faster.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

NOTE: A PIG Response Chest Protection Cover (available separately) is suggested for outdoor storage to protect container from moisture, dirt and the elements. See PAK802 on page 50.





KITR203

| | PIG® Spill Kit in High-Visibility Storage Ches | t | | pig | | | | |
|---|---|--------|--------|--------|--|--|--|--|
| | Item # | 1 | 2-5 | 6+ | | | | |
| • | KIT280 • Absorbs up to 76 gal. • 8" No-flat Wheels | \$1664 | \$1599 | \$1529 | | | | |
| | KIT279 • Absorbs up to 76 gal. • 5" Rubber Wheels | \$1456 | \$1391 | \$1321 | | | | |
| | KITR203 • Refill • Absorbs up to 76 gal. | \$811 | | | | | | |
| | KIT279, KIT280 & KITR203 Contents * 41 Socks * 154 Mat Pads * 112 Wipers * 15 Disposal Bags and Ties 6 Tamperproof Labels | | | | | | | |

* MARNING: Cancer - www.P65Warnings.ca.gov









Front swivel casters on the Big Daddy Spill Caddy let you pivot and move it from a resting position without tipping it back.



PIG SPILL CADDY

Swing-out doors and flip-top lid offer instant access to spill supplies.

Wheel these caddies to large spills or use them as highly visible central stations for absorbents and spill supplies. Swing-out doors, prepacked shelves and compartments make carts easy to inventory and access. The only kits that hold a mounted roll of PIG Mat for easy pull-and-tear dispensing. Narrow enough to fit through most aisles and doorways.

Choose standard Caddy (yellow or gray) or step up to the Big Daddy (yellow only) — nearly 2X larger and absorbs over 2X more!

NOTE: Not for outdoor storage unless outfitted with a protection cover. See page 50.

PIG® Quick-Response Spill Cart

| r. (| Pig • | |
|------|-------|---|
| | pig | |
| -2 | 3+ | |
| 555 | \$641 | * |
| :55 | \$6/1 | * |

| Item # | 1-2 | 3+ | 1 |
|---|----------------------------|-----------|---|
| KIT2401 • High-Visibility • Absorbs up to 20 gal. 24.11"W x 23.5"D x 38.25"H | \$655 | \$641 | * |
| KIT2901 • Standard Gray • Absorbs up to 20 gal. 24.11"W x 23.5"D x 38.25"H | \$655 | \$641 | * |
| RFL2401 • Refill • Absorbs up to 20 gal. | \$260 | | |
| KIT2401, KIT2901 & RFL2401 Contents • 5 Socks • 45 Mat Pads • 1 Mat Roll • 3 Loose Ab: 1 Pair Gloves • 1 Apron • 1 Dustpan/Broom • 5 Disposal Bags and Ties • 56 Wipers • 1 Multi-Pu | | | |
| PIG® Big Daddy Spill Caddy | | gig | |
| Item # | 1-2 | 3+ | 1 |
| KIT820 • Absorbs up to 44.6 gal. • 30"W x 29.5"D x 50"H | \$1155 | \$1090 | * |
| RFL820 • Refill • Absorbs up to 44.6 gal. | \$450 | \$438 | * |
| KIT820 & RFL820 Contents * 7 Socks * 100 Mat Pads * 1 Mat Roll * 10 Loose Absorbents * Putty * 2 Goggles * 2 Pair Gloves * 2 Aprons * 1 Dustpan/Broom * 10 Disposal Bags and Ties * | 1 Multi-Purpo 56 Wipers | ose Epoxy | |

[•] MARNING: Cancer - www.P65Warnings.ca.gov NOTE: To ensure safety when using PPE, please consult chemical compatibility guide(s) at newpig.com to determine if PPE is compatible with your chemicals and fluids, or ensure compatibility with chemical manufacturer.



KIT820

ABSORB UP TO 20

KIT2401

ABSORBS UP TO





PIG SPILL KIT IN MOBILE CONTAINER

Kit rolls to spills of up to 37 gallons.

Heavy-duty 8" rubber wheels roll easily over most surfaces. Hi-viz yellow or blue container resists chemicals and keeps contents clean and dry. Built-in handles allow easy steering.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

| PIG® Spill Kit in Large Mobile Container | | pig | | | |
|--|-------|-------|--|--|--|
| Item # | 1-2 | 3+ | | | |
| KIT273 • High-Visibility • Absorbs up to 37 gal. • 8" Rubber Wheels | \$508 | \$492 | | | |
| RFL259 • Refill • Absorbs up to 37 gal. | \$3 | 94 | | | |
| KIT273 & RFL259 Contents • 5 Socks • 70 Mat Pads 4 Loose Absorbents • 5 Disposal Bags and Ties • 6 Tamperproof Labels | | | | | |

▲ WARNING: Cancer - www.P65Warnings.ca.gov

SEE PAK882 ON PAGE 50 IF YOU NEED A COVER



PIG SPILL KITS IN BAG

These kits are made for portable spill response that's fast and easy!

Take spill response wherever you need it with our Spill Kits in Bags. Kits are packed with PIG Absorbents to absorb oils, coolants, solvents and water. Their compact size is ideal for storage in vehicles or in other tight spaces. Sturdy bags have straps for grab-and-go convenience.

HELPS YOU COMPLY with 40 CFR 263.30(a) and 40 CFR 263.31 Regulations





| PIG® Universal Spill Kits in Bags | | | | | | | | | | |
|---|---------------------|--------------|-------|----------|------------------|-------------|-------------|-------|-------|-------|
| Item # | Style | Absorbency | Socks | Mat Pads | PPE | Bags & Ties | Pallet Qty. | 1-2 | 3-5 | 6+ |
| ♦ KIT220 | High-Visibility Bag | Up to 9 gal. | 4 | 28 | _ | 5 | 30 | \$193 | \$189 | \$183 |
| KIT274 | See-Thru Bag | Up to 5 gal. | 3 | 12 | _ | 2 | 30 | \$74 | \$72 | \$69 |
| KIT261 | Spill Pack | Up to 4 gal. | 3 | 20 | 1 Pair of Gloves | 1 | 60 | \$108 | \$104 | \$101 |
| * MADNING: Capear, where DEEMarrings of DOV | | | | | | | | | | |

NOTE: To ensure safety when using PPE, please consult chemical compatibility guide(s) at newpig.com to determine if PPE is compatible with your chemicals and fluids, or ensure compatibility with chemical manufacturer.









Kick some asphalt with our lineup of tough, road-ready Truck Spill Kits!

Designed just for trucks! Packed with PIG Absorbents and essential spill supplies to clean up oil, gasoline, coolants and other vehicle fluids (see contents below). Hi-viz green bags are easy to find, they increase driver visibility during spill response, and the bold "spill kit" lettering on the front and sides makes for quick identification. Bags won't rip or tear thanks to the rugged construction designed for the rigors of the road.

HELPS YOU COMPLY with 40 CFR 263.30(a) and 40 CFR 263.31



Your truck's external compartments are perfect for spill kit storage. And now you can buy a kit that fits!



SEE-THRU BAG

The see-thru bag allows for easy inspection of contents, and it fits behind or beneath the seat of a truck or other vehicle. The bag is constructed of cold-resistant vinyl.



STOWAWAY BAG

Suitcase-style stowaway bag is designed to fit behind or underneath the seat of a truck or other vehicles. Three interior compartments help to segregate contents for faster response.



DUFFEL BAG

Fits wheel well boxes and other long, narrow areas. Side and end straps let you easily pull the bag from storage.



| PIG® T | ruck Spill K | its | | | | | | | | | | pig |) |
|-----------------|--------------|----------------|-------|----------|-------|--|---|-------------|-------------|-------|-------|-------|---|
| Item # | Style | Absorbency | Socks | Mat Pads | Loose | PPE | Misc. | Bags & Ties | Pallet Qty. | 1-2 | 3-5 | 6+ | 1 |
| KIT626 | Duffel Bag | Up to 3.8 gal. | 3 | 15 | _ | 1 Pair of Gloves 1 Economy Goggle | 1 Repair Paste, 1 Collapsible Container 1 Lightstick | 5 | 28 | \$222 | \$216 | \$208 | * |
| С КІТ632 | See-Thru Bag | Up to 6 gal. | 3 | 30 | 1 | 1 Pair Neoprene Gloves 1 Economy Goggle | 1 No-Freeze Patching Paste, 1 Collapsible Container, 1 Lightstick | 5 | 30 | \$155 | \$151 | \$145 | * |
| KIT622 | Stowaway Bag | Up to 6.5 gal. | 3 | 40 | _ | 1 Pair of Gloves 1 Economy Goggle | 2 Repair Paste, 1 Collapsible Container 1 Lightstick | 5 | 30 | \$260 | \$254 | \$248 | * |
| KIT628 | Duffel Bag | Up to 8.8 gal. | 3 | 30 | 2 | 2 Pairs of Gloves 1 Economy Goggle | 30 Premoistened Wipers, 1 Repair Paste 1 Portable Pool, 1 Shovel, 1 Lightstick | 5 | 21 | \$335 | \$327 | \$317 | * |

^{*} WARNING: Cancer - www.P65Warnings.ca.gov NOTE: See PPE note on page 36 regarding compatibility.







KIT436

PIG OIL-ONLY SPILL KIT IN OVERPACK DRUM

Strong enough to earn a UN rating to ship waste after an oil spill.

Absorb fuels and oil-based liquids but repel water for quick spill cleanup, indoors or out. PIG Oil-Only Absorbents meet ANSI and MIL-SPEC standards for static decay for safer use with fuels and flammables. Overpacks are X-rated for Packing Groups I, II and III for shipping spill cleanup waste by land, sea or rail.

HELPS YOU COMPLY with HAZWOPER 29 CFR 1910.120 (j)(1)(vii)

HELPS YOU COMPLY with 40 CFR 112.7 SPCC regulations



PAK205

protection covers sold separately on

page 50.

| PIG® Oil- | Only Spill I | Kit in Overpa | ck Salvage | Drum | | | | | | | | | | pig |
|------------|----------------|-----------------|---------------|--------------|-------------|----------|---------|----------|--------|-------------|--------------------|--------|-------|-------|
| Item # | Container Size | Absorbency | Wheels | UN# | Booms/Socks | Mat Pads | Pillows | Skimmers | Wipers | Bags & Ties | Tamperproof Labels | 1-2 | 3-5 | 6+ |
| KIT402 | 95-gallon | Up to 52 gal. | None | UN1H2/X295/S | 13 | 60 | _ | _ | _ | 10 | 6 | \$952 | \$902 | \$847 |
| KIT441 | 95-gallon | Up to 52 gal. | 6" Polyolefin | UN1H2/X113/S | 13 | 60 | _ | _ | _ | 10 | 6 | \$1009 | \$967 | \$915 |
| KIT443 | 65-gallon | Up to 39 gal. | None | UN1H2/X200/S | 11 | 40 | _ | _ | _ | 10 | 6 | \$842 | \$790 | \$733 |
| KIT468 | 50-gallon | Up to 31 gal. | 6" Polyolefin | UN1H2/X125/S | 10 | 40 | 4 | _ | 56 | 5 | 6 | \$623 | \$602 | \$581 |
| KIT436 | 30-gallon | Up to 21 gal. | None | UN1H2/X70/S | 4 | 25 | _ | 4 | _ | 5 | 6 | \$338 | \$317 | \$296 |
| KIT411-01 | 20-gallon | Up to 12.5 gal. | None | UN1H2/X46/S | 3 | 12 | _ | 2 | _ | 5 | 6 | \$289 | \$283 | \$275 |
| Refill for | PIG® Oil-O | nly Spill Kit i | n Overpack | Salvage Drur | n | | | | | • | | | | pig |
| | | | | | | | | | | | | | | |

| Item # | For Spill Kit | Absorbency | Booms/Socks | Mat Pads | Pillows | Wipers | Bags & Ties | Tamperproof Labels | 1+ |
|--------|-----------------|---------------|-------------|----------|---------|--------|-------------|--------------------|-------|
| RFL402 | KIT402, KIT441 | Up to 52 gal. | 13 | 60 | _ | _ | 10 | 6 | \$546 |
| RFL443 | KIT443, KIT4500 | Up to 39 gal. | 11 | 40 | _ | _ | 10 | 6 | \$495 |
| RFL468 | KIT468 | Up to 31 gal. | 10 | 40 | 4 | 56 | 5 | 6 | \$471 |

^{*} WARNING: Cancer - www.P65Warnings.ca.gov



PIG OIL-ONLY SPILL KIT IN HI-VIZ ECONOMY CONTAINER

Perfect for everyday spills of fuels and oil-based liquids.

Basic container saves money when a UN rated container for shipping haz waste isn't necessary, and the bright yellow color is easy to see.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC regulations

NOTE: Not recommended for outdoor storage.







| PIG® Oi | l-Only Spil | ll Kit in High | ı-Visib | ility Eco | nomy (| Contai | ner | | | pig |
|---------|----------------|-----------------|-----------------|-----------|----------|----------------|-----------------------|-------|-------|-------|
| Item # | Container Size | Absorbency | Booms/ Socks | Mat Pads | Skimmers | Bags & Ties | Tamperproof Labels | 1-2 | 3-6 | 7+ |
| KIT4500 | 55-gallon | Up to 39 gal. | 11 | 40 | _ | 10 | 6 | \$592 | \$577 | \$551 |
| KIT4400 | 32-gallon | Up to 21 gal. | 4 | 25 | 4 | 5 | 6 | \$308 | \$287 | \$266 |
| KIT4300 | 20-gallon | Up to 12.5 gal. | 3 | 12 | 2 | 5 | 6 | \$260 | \$244 | \$218 |
| KIT4200 | 5-gallon | Up to 4.3 gal. | 3 | 8 | _ | 2 | 6 | \$96 | \$94 | \$91 |



PIG OIL-ONLY KIT IN BUCKET

Carry to small spills then ship it out.

Polyethylene bucket can be used to ship or temporarily store used absorbents. UN Rating 1H2/Y30/S for Packing Groups II and III.

HELPS YOU COMPLY with HAZWOPER 29 CFR 1910.120 (j)(1)(vii)

| PIG® Oil-Only | Spill Kit | in Bu | cket | gig | | | | |
|---|-------------|-------|-------|------|--|--|--|--|
| Item # | Pallet Qty. | 1-2 | 3-5 | 6+ | | | | |
| KIT413 • Absorbs up to 4.5 gal. UN1H2/Y30/S | 27 | \$102 | \$100 | \$97 | | | | |
| KIT413 Contents • 2 Socks • 4 Mat Pads • 2 Disposal Bags & Ties 6 Tamperproof Labels | | | | | | | | |

PIG UV-RESISTANT OIL-ONLY SPILL KIT

Made for outdoors — resists UV up to 12 months.

Opaque container blocks UV from degrading contents for up to 8,000 hours and all absorbents resist UV for up to one year (12 hours per day of direct exposure for 12 months), plus they float to absorb oil on water. Lift-out, prepacked baskets allow easy access to kit contents, and the overpack drum is UN rated for shipping waste after cleanup.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC regulations

REFILLS SOLD AT NEWPIG.COM



| PIG® UV-Resistant Oil-Only Spill Kit in a 95-Gal Overpack Salvage Drum | | | | | | | | | |
|--|-------|-------|-------|--|--|--|--|--|--|
| Item # | 1-2 | 3-5 | 6+ | | | | | | |
| KIT416 • Absorbs up to 40.5 gal. • UN1H2/Y345/S | \$827 | \$787 | \$742 | | | | | | |
| 40.3 gd.1 * UNITIZ/1343/5 KIT416 Contents * 2 Booms * 50 Mat Pads * 2 Pillows * 1 Loose Absorbent * 4 Neoprene Gloves * 4 Boot Covers 1 Coverall * 10 Disposal Bads and Ties * 6 Tamperproof Labels | | | | | | | | | |

NOTE: See PPE note on page 36 regarding compatibility.





PIG OIL-ONLY SPILL KIT IN BULK CONTAINER

Large container on wheels protects absorbents from UV rays.

Lockable box with gasket protects contents from moisture, chemicals and dirt. Opaque container blocks UV rays for 8,000 hours of outdoor storage. Four-way forklift entry makes it easy to move. Choose 10" wheels for uneven surfaces; 5" wheels for indoor rolling.



HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

NOTE: A PIG Bulk Container Protection Cover (available separately) is suggested for outdoor storage to protect container from moisture, dirt and the elements. See PAK800 on page 50.



KITR404

| PIG® Oil-Only Spill Kit in Bulk Container | | | gig | | | | |
|---|---------------------|-------------|--------|--|--|--|--|
| Item # | 1 | 2-5 | 6+ | | | | |
| KIT404-02 • Absorbs up to 127 gal. • 10" No-flat Wheels | \$2548 \$2468 \$233 | | | | | | |
| KIT404-01 • Absorbs up to 127 gal. • 5" Rubber Wheels | \$2392 | \$2312 | \$2222 | | | | |
| KITR404 • Refill • Absorbs up to 127 gal. | \$1253 | | | | | | |
| KIT404-02, KIT404-01 & KITR404 Contents * 20 Booms * 150 Mat Pads * 6 S Strips * 30 Disposal Bags and Ties * 6 Tamperproof Labels | kimmers • 2 | Bags of Spa | ghetti | | | | |
| KIT418-01 • Absorbs up to 119 gal. • 10" No-flat Wheels | \$2080 | \$2000 | \$1945 | | | | |
| KIT418-01 Contents = 22 Booms = 150 Mat Pads = 2 Loose Absorbents = 4 Pairs Neoprene Gloves = 4 Boot Covers 1 Coveralls = 1 Shovel = 30 Temporary Disposal Bags and Ties = 6 Tamperproof Labels | | | | | | | |
| NOTE: See PPE note on page 36 regarding compatibility. | | | | | | | |





PIG OIL-ONLY SPILL KIT IN HIGH-VISIBILITY CHEST

Big-spill capacity that still fits through doorways.

31"-wide chest fits through standard doors and aisles, plus it has forklift entry for easy moving. UV-resistant, polyethylene container keeps PIG Oil-Only Absorbents secure and dry indoors or out. Highly visible color helps you locate the kit faster, and the hinged lid is lockable. Choose 5" rubber wheels or 8" no-flats for rugged terrain.



NOTE: A PIG Response Chest Protection Cover (available separately) is suggested for outdoor storage to protect container from moisture, dirt and the elements. See PAK802 on page 50.





KITR403

| | PIG® Oil-Only Spill Kit in High-Visibility Stora | age Ch | est | pig | | |
|---|---|------------|--------------|--------|--|--|
| | Item # | 1 | 2-5 | 6+ | | |
| • | KIT480 • Absorbs up to 74 gal. • 8" No-flat Wheels | \$1664 | \$1612 | \$1534 | | |
| | KIT479 • Absorbs up to 74 gal. • 5" Rubber Wheels | \$1456 | \$1404 | \$1326 | | |
| | KITR403 • Refill • Absorbs up to 74 gal. | \$816 | | | | |
| | KIT480, KIT479 & KITR403 Contents • 11 Booms • 100 Mat Pads • 4 Skimmers 15 Disposal Bags and Ties • 6 Tamperproof Labels | • 1 Bag of | Spaghetti St | rips | | |

50

PIG OIL-ONLY SPILL CADDY

Swing-out doors and flip-top lid offer instant access to spill supplies.

The only kits that hold a mounted roll of PIG Oil-Only Mat for easy pull-and-tear dispensing. Caddies are narrow enough to fit through aisles and doorways. Choose standard Cart or step up to the Big Daddy — nearly 2X larger and absorbs over 2X more!

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

NOTE: Not for outdoor storage unless outfitted with a protection cover. See page 50.







KIT821

| PIG® Oil-Only Quick-Response Spill Cart | | pig |
|---|---------|--------|
| Item # | 1-2 | 3+ |
| > KIT4401 • High-Visibility • Absorbs up to 20 gal. 24.11"W x 23.5"D x 38.25"H | \$686 | \$645 |
| KIT4401 Contents ° 5 Socks ° 45 Mat Pads ° 1 Mat Roll ° 1 Economy Goggle ° 1 Pair Gloves ° 5 Disposal Bags ° 1 Multi-Purpose Epoxy Putty | 1 Apron | |
| PIG® Oil-Only Big Daddy Spill Caddy | | giq |
| Item # | 1-2 | 3+ |
| KIT821 • Absorbs up to 50 gal. • 30"W x 29.5"D x 50"H | \$1220 | \$1155 |
| KIT821 Contents • 7 Socks • 100 Mat Pads • 1 Mat Roll • 1 Loose Absorbent • 1 Multi-Purpo 2 Economy Goggles • 2 Pair Gloves • 2 Aprons • 1 Dustpan/Broom • 10 Disposal Bags and Ties | | |

WARNING: Cancer - www.P65Warnings.ca.gov
 NOTE: See PPE note on page 36 regarding compatibility.

REFILLS AVAILABLE AT NEWPIG.COM

PIG OIL-ONLY SPILL KIT IN LARGE MOBILE CONTAINER

Lightweight, wheeled container rolls to oil spills.

100% polyethylene container resists chemicals while keeping contents safe and dry. Built-in handles allow easy steering through tight spots, and the hinged lid proves easy access to contents.



40 CFR 112.7 SPCC Regulations



NEED A COVER? SEE PAK882 ON PAGE 50.

| PIG® Oil-Only Spill Kit in Large Mobile Container | | pig |
|---|-------------|------------|
| Item # | 1-2 | 3+ |
| KIT469 • High-Visibility • Absorbs up to 40 gal. • 8" Rubber Wheels | \$592 | \$541 |
| KIT469 Contents • 6 Socks • 70 Mat Pads • 2 Loose Absorbents • 5 Disposal Rags and Ties • | 6 Tamperpri | nof Lahels |







PIG FUEL STATION SPILL KITS

The ONLY kits made specifically for safe cleanup at fuel islands.

Packed with absorbents specifically made for gasoline, jet fuel and kerosene. Absorbent, static-dissipative mats and socks pass ANSI and MIL-SPEC standards for static decay and surface resistivity. Kits are UV-resistant and weather-resistant, and they have reflective labeling for visibility at night.



HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regulations



DID YOU KNOW?

93% OF FUELING AREAS DO NOT HAVE PROPER SPILL KITS NEARBY.

It doesn't take long for high-flow messes to materialize: a 150-gallon spill could happen in a matter of seconds, so readiness is the key.

Data provided by our patented Spill Risk Algorithm.

LEARN MORE AT **NEWPIG.COM/ALGORITHM**

| PIG® Fu | PIG® Fuel Station Spill Kits | | | | | | | | | | | | | |
|------------------|------------------------------|-----------------|--------------|-------|-------------|--------------|---|--------------------------------------|-------------|-----------------------|----------------|-------|-------|-------|
| Item # | Name | Absorbency | UN# | Socks | Mat Pads | Loose Bag | PPE | Misc | Bags & Ties | Tamperproof Labels | Pallet Qty. | 1-2 | 3-6 | 7+ |
| ♦ KIT4002 | Overpack | Up to 41.7 gal. | UN1H2/Y345/S | 14 | 150 | 6 | 4 Pair of Gloves 4 Pair of Goggles, 4 Aprons | 2 Caution Tapes 2 Dustpans/Brooms | 10 | 6 | 2 | \$977 | \$927 | \$872 |
| KIT4000 | Bucket | Up to 8.2 gal. | UN1H2/Y40/S | 4 | 25 | 4 | 1 Pair of Gloves 1 Pair of Goggles, 1 Apron | 1 Caution Tape 1 Dustpan/Broom | 5 | 6 | 18 | \$307 | \$301 | \$293 |

^{*}▲ **WARNING:** Cancer - www.P65Warnings.ca.gov NOTE: See PPE note on page 36 regarding compatibility.



PIG OIL-ONLY KIT IN HI-VIZ BAG

Easy to see and fast to find.

Durable, water-resistant bag with hook-andloop closure protects contents and the bright yellow color makes it easy to see.

HELPS YOU COMPLY with 40 CFR 263.30(a)



| | PIG® Oil-Only Spill Kit in High-Visibili | ty Bag | | | pig |
|---|---|-------------|-------|-------|-------|
| | Item # | Pallet Qty. | 1-2 | 3-5 | 6+ |
| • | KIT420 • Absorbs up to 10 gal. | 30 | \$189 | \$185 | \$179 |
| | KIT420 Contents • 4 Socks • 28 Mat Pads • 5 Disposal Bags and Tie | S | | | |





Space-saving spill response is rugged and roadready for on the go.

Designed just for trucks! Packed with PIG Absorbents and essential spill supplies to clean up oil and fuel without taking in any water. Hi-viz green bags are easy to find, they increase driver visibility during spill response, and the bold "spill kit" lettering on the front and sides make for quick identification. Bags won't rip or tear thanks to the rugged construction designed for the rigors of the road.

Packed with PIG Absorbents and essential supplies for cleaning up motor oil, gas and other oil-based vehicle fluids — but not water.

HELPS YOU COMPLY with 40 CFR 263.30(a) and 40 CFR 263.31



"This is a great product for transportation crews to have with them in case of an accident to help with spill control. The tote bag fits perfectly in tool box for storage."

— Brandie, KIT625 Customer



SEE-THRU BAG

The see-thru bag allows for easy inspection of contents, and it fits behind or beneath the seat of a truck or other vehicle. The bag is constructed of cold-resistant vinyl with a reinforced zipper and seams.



KIT623

STOWAWAY BAG

Suitcase-style stowaway bag is designed to fit behind or underneath the seat of a truck or other vehicles. Three interior compartments help to segregate contents for faster response.



KIT625

TOTE BAG

Cube-shaped bag fits in a mounted storage box or large external compartment of a truck or other vehicles.

| PIG® O | il-Only Truc | k Spill Kits | | | | | | | | | | pig | 1 |
|-----------------|--------------|----------------|-------|----------|-------|--|--|-------------|-------------|-------|-------|-------|----|
| Item # | Style | Absorbency | Socks | Mat Pads | Loose | PPE | Misc. | Bags & Ties | Pallet Qty. | 1-2 | 3-5 | 6+ | l |
| KIT633 | See-Thru Bag | Up to 6.5 gal. | 3 | 30 | 1 | 1 Pair Gloves 1 Economy Goggle, 1 Apron | 1 Repair Paste, 1 Collapsible Container 1 Lightstick | 5 | 30 | \$186 | \$182 | \$176 | * |
| С КІТ623 | Stowaway Bag | Up to 7.3 gal. | 3 | 40 | _ | 1 Pair of Gloves 1 Economy Goggle, 1 Apron | 2 Repair Paste, 1 Collapsible Container 1 Lightstick | 5 | 30 | \$314 | \$306 | \$296 | |
| KIT629 | Duffel Bag | Up to 9.6 gal. | 3 | 30 | 2 | 2 Pairs of Gloves 1 Economy Goggle, 1 Apron | 30 Premoistened Wipers, 1 Repair Paste 1 Portable Pool, 1 Shovel, 1 Lightstick | 5 | 21 | \$400 | \$392 | \$382 | ** |
| KIT625 | Tote Bag | Up to 10 gal. | 4 | 25 | 1 | 1 Pair of Gloves 1 Economy Goggle, 1 Apron | 30 Premoistened Wipers, 2 Repair Paste 1 Collapsible Container, 1 Dustpan/ Broom, 1 Lightstick | 5 | 20 | \$411 | \$403 | \$393 | |

^{*} MARNING: Cancer - www.P65Warnings.ca.gov

** MARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

NOTE: See PPE note on page 36 regarding compatibility.









PIG HAZMAT SPILL KIT IN OVERPACK

Clean up and ship chemical spill waste.

Durable overpacks are X-rated for Packing Groups I, II, and III. Leakproof, twist-on lid keeps shipped waste secure after use.

HELPS YOU COMPLY with HAZWOPER 29 CFR 1910.120 (j)(1)(vii)



| PIG® Ha | zMat Spill F | (it in Overpa | ck Salvage l | Drum | | | | | | | | | | pig |
|-----------------|----------------|-----------------|---------------|--------------|-------|-------|-----------|---------|--------|-------------|--------------------|-----------|------------|--------|
| Item # | Container Size | Absorbency | Wheels | UN# | Socks | Dikes | Mat Pads | Pillows | Wipers | Bags & Ties | Tamperproof Labels | 1-2 | 3-5 | 6+ |
| ♦ KIT302 | 95-gallon | Up to 63 gal. | None | UN1H2/X295/S | 18 | 2 | 75 | 7 | _ | 10 | 6 | \$1602 | \$1537 | \$1467 |
| KIT341 | 95-gallon | Up to 63 gal. | 6" Polyolefin | UN1H2/X113/S | 18 | 2 | 75 | 7 | _ | 10 | 6 | \$1650 | \$1585 | \$1515 |
| KIT343 | 65-gallon | Up to 39 gal. | None | UN1H2/X200/S | 13 | 1 | 40 | 5 | _ | 10 | 6 | \$1061 | \$1011 | \$956 |
| KIT336 | 30-gallon | Up to 21 gal. | None | UN1H2/X70/S | 4 | _ | 25 | 4 | _ | 5 | 6 | \$560 | \$544 | \$526 |
| KIT311 | 20-gallon | Up to 11 gal. | None | UN1H2/X46/S | 6 | _ | 6 | 5 | _ | 5 | 6 | \$420 | \$403 | \$394 |
| Refill fo | r PIG® HazN | lat Spill Kit i | n Overpack | Salvage Dru | m | | | | | | | | | gig |
| Item # | For S | pill Kit | Absorbency | Socks | Dikes | N | ∕lat Pads | Pillov | vs | Wipers | Bags & Ties | Tamperpro | oof Labels | 1+ |
| KITR302 | KIT302, KIT | 341, KIT362 | Up to 63 gal. | 18 | 2 | | 75 | 7 | | _ | 10 | 6 | 5 | \$1366 |
| RFL343 | KIT343, KIT | 363, KIT3500 | Up to 39 gal. | 13 | 1 | | 40 | 5 | | _ | 10 | 6 | 5 | \$753 |
| RFL336 | KIT336, KIT | 310, KIT3400 | Up to 21 gal. | 4 | _ | | 25 | 4 | | _ | 5 | 6 | 5 | \$393 |
| KITR311 | KIT311, KIT | 312, KIT3300 | Up to 11 gal. | 6 | _ | | 6 | 5 | | _ | 5 | 6 | 5 | \$265 |
| • . | | | | | | • | | • | | | • | | | |

^{*} WARNING: Cancer - www.P65Warnings.ca.gov

ATTENTION: Independent testing indicates that PIG HazMat products are compatible with and absorb most acids and bases. Due to variables and conditions of applications beyond our control, New Pig cannot guarantee that this product will absorb to your satisfaction. To ensure effectiveness and your safety, we recommend that you conduct compatibility and absorption testing of your chemicals with PIG HazMat products prior to purchase. To ensure safety when using PPE, please consult chemical compatibility guide(s) to determine if PPE is compatible with your chemicals and fluids, or ensure compatibility with chemical manufacturer. If you have any questions or need samples to test, please call us toll free at 1-800-HOT-HOGS.



PIG HAZMAT SPILL KIT IN HI-VIZ CONTAINER

Easy to find, even in low light.

Kit's lime green color stands out for easy identification in the event of a spill emergency. Lightweight, plastic container resists chemicals and keeps contents clean and dry (not rated for shipping). Neatly prepacked containers speed access to spill supplies.

NOTE: Not recommended for outdoor storage.





| | PIG® Ha | azMat Spil | l Kit in High | -Visi | bility | Contai | ner | | | | | pig |
|---|----------------|-------------------|--------------------------|------------|--------|----------|---------|----------------|-----------------------|--------|--------|--------|
| | Item # | Container Size | Absorbency | Socks | Dikes | Mat Pads | Pillows | Bags & Ties | Tamperproof Labels | 1-2 | 3-5 | 6+ |
| • | KIT362 | 95-gallon | Up to 63 gal. | 18 | 2 | 75 | 7 | 10 | 6 | \$1550 | \$1475 | \$1400 |
| | KIT363 | 65-gallon | Up to 39 gal. | 13 | 1 | 40 | 5 | 10 | 6 | \$910 | \$870 | \$825 |
| | KIT310 | 30-gallon | Up to 21 gal. | 4 | _ | 25 | 4 | 5 | 6 | \$541 | \$525 | \$507 |
| | KIT312 | 20-gallon | Up to 11 gal. | 6 | _ | 6 | 5 | 5 | 6 | \$407 | \$390 | \$381 |
| | See note on pa | ge 44 for more de | tails on compatibility a | nd testing | | | | | | | | |

DON'T RISK RUNNING ON EMPTY — REFILLS SOLD ON OPPOSITE PAGE.



PIG HAZMAT KIT IN BUCKET

Grab and go for chemical spills.

Polyethylene bucket with easy-open lid can be used to ship or temporarily store used absorbents. Helps you comply with HAZWOPER 29 CFR 1910.120 (j)(1)(vii).

| PIG® HazMat S | pill Kit | ll Kit in Bucket | | | | | | |
|---|-------------|------------------|-------|-------|--|--|--|--|
| Item # | Pallet Qty. | 1-2 | 3-5 | 6+ | | | | |
| 64CRSC Abs. up to 3.6 gal. UN1H2/Y30/S | 27 | \$139 | \$135 | \$129 | | | | |
| 64CRSC Contents • 2 Socks • 4 Mat Pads • 2 Disposal Bags and Ties 6 Tamperproof Labels | | | | | | | | |

See note on page 44 for more details on compatibility and testing.



PIG HAZMAT SPILL KIT IN HI-VIZ ECONOMY CONTAINER

Low-cost kit is perfect for cleaning up acids, bases and unknowns.

The basic container saves money when you don't need a UN Rating, so they're affordable enough to be stocked in all your spill-prone areas. Not recommended for outdoor storage. Refills sold on opposite page.



| KIT3200 |
|---------|
|---------|

| PIG® Ha | PIG® HazMat Spill Kit in High-Visibility Economy Container | | | | | | | Big | | |
|---------|--|---------------|------------------|-------------|---------|-------------|-----------------------|-------|-------|-------|
| Item # | Container Size | Absorbency | Socks & Dikes | Mat Pads | Pillows | Bags & Ties | Tamperproof Labels | 1-2 | 3-6 | 7+ |
| KIT3500 | 55-gallon | Up to 39 gal. | 14 | 40 | 5 | 10 | 6 | \$775 | \$745 | \$710 |
| KIT3400 | 32-gallon | Up to 21 gal. | 4 | 25 | 4 | 5 | 6 | \$515 | \$503 | \$489 |
| KIT3300 | 20-gallon | Up to 11 gal. | 6 | 6 | 5 | 5 | 6 | \$380 | \$372 | \$362 |
| KIT3200 | 5-gallon | Up to 4 gal. | 3 | 8 | _ | 2 | 6 | \$118 | \$114 | \$109 |

See note on page 44 for more details on compatibility and testing.







PIG HAZMAT KIT IN BULK CONTAINER

Absorb up to 108 gallons with our largest chemical spill kit.

Seamless, lockable polyethylene container keeps absorbents clean, dry and secure while the opaque walls block UV rays from degrading contents for up to 8,000 hours. Four-way forklift entry makes the kit easy to move, and you have a choice of wheels select 10" wheels for uneven surfaces or 5" for smooth indoor rolling.



KITR304

NOTE: A PIG Bulk Container Protection Cover (available separately) is suggested for outdoor storage to protect container from moisture, dirt and the elements. See PAK800 on page 50.



PIG HAZMAT SPILL KIT IN HIGH-VISIBILITY CHEST

Wheel through doorways to get to a big chemical spill.

31"-wide, UV-resistant, lockable chest keeps absorbents secure and dry indoors or out, plus it fits through standard doors and aisles. It has forklift entry so it's easy to move, and you can choose between 5" or 8" wheels. The bright color helps you to locate the kit quickly.



| PIG® HazMat Spill Kit in Bulk Container | | | pig |
|---|------------|-----------|-----------|
| Item # | 1 | 2-5 | 6+ |
| KIT304-01 • Absorbs up to 108 gal. • 10" No-flat Wheels | \$3604 | \$3504 | \$3379 |
| KIT304 • Absorbs up to 108 gal. • 5" Rubber Wheels | \$3448 | \$3348 | \$3223 |
| KITR304 • Refill • Absorbs up to 108 gal. | | \$2543 | • |
| KIT304-01, KIT304 & KITR304 Contents * 43 Socks * 2 Dikes * 100 Mat Pads * 30 Disposal Bags and Ties * 6 Tamperproof Labels | 15 Pillows | 2 Loose A | bsorbents |

See note on page 44 for more details on compatibility and testing.



| | PIG® HazMat Spill Kit in High-Visibility Stora | ge Ch | est | pig |
|---|--|---------------|-------------|--------|
| | Item # | 1 | 2-5 | 6+ |
| | KIT380 • Absorbs up to 74 gal. • 8" No-flat Wheels | \$2288 | \$2208 | \$2118 |
| • | KIT379 • Absorbs up to 74 gal. • 5" Rubber Wheels | \$2080 | \$2000 | \$1910 |
| | KITR303 • Refill • Absorbs up to 74 gal. | | \$1555 | |
| | KIT380, KIT379 & KITR303 Contents • 17 Socks • 2 Dikes • 100 Mat Pads • 7 15 Disposal Bags and Ties • 6 Tamperproof Labels | Pillows • 2 L | oose Absorb | ents |

See note on page 44 or more details on compatibility and testing.






Swing-out doors and flip-top lid offer instant access to spill supplies.

Wheel these caddies to large spills or use them as supply stations. The only kits that hold a mounted roll of PIG HazMat Mat for easy pull-and-tear dispensing, plus they're narrow enough to fit through aisles and doorways. Choose standard Cart or step up to the Big Daddy — nearly 2X larger and absorbs over 2X more!

NOTE: Not for outdoor storage unless outfitted with a protection cover. See page 50.



* WARNING: Cancer - www.P65Warnings.ca.gov
See note on page 44 for more details on compatibility and testing.

KIT822 Contents • 7 Socks • 1 Loose Absorbent • 1 Mat Roll • 100 Mat Pads • 1 Dustpan/Broom • 10 Disposal Bags 100 Wipers • 1 Multi-Purpose Epoxy Putty • 1 Instructions • 1 Pair Neoprene Gloves • 1 Apron • 1 Safety Goggle



pig









Front swivel casters on the Big Daddy Spill Caddy let you pivot and move it from a resting position without tipping it back.

Buy an empty caddy and make your own spill supply station!

Like the caddy but prefer your own combination of spill supplies? Buy it empty and stock it with the PIG Absorbents and PPE that you need for the liquids at your facility.

| PIG® Empty Quick-Response High-Visibility Spill Cart | | | | |
|--|-------|-------|--|--|
| Item # | | 1+ | | |
| PAK1968 • 1 Adjustable & 1 Nonadjustable Shelves • 2 - 7" HDPE Wheels | | | | |
| PIG® Empty Large High-Visibility Caddy | | | | |
| Item # | 1-2 | 3+ | | |
| PAK820 • 2 Adjustable & 1 Nonadjustable Shelves • 2 - 8" HDPE Wheels w/ FPVC Tires & 2 - 1.5" Swivel Rubber Wheels | \$780 | \$750 | | |

w/ FPVC Tires & 2 - 1.5" Swivel Rubber Wheels

PAK820

♠ Best-Seller



PIG HAZMAT SPILL KIT IN LARGE MOBILE CONTAINER

Roll to the spill for fast response.

Lightweight, polyethylene container with hinged lid resists chemicals while keeping contents clean and dry. It's packed with PIG Absorbents that are specially treated to handle concentrated chemicals, and the heavy-duty 8" rubber wheels roll easily over nearly any surface.

| | PIG® HazMat Spill Kit in Large Mobile Container | | Bid |
|---|---|-----------|-----------|
| | Item # | 1-2 | 3+ |
| • | KIT366 • High-Visibility • Absorbs up to 34 gal. • 8" Rubber Wheels | \$669 | \$649 |
| | KIT366 Contents • 6 Socks • 70 Mat Pads • 2 Loose Absorbents • 5 Disposal Bags and Ties • 6 | Tamperpro | of Labels |

See note on page 44 for more details on absorbent and PPE compatibility and testing.



PIG BATTERY ACID SPILL KIT IN SPILL PACK

Store on a forklift to stay prepared.

Unique, high-visibility foil vacuum package protects contents and deters pilfering. It has built-in grommets and a handle which make carrying or mounting easy, or store it behind your forktruck seat.

HELPS YOU COMPLY with 29 CFR 1910.178(g)(2)

| PIG® Battery Acid Spill Kit in Spill Pack | | Bid | | | |
|--|-------|-------|--|--|--|
| Item # | 1-3 | 4+ | | | |
| KIT353 • Absorbs up to 4.5 gal. | \$171 | \$167 | | | |
| KIT353 * ADSOTOS up to 4.5 gal. \$1/1 \$ KIT353 Contents * 3 Socks * 20 Mat Pads * 1 Pair of Neoprene Gloves * 1 Goggle with Face Shield * 1 Apror 1 Disposal Bag and Tie | | | | | |

See note on page 44 for more details on absorbent and PPE compatibility and testing. Acid Absorbents Notice: Not for use with hydrofluoric acid.



PIG BASE NEUTRALIZING SPILL KIT IN BUCKET

Absorb and neutralize bases.

Absorbents change color on contact and during neutralization with liquid bases (pH above 7), and the color change continues until pH becomes neutral and is safe for handling. Gelling agents solidify bases during neutralization and prevents liquids from leaching out.

| PIG® Base-Neutralizing Spill Kit in Bucket | | gig | | | | |
|---|-------|-------|--|--|--|--|
| Item # | 1-2 | 3+ | | | | |
| KIT319 • Absorbs up to 7.3 gal. | \$485 | \$473 | | | | |
| KIT319 Contents * 2 Socks * 5 Mat Pads * 2 Pillows * 3 Loose Absorbents * 1 Goggle with Face Shield * 1 Pair of Neoprene Gloves * 1 Apron * 12 Temporary Disposal Bags and Ties * 1 Dustban/Broom | | | | | | |

See note on page 44 for more details on absorbent and PPE compatibility and testing.

Base Absorbents Notice: Avoid contact with metallic nitrates, cyanides, sulfides and strong oxidizers. Contact with sodium or calcium hypochlorite creates chlorine gas.





PIG ACID NEUTRALIZING SPILL KIT IN BUCKET

Stay ready to neutralize acids.

All absorbents in this specially designed kit neutralize acid spills. They change color on contact and during neutralization with liquid acids (pH below 7), and color change continues until pH becomes neutral.

| PIG® Acid-Neutralizing Spill Kit in Bucket | | | | | | |
|--|-------|-------|--|--|--|--|
| Item # | 1-2 | 3+ | | | | |
| KIT399 • Absorbs up to 4.9 gal. | \$307 | \$300 | | | | |
| KIT399 Contents * 2 Socks * 5 Mat Pads * 2 Pillows * 3 Loose Absorbents * 1 Goggle with Face Shield * 1 Pair of Neoprene Gloves * 1 Apron * 30 Neutralizing Wipes * 2 Temporary Disposal Bags and Ties * 1 Dustpan/Broom | | | | | | |

See note on page 44 for more details on absorbent and PPE compatibility and testing. Acid Absorbents Notice: Not for use with hydrofluoric acid.

PIG BATTERY ACID SPILL KIT IN OVERPACK

Safely clean up and dispose of battery acid spills.

Kit contents are formulated specifically for absorbing and neutralizing battery acid. 20-gallon overpack salvage drum meets DOT shipping specifications for hazardous materials, plus polypropylene construction resists chemicals while keeping contents clean and dry. Kit also includes PPE to guard against corrosive battery acid.

HELPS YOU COMPLY with 29 CFR 1910.178(g)(2)



| | PIG® Battery Acid Spill Kit in 20-Gallon Overpack with Neutralizer | | pig | | | | | | |
|--|---|-------|-------|--|--|--|--|--|--|
| | Item # | 1-3 | 4+ | | | | | | |
| • | KIT352 • Absorbs up to 11.7 gal. • UN1H2/X46/S | \$606 | \$590 | | | | | | |
| | KIT352 Contents • 3 Socks • 36 Mat Pads • 1 Pillow • 2 Loose Absorbents • 1 Goggle with Faceshield • 1 Pair of Neoprene Gloves • 1 Apron • 6 Tamperproof Labels • 10 Caution Disposal Bags | | | | | | | | |
| RFL352 • Absorbs up to 11.7 gal \$416 | | | | | | | | | |
| | RFL352 Contents * 3 Socks * 36 Mat Pads * 1 Pillow * 2 Loose Absorbents * 1 Pair of Neoprene Gloves * 1 Apron 6 Tamperproof Labels * 10 Caution Disposal Bags | | | | | | | | |

See note on page 44 for more details on absorbent and PPE compatibility and testing.

Acid Absorbents Notice: Not for use with hydrofluoric acid as it may create a hazardous gas.





"Great service, a well thought-out product in a professional package that makes us look like we are on the cutting edge of battery acid spill control. Thank you, New Pig."

— Kevin, KIT352 Customer

PIG BATTERY ACID NEUTRALIZING SPILL KIT IN BIN

Easy-to-inventory bin is packed to absorb and neutralize acid spills.

Contains PIG Socks, Loose Absorbent and Wipers specifically for neutralizing and cleaning up battery acid. Kit also contains PPE.

HELPS YOU COMPLY with 29 CFR 1910.178(g)(2)

| PIG® Battery Acid-Neutralizing Spill Kit in See-Thru Bin | | | | | | |
|---|-------|-------|--|--|--|--|
| Item # | 1-3 | 4+ | | | | |
| KIT322 • Absorbs up to 3.8 gal. | \$335 | \$327 | | | | |
| KIT322 Contents * 2 Socks * 30 Neutralizing Wipes * 1 Loose Absorbent * 2 Pairs of Neoprene Gloves * 2 Aprons 1 Dustpan/Broom * 1 Goggle with Faceshield * 2 Boot Covers * 5 Disposal Bags and Ties | | | | | | |
| See note on page 44 for more details on absorbent and PPE compatibility and testing. | | | | | | |

DID YOU KNOW?

38%

OF FACILITIES DO NOT HAVE A BATTERY ACID COMPATIBLE SPILL KIT.

Whether your forklifts charge in-vehicle or on a battery rack, leaks and spills of battery acid are a nasty hazard that require special attention. If and when the acid hits the floor, responding with proper absorbents that are close at hand is key.

Data provided by our patented Spill Risk Algorithm.

LEARN MORE AT NEWPIG.COM/ALGORITHM







PIG MERCURY SPILL KIT IN BUCKET

hypochlorite creates chlorine gas.

Keep the dangers of mercury spills to a minimum.

Includes PIG Mercury Absorbent Powder to transform up to 1,000 grams of visible mercury into a zinc amalgam. Sweep up stabilized mercury with hand broom and dust pan for easy transfer into disposal bags (all components included).

| PIG® Mercury Spill Kit in Bucket | | | | | | | |
|---|-------|-------|-------|--|--|--|--|
| Item # | 1-2 | 3-4 | 5+ | | | | |
| KIT600 • Absorbs up to 35.27 oz. • UN1H2/Y6/S | \$172 | \$168 | \$160 | | | | |
| KIT600 Contents • 1 Mercury Absorbent Powder • 1 Goggles • 1 Pair of 18 mil. Gloves • 10 Wipers • 1 Spatula 1 Dustpan & Hand Broom • 1 Disposal Bag and Tie | | | | | | | |
| See note on page 44 for more details on absorbent and PPE compatibility and testing. NOTE: Avoid contact with metallic nitrates, cyanides, sulfides and strong oxidizers. Contact with sodium or calcium | | | | | | | |

POLYETHYLENE DISPOSAL BAGS

Confidently bag hazardous or contaminated waste for disposal.

Tough polyethylene bags resist punctures, tearing and blowouts. Durable 3-mil thickness (BAG201 and BAG202) is ideal for most waste, and 6-mil thickness (BAG111) handles heavy loads.



| | Polyethylene Disposal Bags | | | | | | | | | | |
|---|--|---|-------|-------|--|--|--|--|--|--|--|
| • | Item # | | 1-9 | 10+ | | | | | | | |
| | BAG201 "Caution - Handle | Large • 45 gal. • 25/roll • 3 mil • 30"W x 60"H | \$97 | \$91 | | | | | | | |
| | with Care" | Small • 10 gal. • 50/roll • 3 mil • 18"W x 30"H | \$78 | \$72 | | | | | | | |
| | BAG202 "Hazardous Material - Handle with Care" | Large • 45 gal. • 25/roll • 3 mil • 36"W x 60"H | \$97 | \$91 | | | | | | | |
| | | Small • 10 gal. • 50/roll • 3 mil • 18"W x 30"H | \$78 | \$72 | | | | | | | |
| | BAG111 "Used Absorbents" | 33 gal. • 100/box • 6 mil • 38"W x 36"H | \$396 | \$369 | | | | | | | |

PAK201 **PAK757**





PIG PROTECTION COVERS

Add visibility and guard spill kits from UV rays and weather.

Keep water, snow, dirt and debris off lids and resist weathering and UV rays. The high-visibility color is easy to locate and has an attached seethrough pocket for an identification label. Made of durable, PVClaminated polyester and elasticized bottom, these covers are available in multiple sizes to fit various types of kits. For overpacks with handles, elastic cutout lets handle stick out but won't let water in.

| PIG® Pro | otection Covers | | pig |
|---|--|-----------------------|-------|
| Item # | Use With | Color | 1+ |
| PAK276 | 95-gal. Wheeled Spill Kits & Overpacks | Yellow | \$113 |
| PAK277 | 95-gal. Wheeled Spill Kits & Overpacks | High-Visibility Green | \$113 |
| PAK201 | 65- and 95-gal. Spill Kits & Overpacks | Yellow | \$107 |
| PAK747 65- and 95-gal. Spill Kits & Overpacks | | High-Visibility Green | \$109 |
| PAK294 | 50-gal. Wheeled Spill Kits & Overpacks | Yellow | \$98 |
| PAK205 | 20- and 30-gal. Spill Kits & Overpacks | Yellow | \$87 |
| PAK757 | 20- and 30-gal. Spill Kits & Overpacks | High-Visibility Green | \$87 |
| PAK800 | Bulk Container | Yellow | \$218 |
| PAK802 | High-Visibility Storage Chest | Yellow | \$209 |
| PAK880 | Big Daddy Spill Caddy | Yellow | \$187 |
| PAK881 | Quick-Response Spill Cart | Yellow | \$128 |
| PAK882 | Large Mobile Container | Yellow | \$94 |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

= Best-Seller

PIG PR-40 ALL-PURPOSE WIPERS

PR-40 wipers do more jobs in more places.

Constructed of soft, absorbent cellulose fibers with a high-quality binder to increase strength for wet or dry wiping. Low-lint material won't leave residue which makes them excellent for a variety of wiping applications.



Cellulose fibers with binder for extra strength.





| PIG® PR40 | PIG® PR40 All-Purpose Wipers | | | | | | | | |
|------------------------------|------------------------------|-------|----------------------|-----------------|-----------------|----------------|-------|-------|-------|
| Style | Item # | Color | Wipers/Unit; # Units | Total Wipers | Size (W x L) | Pallet Qty. | 1-2 | 3-6 | 7+ |
| 1/4-Fold | WIP310 | White | 56/pack; 18 packs | 1,008 | 11.8 x 13" | 24 | \$127 | \$125 | \$122 |
| | WIP230 | Blue | 56/pack; 18 packs | 1,008 | 11.875" x 13" | 24 | \$127 | \$125 | \$122 |
| Roll | WIP235 | Blue | 415/roll; 2 rolls | 830 | 11.8" x 6.6" | 60 | \$74 | \$72 | \$69 |
| Pop-up | WIP311 | White | 75/box; 12 boxes | 900 | 9.5" x 16" | 24 | \$123 | \$119 | \$113 |
| | WIP231 | Blue | 75/box; 12 boxes | 900 | 9.5" x 16" | 24 | \$123 | \$119 | \$113 |
| Center-pull Dispenser Box | WIP200 | White | 225/box; 1 box | 225 | 8.875" x 13.25" | 140 | \$34 | \$32 | \$29 |

PIG PR-70 HEAVY-DUTY MAINTENANCE WIPERS

Top seller for daily heavy-duty jobs.

Strong and solvent resistant with exceptional abrasion resistance and wet strength. Stands up to rough surfaces, jagged edges or metal chips. Soft enough for cleaning skin.



Binder-free cellulose/poly blend leaves surfaces dry and lint-free. Available in blue or white.





| PIG® PR70 Heavy-Duty Maintenance Wipers | | | | | | | | | |
|---|--------|-------|----------------------|--------------|--------------|-------------|-------|-------|-------|
| Style | Item # | Color | Wipers/Unit; # Units | Total Wipers | Size (W x L) | Pallet Qty. | 1-2 | 3-6 | 7+ |
| 1/4-Fold WIP303 White | | White | 50/pack; 20 packs | 1,000 | 12"x 13" | 36 | \$141 | \$137 | \$131 |
| | WIP304 | Blue | 50/pack; 20 packs | 1,000 | 12"x 13" | 36 | \$141 | \$137 | \$131 |
| Jumbo Roll | WIP309 | White | 1,035/roll; 1 roll | 1,035 | 10"x 12" | 52 | \$114 | \$110 | \$104 |
| Pop-up | WIP328 | White | 125/box; 6 boxes | 750 | 9.625" x 16" | 54 | \$137 | \$133 | \$127 |
| | WIP306 | Blue | 125/box; 6 boxes | 750 | 9.6"x 16" | 36 | \$137 | \$133 | \$127 |
| Center-pull Roll | WIP333 | Blue | 625/box; 1 box | 625 | 9"x 12" | 96 | \$97 | \$95 | \$92 |

⇔ Best-Seller



PIG SHOPREADY DISPOSABLE MICROFIBER WIPER

We've never met a tougher microfiber wiper!

When you hear microfiber, you probably think of cleaning, polishing and other light-duty tasks. That's about to change! Our ShopReady wipers are ideal for wiping unfinished cast iron, gears, burred edges, and other rough surfaces.

ShopReady wipers won't bleed out or contaminate clean surfaces, whether you're using them wet or dry. Our wipers feature exact cut edges to eliminate fraying, shedding and unraveling, plus they're more durable, lower linting and have better retention compared to red shop towels. Available in four colors for color-coding the different processes at your facility.

Visit newpig.com to see new sizes and rolls.









| PIG [®] ShopReady™ Disposable Microfiber Wipers | | | | | | | | | | |
|--|--------|----------------------|--------------|--------------|-------------|-------|--|--|--|--|
| (Specify Color: Black Blue Red White) | | | | | | | | | | |
| Style | Item # | Wipers/Unit; # Units | Total Wipers | Size (W x L) | Pallet Qty. | 1+ | | | | |
| Pop-Up | WIP445 | 50/box; 8 boxes | 400 | 12" x 12" | 28 | \$175 | | | | |
| | WIP444 | 50/box; 1 box | 50 | 12" x 12" | 288 | \$25 | | | | |



WORKWIPES RAGS

Screened, sized and scanned so you get only usable rags.

Strict size and quality criteria mean you get no unusable or undersized rags. Eco- and cost-friendly T-shirt rags made from postconsumer recycled cotton and cotton blend are strong and absorbent.

- White rags are ideal for use with solvents which might cause colored rags to bleed
- Refreshed T-shirts are washed and scented to remove odors and stains
- 100% cotton blue surgical huck towels are colorfast, low-lint and sanitized



WIP551

WIP529

| FEATL | JRES KEY |
|---------------------|---------------------------|
| Sorted for printing | Scanned for metal content |
| Compression packed | W Washed |

| WorkWij | WorkWipes * | | | | | | | | |
|------------------------------------|---------------------------|----------|----------|-------------|-------|-------|-------|--|--|
| Item # | Material | Features | lbs./bag | Pallet Qty. | 1-2 | 3-6 | 7+ | | |
| WIP561 | White T-Shirt | R M G | 25 lbs. | 36 | \$77 | \$75 | \$72 | | |
| WIP551 | Colored T-Shirt | R M G | 25 lbs. | 36 | \$48 | \$46 | \$43 | | |
| WIP515 | Refreshed Colored T-Shirt | R M G W | 25 lbs. | 36 | \$62 | \$60 | \$57 | | |
| WIP570 | Blue Surgical Huck Towel | M G W | 20 lbs. | 48 | \$84 | \$82 | \$79 | | |
| WorkWipes® Reclaimed Rags in Boxes | | | | | | | | | |
| Item # | Material | Features | lbs./bag | Pallet Qty. | 1-2 | 3-6 | 7+ | | |
| WIP531 | White T-shirt | R M | 50 lbs. | 16 | \$159 | \$155 | \$149 | | |
| WIP529 | Colored T-shirt | R M | 50 lbs. | 16 | \$112 | \$104 | \$98 | | |

SPILL CONTROL

PIG-TESTED FOR THE TOUGHEST CONDITIONS.

Jacob R.

Manager

Product

Serious solutions for sudden spills.

Containing liquids at the source is proactive, smart drain defense. If you have an emergency spill or machines that leak, the last thing you want is for unwanted liquids to get into your drains because that can be a violation of EPA Stormwater and SPCC regs. These PIG-approved spill containment berms, barriers, blockers and booms keep liquid releases out of your drains to keep contaminants out of the water supply.





"If you have drains, and you have chemicals, you should have these."

Shawn, DrainBlocker Customer



HELPS YOU COMPLY

SPCC 40 CFR 112.7

Facilities must have written plans and documentation of the products that are in place to prevent discharge of oil into waters.

STORMWATER 40 CFR 122.26

Facilities with an SWPPP must describe the plan and equipment available to prevent illegal discharge of pollutants into waterways.

GET A FREE SPILL RISK ASSESSMENT FROM PIG!



Understand your facility's spill risks so you can comply with regs and avoid fines.

Learn more on page 57.





Pis SPILLBLOCKER DIKES

Get fast protection from spreading spills and leaking machines; great for capturing liquids during maintenance.

Super-flexible, reusable SpillBlocker Dikes guarantee fast protection when a spill is heading right for your drain. They seal tight to contain, confine or channel spreading spills, washdown fluids during maintenance applications, or oil from machine or tank leaks. Flexible and formable dike shapes to the spill, confining and diverting fluids without absorbing to make cleanup simpler. Select from five different heights to best suit how you need to handle different depths of liquid.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations **HELPS YOU COMPLY** with 40 CFR 122.26 Stormwater Regulations

FOR MACHINES WITH CONSTANT LEAKS, SEE SEMIPERMANENT BARRIERS ON PAGES 58-60.



"We are very pleased at how well the Spill Blocker has worked for us. I was surprised at how well they adhered to the floor. Very easy to maneuver into place."

— Adrian, PLR212 Customer



If you're not happy with your New Pig purchase, we'll refund every penny, including taxes and shipping. Even the return freight is on us!








PIG SPILLBLOCKER DIKE

Exclusive New Pig formulation resists tearing, and tacky bottom layer seals tight to smooth surfaces. Polyurethane dike resists water, oils and other chemicals. Material cleans easily with soap and water and built-in connectors let you join multiple sections (PLR204 requires connectors and corners).










| 1¾" High | n PIG® SpillBlo | cker® Dike | | | | | pig |
|--|-----------------|------------------------|-------------------------|-------|-------|-------|----------|
| Item # | Name | Color | Size | Unit | 1-2 | 3-5 | 6+ |
| PLR212 | Dike | Yellow | 2.25"W x 10'L x 1.375"H | 1/box | \$448 | \$430 | \$414 |
| 2¼" High | n PIG® SpillBlo | cker® Dike | | | | | pig |
| (Specify Color fo | r PLR204: Black | Yellow) | | | | | |
| Item # | Name | Name Color Size Unit 1 | | 2-3 | 4+ | | |
| PLR204 | Dike | Black or Yellow | 4"W x 10'L x 2.25"H | 1/box | \$746 | \$717 | \$690 |
| PLR205 | Connector | Black | 5.5"W x 4"L x 2.25"H | 1/box | | \$57 | |
| PLR206 | 90° Corner | Yellow | 7"W x 7"L x 2.25"H | 1/box | | \$128 | |
| PLR284 | Carrying Case | Black | 24.75" Dia x 4"D | 1/box | | \$273 | |
| 3" High | PIG® SpillBloc | ker® Dike | | • | | | pi |
| (Specify Color fo | r PLR267: Black | Yellow) | | | | | |
| Item # | Name | Color | Size | Unit | 1 | 2-3 | 4+ |
| PLR267 | Dike | Black or Yellow | 3.5"W x 5'L x 3"H | 2/box | \$726 | \$708 | \$680 |
| PLR268 | 90° Corner | Black | 4.75"W x 5"L x 3"H | 1/box | | \$113 | |
| 4½" High | n PIG® High-Vo | olume SpillBlo | ocker® Dike | | | | pi |
| Item # | Name | Color | Size | Unit | 1 | 2-3 | 4+ |
| PLR253 | Dike | Lime Green | 4"W x 5'L x 4.5"H | 1/box | \$512 | \$499 | \$481 |
| 6¾" High PIG® High-Volume SpillBlocker® Dike | | | | | | | pi |
| Item # | Name | Color | Size | Unit | 1 | 2-3 | 4+ |
| PLR254 | Dike | Lime Green | 4.5"W x 5'L x 6.75"H | 1/box | \$885 | \$865 | \$848 |
| | | | | | | | 5,236,28 |

NOTE: Due to the nature of softer urethane, the physical properties of these products may change over time with exposure to certain environmental conditions like temperature, humidity and UV radiation. Typical product life expectancy is five years. Inspect the product regularly to ensure it is in a usable state. For details and chemical compatibility, call Technical Services at 1-800-HOT-HOGS (488-4647) or visit us online at newlyg.com. For temporary use only. Pick up after each use, clean, then store properly. Do not leave down for extended periods of time or drive vehicles over dike.





Stop spills on asphalt in their tracks with a liquid-tight tacky bottom layer.

Tear-resistant top layer and super-tacky bottom layer create a tight, liquid-proof seal on asphalt, rough concrete and more. Barrier provides fast protection when a spill is heading for your drain on a rough surface; it confines and diverts fluids without absorbing them. Intended for one-time, limited term use.

HELPS YOU COMPLY with SPCC and Stormwater Regulations



Bottom layer "seeps" into surface cracks to form a liquid-resistant seal.



| | PIG® SpillBlocker® Rough Surface Dike | pig |
|---|---|----------------|
| ſ | Item # | 1+ |
| ¢ | PLR230 • 2"W x 10'L x 2.25"H | \$366 |
| ſ | PLR230 Contents • 1 Connector • 1 Disposal Bag | |
| S | ee note on page 55 for more details on compatibility and life expectancy. | Patent Pending |



PIG DRIVE-OVER SPILLBLOCKER

The ONLY flexible barrier for traffic and long-term outdoor use.

Divert stormwater or create a liquid-proof perimeter with the ONLY reusable, flexible barrier designed for extended use outdoors. HogHyde skin stands up to heavy traffic driveovers and resists UV rays.

HELPS YOU COMPLY with SPCC and Stormwater Regulations



Corner pieces make 90° turns possible.



Interlocking end joints connect dike sections to create longer lengths.





| PIG® Drive-Over SpillBlocker® Dike | | pig |
|--|-------|-------|
| Item # | 1-2 | 3+ |
| PLR950 • 2"W x 10'L x 1"H | \$505 | \$483 |
| PLR952 • 2"W x 5'L x 1"H | \$257 | \$243 |
| PLR951 • 90° Corner • 2"W x 6"L x 1"H | | 63 |

See note on page 55 for more details on compatibility and life expectancy.

Patent Pending

Best-Seller



PIG DOORBLOCKER DIKE

Quickly seal off a doorway from a spreading spill & washdown liquid.

Unique 45-degree wedge design fits snugly against doorjambs to stop the spread of liquids. Works ideally as a barrier in doorways during washdown operations, as a dam to control or contain spilled liquids, or as a diverter to direct rising water away. Dike fits any doorway up to 4' wide.



45° wedge design gives a tight fit against doorjambs.

| PIG® DoorBlocker Dike | | | | |
|---|-------|-------|-------------|--|
| Item # | 1-2 | 3-5 | 6+ | |
| PLR213 • 2"W x 4'L x 1.5"H | \$290 | \$270 | \$263 | |
| Soo note on page 55 for more details on compatibility and life expectancy | | Daton | + 5 226 201 | |



PIG WASHBLOCKER DIKE

Easily keep washdown liquid from going where you don't want it.

Use these lightweight, hi-viz strips to block doorways, protect carpeting and channel liquid to drains. Low profile, reusable barriers are easy to handle and clean up with soap and water.



| Tacky | |
|----------------|--|
| urethane | |
| creates a | |
| eakproof seal | |
| on dry floors. | |
| | |

| PIG® WashBlocker® Dike | | | | |
|---|-------|-------|--------------|--|
| Item # | 1-2 | 3-5 | 6+ | |
| PLR500 • 1.25"W x 10'L x 0.75"H | \$317 | \$309 | \$305 | |
| See note on page 55 for more details on compatibility and life expectancy | • | Pater | rt 5 236 281 | |



Our patented PIG Spill Risk Algorithm has helped thousands of facilities identify their hazards, develop clear paths to improvement, comply with regs, avoid fines and stay better prepared for spills and inspectors — all without an expensive consultant or trying to figure it out on your own!

We've measured over 13,000 liquid areas at more than 1,000 sites and found the Top 5 Spill Risks that facilities like yours are facing: Take the guesswork out of spill preparedness with the world's first physics-based Spill Risk Algorithm — a PIG exclusive!

- Six-time patented algorithm performs more than 600 calculations
- Requires just 5 minutes of data collection per area
- You receive a full Spill Risk Report in days

Learn more at newpig.com/algorithm





PiB BUILD-A-BERM BARRIER

Configure a barrier of any size or shape to fit your leak-prone areas.


Contain leaks and spills around your machinery without building expensive concrete curbs or installing angle iron. You can create a custom semi-permanent barrier that's exactly the size and shape you need, indoors or out. Pliable open-cell foam barrier springs back into shape after you walk or roll over it with light, wheeled equipment. Durable, 18-oz. all-vinyl covering resists oils, coolants and most chemicals. High-visibility barrier draws attention for increased safety.

HELPS YOU COMPLY with SPCC and Stormwater Regulations



"We have installed this Build-A-Berm kit in order to contain paint. The ease of being able to drive over it, and put pallets of paint in the locations makes it a great product. I would highly recommend this to any company trying to fulfill regulations and even just for the ease of use."

- Andrew, Build-A-Berm Customer





If you're not happy with your New Pig purchase, we'll refund every penny, including taxes and shipping. Even the return freight is on us!










PIG BUILD-A-BERM BARRIER

Comes in four heights for varying containment. Customize your layout with straight sections, corners and wall ends; T connectors create dual containment areas with a shared center line. Kits for 1½" and 2" barriers include Sili-Thane, Barriers and Corners.

| | | | | | | | | 7 |
|---|------------|----------------------------|--------------------------------|------------|-------|--------|-----------|---|
| | 1½" Hiç | gh PIG® Build- | A-Berm® Barrier | | | | pig | |
| | Item # | Name | Size | Unit | 1 | 2-3 | 4+ |] |
| | PLR511 | Kit | 4.5"W x 50'L x 1.5"H | 1/box | \$783 | \$746 | \$709 | |
| | PLR511 Con | tents • 2 Barriers • 6 Sea | lant Tubes • 4 Corners | | | | | |
| | PLR278 | Straight Section | 4.5"W x 15'L x 1.5"H | 1/box | \$264 | \$251 | \$240 | |
| | PLR279 | 90° Corner | 4.5"W x 6.75"L x 1.5"H | 2/box | | \$110 | | 1 |
| * | PLR136 | 45° Corner | 11.5"W x 19"L x 1.5"H | 2/box | | \$110 | | 1 |
| * | PLR130 | T Connector | 10"W x 16"L x 1.5"H | 2/box | | \$107 | |] |
| | PLR114 | Wall End | 4.5"W x 6"L x 1.5"H | 2/box | | \$97 | | 1 |
| | 2" High | n PIG® Build-A | -Berm® Barrier | | | | pig | 1 |
| | Item # | Name | Size | Unit | 1 | 2-3 | 4+ | 1 |
| • | PLR222 | Kit | 5.5"W x 50'L x 2"H | 1/box | \$797 | \$758 | \$709 | 1 |
| | PLR222 Con | tents • 2 Barriers • 6 Sea | lant Tubes • 4 Corners | | | | | 1 |
| | PLR264 | Straight Section | 5.5"W x 15'L x 2"H | 1/box | \$242 | \$231 | \$219 |] |
| | PLR265 | 90° Corner | 5.5"W x 7.25"L x 2"H | 2/box | | \$115 | • | 1 |
| * | PLR137 | 45° Corner | 12"W x 19"L x 2"H | 2/box | | \$115 | | 1 |
| * | PLR131 | T Connector | 11.5"W x 17.5"L x 2"H | 2/box | | \$112 | | 1 |
| | PLR117 | Wall End | 5.5"W x 3"L x 2"H | 2/box | | \$108 | | 1 |
| | 4" High | n PIG® Build-A | -Berm® Barrier | | | | pig | 1 |
| | Item # | Name | Size | Unit | 1 | 2-3 | 4+ | 1 |
| | PLR258 | Straight Section | 7.25"W x 5'L x 4"H | 2/box | \$269 | \$255 | \$243 | 1 |
| | PLR263 | 90° Corner | 7.25"W x 9.5"L x 4"H | 2/box | | \$158 | , | 1 |
| * | PLR138 | 45° Corner | 14"W x 22"L x 4"H | 2/box | | \$160 | | 1 |
| * | PLR132 | T Connector | 12.5"W x 18.5"L x 4"H | 2/box | | \$153 | | 1 |
| | PLR512 | Wall End | 7.5"W x 10"L x 4"H | 2/box | | \$204 | | 1 |
| | 6" High | PIG® Build-A | -Berm® Barrier | | | | pig | 1 |
| | Item # | Name | Size | Unit | 1 | 2-3 | 4+ | 1 |
| | PLR276 | Straight Section | 9"W x 5'L x 6"H | 2/box | \$353 | \$337 | \$320 | 1 |
| | PLR277 | 90° Corner | 9"W x 10.5"L x 6"H | 2/box | | \$183 | | 1 |
| * | PLR139 | 45° Corner | 18"W x 29"L x 6"H | 2/box | | \$185 | | 1 |
| * | PLR133 | T Connector | 16.5"W x 24"L x 6"H | 2/box | | \$178 | | 1 |
| | PLR513 | Wall End | 9"W x 11"L x 6"H | 2/box | | \$239 | | 1 |
| * | ⚠ WARNING | · Cancer Rirth Defects an | d Reproductive Harm - www.P65W | arnings ca | nov | Patent | 5 820 297 | _ |



Patent 5,820,297

SILI-THANE SEALANT & VINYL CEMENT

Use Sealant and Caulking Gun first to secure barrier sections to floor. It adheres to almost any surface with a 30-minute, tack-free cure time. Then use super-strong, flexible vinyl cement to create a liquid-proof seal for joining sections.

| Sili-Thane™ 803 Sealant | |
|--|------|
| (Specify Color: Black or White; Add \$3 to price shown for Black) | |
| Item # | 1+ |
| PTY340 • 10.3 fl. oz. cartridge • 6/box | \$97 |
| PTY340-1 • 10.3 fl. oz. cartridge • 1/each | \$18 |
| Industrial-Strength Vinyl Cement | |
| ltem # | 1+ |
| PTY105 • 8 oz. can | \$30 |
| Albion Engineering B26 Manual Cartridge Caulking | Gun |
| Item # | 1+ |
| PTY1340 • For Sili-Thane Sealant | \$36 |

NOTE: Each cartridge covers 25 ft. when applied .25"W x .125"D

** WARNING: Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

*** WARNING: Cancer - www.P65Warnings.ca.gov



PLR117 Wall end



PLR131 T Connector



PLR264 Barrier



PLR265 Corner







⊘= Best-Seller







PIG DRIVE-OVER BUILD-A-BERM BARRIER

Build a custom spill berm that can handle heavy vehicle driveovers.

Custom containment berm helps you control liquids in high-traffic areas. 40-ounce, vinyl-coated fabric with an open-cell foam core compresses when driven over and springs back to shape. Predrilled aluminum mounting strips with anchors secure berm to most surfaces.

Both the 11/2" and 2" berms are durable enough to withstand indoor or outdoor traffic from trucks, loaded tow motors and other heavy vehicles with sufficient ground clearance. Additionally, the 1½" berm also accommodates low-clearance traffic like pallet jacks, heavy carts and dollies.

HELPS YOU COMPLY with SPCC and Stormwater Regulations



| 1½" High | า PIG® Drive-Over Bเ | uild-A-Berm® Barrier | | | | pig |
|--------------|--|--|-------|--------|--------|--------|
| Item # | Name | Size | Unit | 1 | 2-3 | 4+ |
| PLR514 | Straight Section | 4.5"W x 12'L x 1.5"H | 1/box | \$327 | \$310 | \$295 |
| PLR515 | 90° Vented Corner | 4.5"W x 6.75"L x 1.5"H | 2/box | | \$195 | |
| PLR140 | 45° Vented Corner | 11.5"W x 19"L x 1.5"H | 2/box | | \$194 | |
| PLR134 | T Connector | 10"W x 16"L x 1.5"H | 2/box | | \$189 | |
| PLR516 | Wall End | 4.5"W x 6"L x 1.5"H | 2/box | | \$134 | |
| 2" High | PIG® Drive-Over Bui | ld-A-Berm® Barrier | | , | | giq |
| Item # | Name | Size | Unit | 1 | 2-3 | 4+ |
| PLR530 | Kit | 5.5"W x 48'L x 2"H | 1/box | \$1351 | \$1247 | \$1143 |
| PLR530 Conte | nts • 2 Barriers • 6 Sealant Tubes • 4 | 4 Corners • 24 Mounting Strips • 155 Anchors | | | | |
| > PLR283 | Straight Section | 5.5"W x 12'L x 2"H | 1/box | \$334 | \$317 | \$300 |
| PLR108 | 90° Vented Corner | 5.5"W x 11.25"L x 2"H | 2/box | | \$177 | |
| PLR141 | 45° Vented Corner | 12"W x 19"L x 2"H | 2/box | | \$205 | |
| PLR135 | T Connector | 11.5"W x 17.5"L x 2"H | 2/box | | \$172 | |
| PLR109 | Wall End | 5.5"W x 3"L x 2"H | 2/box | | \$157 | |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov



Secure to your floor with fastcuring Sili-Thane 803 Sealant (PTY340, sold on page 59).



sections and corners with vinyl cement (PTY105, sold on page 59).



Patent 5,820,297

Best-Seller



NONABSORBENT CONTAINMENT BOOM

Contain oil and debris on water to protect the environment.

Closed-cell polyethylene foam corrals pollutants while the skirting barrier hangs below the waterline to stop them from creeping under. Galvanized steel chain along the length along the length adds weight and rigidity, the vinyl-coated polyester material is UV-resistant, and built-in connectors let you link multiple booms.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations where containment devices can be used to control or prevent oil discharges

HELPS YOU COMPLY with 40 CFR 122.26 when used as a BMP in a Stormwater Pollution Prevention Plan



Marine-grade aluminum slide connectors and toggle pins let you link multiple booms.

CHOOSE YOUR BOOMS BASED ON TYPE OF CURRENT AND BODY OF WATER: EconoMax for calm, low currents


provide enough buoyancy for calm water.

canals, drainage ditches and swamps.

these best for rough waters. Ideal for rivers,



| Nonabso | Nonabsorbent Oil & Debris Containment Boom | | | | | | | | | |
|-----------------|--|--------------------------|---|--------------------|-----------|-------|----------------|-------------|--------|--------|
| Item # | Product Name | Type of Current | Ideal For | Dimensions (L x H) | Freeboard | Draft | Break Strength | Pallet Qty. | 1 | 2+ |
| BOM105 | EconoMax | Calm to Low | Bays, Harbors, Breakwaters | 100' x 16" | 6" | 10" | 1,800 lbs. | 2 | \$1527 | \$1455 |
| BOM104 | EconoMax | Calm to Low | Bays, Harbors, Breakwaters | 50' x 16" | 6" | 10" | 1,800 lbs. | 4 | \$879 | \$831 |
| BOM102 | Super Swamp | Calm, Swamps and Shallow | Streams, Canals, Drainage Ditches, Swamps | 100' x 10" | 4" | 6" | 1,800 lbs. | 4 | \$1861 | \$1778 |
| BOM101 | Super Swamp | Calm, Swamps and Shallow | Streams, Canals, Drainage Ditches, Swamps | 50' x 10" | 4" | 6" | 1,800 lbs. | 8 | \$1029 | \$982 |
| BOM100 | Super Swamp | Calm, Swamps and Shallow | Streams, Canals, Drainage Ditches, Swamps | 25' x 10" | 4" | 6" | 1,800 lbs. | 16 | \$690 | \$658 |
| BOM118 | Optimax I | Strong | Rivers, Streams, Near Shorelines | 100' x 19" | 7" | 12" | 6,400 lbs. | 2 | \$3247 | \$3046 |
| ⇔ ВОМ107 | Simplex™ | Moderately Fast | Shorelines, Coastline | 100' x 18" | 6" | 12" | 5,000 lbs. | 2 | \$1980 | \$1901 |
| BOM106 | Simplex™ | Moderately Fast | Shorelines, Coastline | 50' x 18" | 6" | 12" | 5,000 lbs. | 4 | \$1672 | \$1599 |
| BOM119 | Optimax II | Strong | Rivers, Estuaries, Ports, Harbors | 50' x 20" | 8" | 12" | 6,400 lbs. | 4 | \$2026 | \$1902 |



PiE DRAINBLOCKER DRAIN COVERS

Super-sealing covers go down fast so liquids can't pass.

When a spill strikes, it's a good move to seal off your drains so no unwanted liquids get into the water supply. PIG DrainBlocker Covers feature a super-sealing, tacky urethane bottom layer that forms a complete seal around your drain. And when you need to access your drain again, they pull off easily for cleaning, storage and redeployment.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations **HELPS YOU COMPLY** with 40 CFR 122.26 Stormwater Regulations



"We have deployed these around the perimeter of our facility ... In case of a spill, we can put these down to prevent anything from getting into the storm drains. They have worked without incident in testing and drills."

- Tim, PLR402 Customer



TEAR RESISTANT Tougher than

standard covers to resist ripping.



UV & IR **RESISTANT**

Let the sun shine this cover is made for outdoor use.



CHEMICAL RESISTANT

Stands up to longterm hydrocarbon exposure.



62









PIG DRAINBLOCKER DRAIN COVER

Select from rectangular, square and round covers. Use for quick spill response or leave it down for long-term drain protection where liquid transfers, washdowns or other leak- and spill-prone jobs are common.

| PIG® DrainBlocker® Drain Cover | | giq |
|---|--------|--------|
| Item # | 1-2 | 3+ |
| PLR408 • 36"W x 60"L • For Rectangular Drains up to 30"W x 54"L | \$1190 | \$1134 |
| PLR407 • 18"W x 60"L • For Rectangular Drains up to 12"W x 54"L | \$697 | \$662 |
| PLR409 • 30"W x 54"L • For Rectangular Drains up to 24"W x 48"L | \$931 | \$844 |
| PLR406 • 54"W x 54"L • For Square Drains up to 48"W x 48"L | \$1231 | \$1170 |
| PLR405 • 48"W x 48"L • For Square Drains up to 42"W x 42"L | \$1159 | \$1100 |
| PLR404 • 42"W x 42"L • For Square Drains up to 36"W x 36"L | \$969 | \$922 |
| | \$693 | \$660 |
| PLR402 • 30"W x 30"L • For Square Drains up to 24"W x 24"L | \$567 | \$541 |
| PLR401 • 24"W x 24"L • For Square Drains up to 18"W x 18"L | \$376 | \$362 |
| PLR400 • 18"W x 18"L • For Square Drains up to 12"W x 12"L | \$242 | \$229 |
| PLR430 • Ext. Dia. 30" • For Round Drains up to 24"Dia. | \$438 | \$418 |
| PLR420 • Ext. Dia. 20" • For Round Drains up to 14"Dia. | \$298 | \$286 |
| PLR412 • Ext. Dia. 12" • For Round Drains up to 6"Dia. | \$185 | \$174 |

Patent 8,117,686

Urethane Notice: Due to the nature of softer urethane, the physical properties of these products may change over time with exposure to certain environmental conditions like temperature, humidity and UV radiation. Typical life expectancy is 5 years. Please inspect the stored product regularly to ensure it is in a usable state. For more details and for chemical compatibility, please call Technical Services. For optimum performance, ensure that the area surrounding your drain is free of debris, cracks and holes.

DID YOU KNOW?

81% OF AT-RISK DRAINS DON'T HAVE A DRAIN COVER AVAILABLE.

For drains in close proximity to spill risk, it is important to keep protection nearby. Yet, 4 out 5 at-risk drains have zero means at hand to stop liquids during an emergency.

Data provided by our patented Spill Risk Algorithm.

LEARN MORE AT NEWPIG.COM/ALGORITHM

A CLOSER LOOK

Problem: Our original drain-sealing product worked great for spill response: seal the drain, pick it up, use it again. The problem was that people would leave it outside for weeks and it would become gooey, or it would tear when they picked it back up.

Finding the solution: We wanted to come up with a top cover that could withstand long-term outdoor use and keep the urethane layer from tearing when customers pulled it off the drain. We created 15 different versions before we had the best combination. We ultimately patented a way to bond a layer of Elvaloy vinyl with our super-sealing urethane to create the most weather- and UV-resistant drain cover on the market.

Problem Solved:

PIG DrainBlocker Drain Cover



PLR409



PLR403



PLR412

Vinyl top with Elvaloy technology

Super-sealing urethane bottom









PIG DRIVE-OVER DRAINBLOCKER DRAIN COVER

Go ahead and drive over it!

The toughest storm drain cover you can buy is the only one that can handle driveovers — even from heavy tankers. The durable, long-lasting design withstands long-term outdoor use no matter what the weather brings. HogHyde rubber top layer resists stretching, ripping and tearing plus it withstands prolonged exposure to diesel and gasoline.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

HELPS YOU COMPLY with 40 CFR 122.26

Stormwater Regulations



| PIG® Drive-Over DrainBlocker® Drain Cover | | gig |
|--|--------|-------------|
| Item # | 1-2 | 3+ |
| PLR908 • 36"W x 60"L • For Rectangular Drains up to 30"W x 54"L | \$1259 | \$1205 |
| PLR909 • 30"W x 54"L • For Rectangular Drains up to 24"W x 48"L | \$1003 | \$966 |
| PLR906 • 54"W x 54"L • For Square Drains up to 48"W x 48"L | \$1273 | \$1215 |
| PLR905 • 48"W x 48"L • For Square Drains up to 42"W x 42"L | \$1262 | \$1220 |
| PLR904 • 42"W x 42"L • For Square Drains up to 36"W x 36"L | \$1014 | \$961 |
| PLR903 • 36"W x 36"L • For Square Drains up to 30"W x 30"L | \$729 | \$697 |
| PLR902 • 30"W x 30"L • For Square Drains up to 24"W x 24"L | \$614 | \$605 |
| PLR930 • Ext. Dia. 30" • For Round Drains up to 24"Dia. | \$477 | \$454 |
| PLR920 • Ext. Dia. 20" • For Round Drains up to 14"Dia. | \$328 | \$302 |
| PIG® Drive-Over DrainBlocker® Trench Drain Cover | r | pig |
| Item # | 1-2 | 3+ |
| PLR940 • 18"W x 62.5"L • For Rectangular Drains 62.5" & Longer | \$777 | \$755 |
| See note on page 63 for more details on compatibility and life expectancy. | Paten | t 8,117,686 |



PLR930





Super-Sealing Urethane Bottom

NO RIPS, NO TEARS, NO WORRIES

Our toughest DrainBlocker can take whatever your parking lot dishes out.

PUNCTURE RESISTANT

Stands up to debris and sharp objects.



ABRASION RESISTANT

Won't wear down even when tires track on gravel.



TEAR RESISTANT

Won't rip when you pick it up after deployment.



UV & IR LIGHT RESISTANT

Made to take the baking sun in your parking lot.





PIG CONICAL DRAIN PLUG

Seal drains without using cement.

Durable polyurethane plug forms a liquidtight, chemical-resistant seal in seconds just wedge the plug in your drain for an easy alternative to permanently sealing it with cement. Simply remove the plug to allow your drain to function normally.

| PIG® Conical Drain Plug | | gig |
|-----------------------------|-------|-------|
| Item # | 1-4 | 5+ |
| PLR252 • For 6" Dia. Drains | \$245 | \$238 |
| PLR210 • For 4" Dia. Drains | \$125 | \$118 |

See note on page 63 for more details on compatibility and life expectancy.



Threaded, screw-in brackets mount on any vertical surface so you can store your drain cover at point of use to seal drains faster. Hardshell case made of rigid polyethylene is corrosion and UV resistant to protect your drain cover (not included) indoors or out, and high-visibility yellow color is easy to spot during an emergency. Textured rubber handle makes the case easy to carry.

| • | | | | | |
|--|-------|--|--|--|--|
| Drain Cover Carrying Storage Case 🕫 | | | | | |
| Item # | 1+ | | | | |
| PLR288 • For Square 54" Drain Cover | \$328 | | | | |
| PLR287 • For Square 42" to 48" or Rectangular 30"W x 54"L Drain Cover | \$261 | | | | |
| PLR286 • For Square 30" to 36", Rectangular 36"W x 60"L or Round up to 30" Dia. Drain Cover | \$231 | | | | |
| PLR285 • For Square 18" to 24", Rectangular 18"W x 60"L or Round up to 20" Dia. Drain Cover | \$204 | | | | |





MULTI-FLEX INFLATABLE PIPE PLUG

Temporarily block pipes during repairs or if a spill happens.

Small, flexible design can be snaked through hot tap or branch pipes into larger pipelines that are otherwise inaccessible. Pipe plug inflates up to eight times its size to prevent the flow of liquids, and it conforms to a wide range of pipe dimensions. It can be fully or partially inflated to suit your application. UV-resistant, nylon-reinforced nitrile resists oils and has a shelf life of more than ten years.

HELPS YOU COMPLY with 40 CFR 122.26 when used as a BMP in a Stormwater Pollution Prevention Plan

NOTE: Seal may not be airtight. Not recommended for pressure tests. See full disclaimer at newpig.com.



PLR113



PLR112

| Multi-Flex™ Inflatable Pipe Plug | |
|--|--------|
| Item # | 1+ |
| PLR113 • For 6" to 24" Dia. Pipes • 10 PSI Max • 2" MNPT To 1/2" Quick Connect Inflation Port | \$1768 |
| PLR112 • For 5.5" to 16" Dia. Pipes • 25 PSI Max • 2" MNPT To 1/2" Quick Connect Inflation Port | \$1164 |
| PLR111 • For 3.5" to 8" Dia. Pipes • 30 PSI Max • 1" MNPT To 1/4" Quick Connect Inflation Port | \$646 |

STORMWATER

WHO YOU GONNA CALL? STAIN BUSTERS!



Why comply with Stormwater Regs?

Noncompliance with the EPA's Stormwater Regulations can result in hassles, headaches and even fines. If that's not enough reason to comply, protecting the environment also makes a positive statement toward being a good corporate citizen.

Does your facility need a Stormwater Plan? New Pig can help you choose the best products to get into compliance. Call our Technical Specialists at 1-800-HOT-HOGS for expert advice!



"If you have drains, and you have chemicals, you should have these."

— Shawn, PIG Drain Filter Customer



HELPS YOU COMPLY

SPCC 40 CFR 112.7

Facilities must have written plans and documentation of the products that are in place to prevent discharge of oil into waters.

STORMWATER 40 CFR 122.26

Facilities with an SWPPP must describe the plan and equipment available to prevent illegal discharge of pollutants into waterways.

New Pig has every solution for source-to-drain protection.

Using a combination of stormwater products (a.k.a. Treatment Train) removes more pollutants than any one product by itself. You can maximize clean discharge with filtration products inside and above your drains, then keep the train going with more products at the source (i.e. dumpsters, downspouts and parking lots). Capturing contaminants before they enter runoff confines the problem and extends the life of your products.

As you're choosing, ask yourself these questions:

- What contaminants am I dealing with?
- What are my drain sizes and shapes?
- What's traffic flow like near my drains?

Need help? Call the experts at 1-800-HOT-HOGS!









Oils, fuels, sediment and floatables version shown.

Sediment and floatables versions don't have filter strips.



PIG ADJUSTABLE FRAME STORM DRAIN FILTER

No matter what shape or size your storm drain is, we have a filter for it!

Steel frame can be expanded or contracted to perfectly fit your drain, and it stays put even when the grate isn't installed. The frame adds strength and secures the filter in place, so you'll never have to fish out a failed insert again!

Heavy-duty lifting straps allow easy handling, they serve as a visual reminder for on-site maintenance and the high-visibility green color helps inspectors see from a distance, even with the grate in place, that you're proactively managing your stormwater.

HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regulations







| | PIG® Adjustable Frame Storm Drain Filter - Rectangular | | | | | | pig | |
|-----|--|-----------------------|---|---------|---------------|-------|---------|---|
| | (Specify for IN | NT300 - INT305: V | Vith overflow ports or without overflow por | ts) | | | | 1 |
| | Item # | Substance Filtered | Adjustable to fit Drain Sizes | Depth | Pallet Qty | 1-4 | 5+ | |
| * | INT305 | | 24"W x 35"L to 37"W x 49"L | Regular | 42 | \$89 | \$85.45 | * |
| * | INT302 | | 24"W x 35"L to 37"W x 49"L | Shallow | 42 | \$75 | \$72 | * |
| * | INT304 | Sediment & | 20"W x 20"L to 32"W x 32"L | Regular | 42 | \$83 | \$79.70 | * |
| * | INT301 | Floatables | 20"W x 20"L to 32"W x 32"L | Shallow | 42 | \$70 | \$67.20 | * |
| * | INT303 | | 16"W x 16"L to 26"W x 26"L | Regular | 168 | \$70 | \$67.20 | * |
| * | INT300 | | 16"W x 16"L to 26"W x 26"L | Shallow | 168 | \$63 | \$60.50 | * |
| * | INT312 | Oils, Fuels, | 24"W x 35"L to 37"W x 49"L | | 42 | \$115 | \$110 | * |
| * € | INT311 | Sediment, | 20"W x 20"L to 32"W x 32"L | Regular | 42 | \$106 | \$102 | * |
| * | INT310 | Floatables | 16"W x 16"L to 26"W x 26"L | | 168 | \$89 | \$85.45 | * |
| | A 14/4 BALLAL | n c n' i n | forter of Brown Lot of the December 1 | | | | | - |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

Patent 10,508,430

| | PIG® A | PIG® Adjustable Frame Storm Drain Filter - Round | | | | | | | | | |
|---|--|--|----------|---------|----|------|---------------------|---|--|--|--|
| | (Specify for INT200 - INT203: With overflow ports or without overflow ports) | | | | | | | | | | |
| | Item # Substance Filtered Adjustable to fit Depth Pallet Qty 1-4 5 | | | | | | 5+ | | | | |
| * | INT203 | | 25"- 30" | Regular | 42 | \$70 | \$67.20 | * | | | |
| * | INT201 | Sediment & | 25 - 30 | Shallow | 42 | \$63 | \$60.50 | * | | | |
| * | INT202 | Floatables | 20"- 25" | Regular | 42 | \$64 | \$61. ⁴⁵ | * | | | |
| * | INT200 | | 20 - 25 | Shallow | 42 | \$59 | \$56. ⁶⁵ | * | | | |
| * | INT211 | Oils, Fuels, Sediment, | 25"- 30" | Damilan | 42 | \$95 | \$91.20 | * | | | |
| * | INT210 | Floatables | 20"- 25" | Regular | 70 | \$83 | \$79.70 | * | | | |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

TURN THE PAGE TO SEE OUR NEW LINE OF STORM DRAIN FRAMES WITH REPLACEABLE FILTERS!





PiB ADJUSTABLE STORM DRAIN FRAME WITH REPLACEABLE FILTERS

Filter changeouts are easier and more affordable than ever before!

NEW! You can finally stop fishing out those heavy, overloaded frameless drain filters (a.k.a. "witch hats") that collapse into your basin. Our coated-steel adjustable frame secures the system in place, and you only replace the center filter bag — it's an easy, one-person job that saves money because you're not disposing of the entire drain insert. Replaceable Filters feature a heavy-duty lifting strap, and hi-viz straps around the frame help inspectors see that you're proactively managing your stormwater. Overflow ports minimize water backup, and patented filter ring channels water to center of filter.

HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regulations







DID YOU KNOW?

95%

OF STORM DRAINS ARE AT RISK FOR OIL SHEEN RELEASE.

From rigs leaking oil to garbage trucks blowing hydraulics, your parking lots catch it all. Those stains throw off oily sheens every time it rains, sending polluted runoff into your drains.

Data provided by our patented Spill Risk Algorithm.

LEARN MORE AT
NEWPIG.COM/ALGORITHM

PIG ADJUSTABLE STORM DRAIN FRAME WITH REPLACEABLE FILTERS

- Easier changeouts with less waste — the frame stays long-term and only the filter bag is replaced
- Multiple designs tailored to your drains — select round or rectangular frames for shallow or deep basins
- ✓ Better filtration options choose filters for oils and sediment or upgrade to heavy metals





INT400-1110-OFS



INT400-1059-MOF





SPECIALLY PRICED so the frame is FREE!

| PIG® Adjustable Storm Drain Frame with Replaceable Filters - Rectangular | | | | | | |
|--|--|-------------------------------|--------------------|--------------------|---------|--|
| Item # | Substance Filtered | Adjustable to fit Drain Sizes | 1-4 | 5+ | - | |
| INT400-1112-OFS | 011 5 1 | 24"W x 35"L to 37"W x 49"L | \$189 | \$181 | * \$126 | |
| INT400-1111-OFS | Oils, Fuels, Sediment, Floatables | 20"W x 20"L to 32"W x 32"L | \$184 | \$1 7 7 | * \$126 | |
| INT400-1110-OFS | | 16"W x 16"L to 26"W x 26"L | \$175 | \$16 8 | * \$126 | |
| INT400-1112-MOF | | 24"W x 35"L to 37"W x 49"L | \$ 27 0 | \$25 9 | * \$227 | |
| INT400-1111-MOF | Heavy Metals, Oils, Fuels, Sediment, Floatables | 20"W x 20"L to 32"W x 32"L | \$ 25 5 | \$24 5 | * \$227 | |
| INT400-1110-MOF | | 16"W x 16"L to 26"W x 26"L | \$ 25 0 | \$24 0 | * \$227 | |

Contents • 1 Adjustable Storm Drain Frame • 2 Filter Bags

| PIG® Adjustable Storm Drain Frame with Replaceable Filters - Round | | | | | |
|--|---------------------------------|-------------------------------|--------------------|--------------------|---------|
| Item # | Substance Filtered | Adjustable to fit Drain Sizes | 1-4 | 5+ | |
| INT400-1061-OFS | Oils, Fuels, | 25"- 30" | \$ 18 4 | \$ 17 7 | * \$126 |
| INT400-1059-OFS | Sediment, Floatables | 20"- 25" | \$17 5 | \$168 | * \$126 |
| INT400-1061-MOF | Heavy Metals, Oils, Fuels, | 25"- 30" | \$ 25 5 | \$ 24 5 | * \$227 |
| INT400-1059-MOF | Sediment, Floatables | 20"- 25" | \$ 25 0 | \$ 24 0 | * \$227 |
| Contents • 1 Adjustable St | orm Drain Frame • 2 Filter Bags | | | | |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

Patent 10.844.588

FILTER BAGS AND FRAMES ALSO SOLD SEPARATELY AT NEWPIG.COM. STOCK UP FOR EASY CHANGEOUTS!







PIG FRAMELESS STORM DRAIN FILTER

If you don't want a frame on your filter, this model is tried-and-true.

Frameless filter has the same construction and four-stage filtration as shown on page 67. Redesigned for better filtration, improved handling and all-around performance, and affordably priced so you can protect more drains at your facility. No more picking and choosing which ones you can afford to protect! Frameless design is ideal for round and shallow drains to capture fuels, oil, sediment and floatables to keep storm drains from clogging and overflowing.







Protect your smaller storm drains too!

| | PIG® Frameless Storm Drain Filter | | | | | | |
|----|-----------------------------------|--------------------|--|-------------|-------|------|--|
| | Item # | Substance Filtered | Fits Drain Sizes | Pallet Qty. | 1-4 | 5+ | |
| FL | FLT615 | 011 5 1 | 24"W x 24"L to 48"W x 54"L; Round Drains 24"-48" Dia. | 80 | \$95 | \$93 | |
| C | FLT116 | Floatables – | 20"W x 20"L to 30"W x 36"L; Round Drains 20"-30" Dia. | 165 | \$83 | \$81 | |
| | FLT1000 | | 9"W x 9"L to 20"W x 20"L; Round Drains 9"-20" Dia. | 960 | \$74 | \$72 | |
| | Drain Filter Retainer Rods | | | | | | |
| | Item# | | | | | 5+ | |
| | FLT602 • | 2 each • Adjustabl | e from 22" to 36" | | \$101 | \$97 | |

^{*} WARNING: Cancer - www.P65Warnings.ca.gov

PIG FRAMELESS STORM DRAIN FILTER - CURB INLETS

Guard curb inlets using this filter designed exactly for that area.

NEW! The same construction and filtration as shown on page 67, but we tailored it specifically for curb inlets. Built-in debris diverter blocks runoff at curb opening and directs it into grate, and skirting fits inside catch basin to further block debris.



HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regulations

| PIG® F | PIG® Frameless Storm Drain Filter - Curb Inlets | | | | | | |
|--------|---|----------------------------|---------------|-------|-------|--|--|
| Item # | Substance Filtered | Fits Drain Sizes | Pallet Qty | 1-4 | 5+ | | |
| INT121 | Oils, Fuels, Sediment, | 24"W x 24"L to 51"W x 50"L | 50 | \$133 | \$128 | | |
| INT120 | Floatables | 20"W x 20"L to 39"W x 34"L | 54 | \$116 | \$111 | | |

INT12

FLT602

PIG COIR STORM DRAIN FILTER WITH MAGNETS

Magnets hold this filter in place for easy installation and removal.

Easily place in just seconds using the integrated magnetic strips on the underside. Natural coconut fibers are densely woven and vertically oriented to maximize sediment removal and flow rate, plus filter can be rinsed and reinstalled for extended use. Overflow port helps minimize backed up water during high-flow storm events.










FLT840





Removes 99% of particulate

Magnets on underside make installation and removal a breeze!

STORMWATER

PIG SEDIMENT DRAIN FILTER

FLT842

FLT841

FLT840

Collect debris and dirt to comply with regs and protect drains.

Drain Filter is ideal for use in the construction industry and anywhere sediment collection is a concern. Geotextile constructed of a monofilament polypropylene captures sand, dirt, sediment, trash, leaves, sticks and cigarette butts. Filters with overflow ports allow excess water to release into drain during heavy flow or if filter is blocked. It also provides an opening to collect samples of filtered stormwater.



HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regulations

| PIG® Sediment Drain Filter | | | | | | |
|----------------------------|----------------------------|-----------------------------|-----|-----------------|-------|--|
| (Specify: Wit | h overflow ports or withou | ut overflow ports) | | | | |
| Item # | Substance Filtered | Fits Drain Sizes Pallet Qty | | Pallet Qty. 1-4 | | |
| 🌣 FLT749 | | 32"W x 42"L to 37"W x 48"L | 120 | \$108 | \$104 | |
| FLT748 | Sediment & | 22"W x 32"L to 28"W x 48"L | 80 | \$96 | \$94 | |
| FLT747 | Floatables | 22"W x 32"L to 28"W x 37"L | 80 | \$84 | \$82 | |
| FLT746 | | 22"W x 22"L to 28"W x 28"L | 80 | \$73 | \$71 | |





Reusable Drain Filter makes it simple to dispose of collected sediment during maintenance.





PIG COIR STORM DRAIN FILTER PADS & ROLLS

Trim-to-fit filter removes sediment and floatables from stormwater.

Captures most floatables and large pieces of sediment; natural coconut fibers are densely woven and vertically oriented to maximize sediment removal and flow rate. Trim to fit for customization to your drain, then rinse and reinstall for extended use. Pads are great for standard drains; use Rolls for trench drains.

Installation kits (sold separately) include everything you need to properly secure coir filters in place.

HELPS YOU COMPLY with 40 CFR 122.26 when used as a BMP in a Stormwater Pollution Prevention Plan

| PIG® C | oir Storm Drain F | ilter Pads | | | | | pig | | | | | |
|------------------------------------|-----------------------|-----------------------|---------------------|---------------|-------------|-------|---------|--------|--------|---|-------|-------|
| Item # | Substance Filtered | For Drain Sizes up to | Product Dimensions | Units/package | Pallet Qty. | 1-3 | 4+ | | | | | |
| FLT955 | | 30"W x 30"L | 36"W x 36"L x 1.5"H | 5 pads/box | 11 | \$194 | \$184 | | | | | |
| FLT954 | | 21"W x 24"L | 27"W x 30"L x 1.5'H | 10 pads/box | 6 | \$243 | \$231 | | | | | |
| FLT953 | Cadinana O Flantables | 21 W X 24 L | 27 W X 30 L X 1.5 H | 5 pads/box | 14 | \$121 | \$115 | | | | | |
| FLT952 | Sediment & Floatables | 12"W x 12"L | 18"W x 18"L x 1.5"H | 10 pads/box | 12 | \$97 | \$92.15 | | | | | |
| FLT951 | | 12 W X 12 L | 18 W X 18 L X 1.5 H | 5 pads/box | 24 | \$49 | \$46.55 | | | | | |
| FLT950 | | 7"W x 9"L | 13"W x 15"L x 1.5"H | 10 pads/box | 24 | \$58 | \$55.10 | | | | | |
| PIG® Coir Storm Drain Filter Rolls | | | | | | | gig | | | | | |
| Item # | Substance Filtered | For Drain Sizes up to | Product Dimensions | Units/package | Pallet Qty. | 1-3 | 4+ | | | | | |
| FLT962 | | 42"W - | 48"W x 50'L x 1.5"H | | 2 | \$720 | \$684 | | | | | |
| FLT959 | | | 48"W x 21'L x 1.5"H | | 4 | \$302 | \$287 | | | | | |
| FLT961 | | | 36"W x 50'L x 1.5"H | | 2 | \$540 | \$513 | | | | | |
| FLT958 | | 30"W | 36"W x 21'L x 1.5"H |] , ,, |] , , , | 1 | 1 | 1 4011 | 1 roll | 8 | \$227 | \$216 |
| FLT963 | Sediment & Floatables | 21"W | 27"W x 75'L x 1.5"H | 1 1011 | 2 | \$607 | \$577 | | | | | |
| FLT957 | | ZI VV | 27"W x 21'L x 1.5"H | 3 rolls/box | 6 | \$170 | \$161 | | | | | |
| FLT960 | | 12"W | 18"W x 50'L x 1.5"H | | 4 | \$270 | \$256 | | | | | |
| FLT956 | | 1Z VV | 18"W x 21'L x 1.5"H | | 6 | \$113 | \$107 | | | | | |
| FLT968 | | 6"W | 8"W x 21'L x 1.5"H | | 8 | \$187 | \$177 | | | | | |

| Installation Kit for PIG® Coir Storm Drain Filters | | pig |
|--|------|---------------------|
| Item# | 1-3 | 4+ |
| FLT964-1PK • 1 Each | \$12 | \$11. ⁴⁰ |
| Contents • 8 Zipties • 8 Plastic Washers | | |
| FLT964-6PK • Pack of 6 Installation Kits | \$72 | \$62.70 |





FLT964



PIG COIR ROOF DRAIN FILTER PADS & ROLL


Prevent sediment and floatables from entering your roof drain.

NEW! All the same features and benefits as listed above, but specially designed for roof drains. Installation kits (sold separately) have everything you need to secure filters.

| PIG® Coir Roof Drain Filter Pad & Roll | | | | | | | |
|---|--------------------|----------------------------|---------------------|---------------|-------------|-------|-------|
| Item # | Substance Filtered | For Roof Drain Sizes up to | Product Dimensions | Units/package | Pallet Qty. | 1-3 | 4+ |
| FLT966 | Sediment & | 15"W x 15"L | 21"W x 21"L x 1.5"H | 6 pads/box | 18 | \$114 | \$108 |
| FLT965 | Floatables | 15"W | 21"W x 21'L x 1.5"H | 1 roll | 6 | \$227 | \$216 |
| Replacement Installation Kit for PIG® Coir Roof Drain Filters | | | | | | 1-3 | pig |

| Replacement Installation Kit for PIG® Coir Roof Drain Filters | | | | | | | |
|---|------|---------------------|--|--|--|--|--|
| Item # | 1-3 | 4+ | | | | | |
| FLT967-1PK • 1 Each | | \$3.75 | | | | | |
| Contents • 2 Pieces of Grid Wire | | | | | | | |
| FLT967-3PK • Pack of 3 Installation Kits | \$12 | \$11. ⁵⁰ | | | | | |







PIG STORMWATER FILTER SOCK

Easy and affordable ways to filter contaminants from runoff.

These socks won't grow mold like compost, nor will they release harmful compounds into the water supply like rubber media. The strong but flexible outer skin allows water to flow through while the filter media removes pollutants. They're perfect for use on uneven surfaces like rough terrain or broken asphalt.

- FLT786—FLT787 feature a natural, recycled, shelf-stable media that filters sediment and floatables
- FLT710-FLT711 remove sediment, oil and floatables using parboiled, oven-dried rice hulls as the inner material
- FLT717–FLT718 have the rice hull filler plus activated carbon and zeolite; they remove heavy metals like copper, lead and zinc in addition to sediment, oil and floatables

HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regs



MAINTAIN AWARENESS OF DRAIN DISCHARGE LOCATIONS WITH DRAIN MARKERS. THEY'RE AVAILABLE AT NEWPIG.COM.

| PIG® S | PIG® Stormwater Filter Sock | | | | | | | |
|---------------|-------------------------------------|--------------------|-------------|-------|-------|--|--|--|
| (Specify cold | r for FLT786 only: Black Black Blue |) | | | | | | |
| Item # | Substance Filtered | Product Dimensions | Pallet Qty. | 1 | 2+ | | | |
| FLT787 | Sediment & Floatables | 5"dia. x 10'L | 25 | \$114 | \$110 | | | |
| FLT786 | Sediment & Floatables | 5"dia. x 5'L | 25 | \$92 | \$90 | | | |
| Item # | Substance Filtered | Product Dimensions | Pallet Qty. | 1-5 | 6+ | | | |
| FLT711 | Oile Fuele Codiment Fleetables | 5"dia. x 10'L | 25 | \$210 | \$190 | | | |
| FLT710 | Oils, Fuels, Sediment, Floatables | 5"dia. x 5'L | 25 | \$115 | \$109 | | | |
| FLT718 | Heavy Metals, Oils, Fuels, | 5"dia. x 10'L | 25 | \$230 | \$210 | | | |
| FLT717 | Sediment, Floatables | 5"dia. x 5'L | 25 | \$135 | \$129 | | | |

^{*} WARNING: Cancer - www.P65Warnings.ca.gov

DID YOU KNOW?

57% OF ALL AT-RISK AREAS DON'T HAVE A SPILL KIT WITHIN 300 FEET.

It's neither practical or necessary to keep a spill kit at every storm drain, but you can get ready for fast spill response by playing some zone defense. Pro Tip: Get a satellite view of your facility and then position spill kits where they can serve multiple drains.





PIG STORMWATER DUAL-CHAMBER FILTER SOCK


Remove pollutants from stormwater runoff with our dual-chamber sock.

Sock allows water to pass through as it removes fuels, oil, sediment, floatables and other pollutants from stormwater runoff. Patented dual-chamber design: the first chamber's filler pulls in hydrocarbons, and the second chamber is filled with stone ballast (FLT820, FLT821) or our special media blend (FLT822, FLT823) for two-stage filtration of heavy metals such as zinc, cadmium, chromium, lead, copper and other dissolved metals.

HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regs

| | PIG® St | | | pig | | |
|---|------------------|---|----------------------|----------------|------------|-------|
| | Item # | Substance Filtered | Product Dimensions | Pallet Qty. | 1-5 | 6+ |
| | FLT821 | Oils, Fuels, Sediment, | 12.75"W x 10'L x 3"H | 20 | \$190 | \$186 |
| | FLT820 | Floatables | 12.75"W x 5'L x 3"H | 30 | \$120 | \$116 |
| • | FLT823 | Heavy Metals, Oils, Fuels, Sediment, | 12.75"W x 10'L x 3"H | 25 | \$300 | \$292 |
| | FLT822 | Floatables | 12.75"W x 5'L x 3"H | 30 | \$180 | \$176 |
| * | ⚠ WARNING | G: Cancer - www.P65Warning | - | Patent 1 | 10,865,126 | |







PIG DEWATERING FILTER BAG

Extract sediment, silt and oil from high-volume pump-outs.

NEW! Ideal for spill cleanup, draining during construction or pumping out containment areas, sumps and ponds; disperses water to help prevent erosion. Included hose clamp is threaded through precut openings. Lifting straps make removal easier; forkliftable if needed.

HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regulations

| PIG® D | PIG® Dewatering Filter Bag | | | | | | | | |
|--------|----------------------------|-------------------|--------------|-------------|----------------|-------|---------|--|--|
| Item # | Substance Filtered | Use With | Product Dim. | Capacity | Pallet Qty. | 1-4 | 5+ | | |
| FLT936 | | 4" - 6" Dia. | 16'W x 14'L | 112 cu. ft. | 12 | \$195 | \$187 | | |
| FLT935 | | | 15'W x 10'L | 75 cu. ft. | 20 | \$145 | \$139 | | |
| FLT934 | Oils, Fuels, | Hose | 10'W x 10'L | 50 cu. ft. | 28 | \$140 | \$134 | | |
| FLT933 | Sediment, | | 8'W x 8'L | 32 cu. ft. | 48 | \$90 | \$86.40 | | |
| FLT932 | Floatables | 2" - 4" Dia. | 6'W x 6'L | 18 cu. ft. | 80 | \$55 | \$52.80 | | |
| FLT931 | | Discharge Hose | 6'W x 4'L | 12 cu. ft. | 168 | \$53 | \$50.85 | | |
| FLT930 | | | 4'W x 3'L | 6 cu. ft. | 300 | \$38 | \$36.45 | | |



PIG PIPE FILTER SOCK

Filter water during lower-volume pump-outs or from discharge pipes.

Perfect for pumping out lower-volume containment areas, collection ponds, utility vaults and sumps, or for use on discharge pipes. Simply attach to hose or pipe to remove hydrocarbons and sediment from pumped water. Included hose clamp threaded through precut openings.

HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regulations

| PIG® Pipe Filter Sock | | | | | | | |
|-----------------------|-------------------------|-------------------------|-------------------|-------------|-------------|------|---------|
| Item # | Substance Filtered | Use With | Product Length | Capacity | Pallet Qty. | 1-4 | 5+ |
| FLT943 | | 13" - 15" Dia. Pipes | 8' | 12 cu. ft. | 72 | \$68 | \$65.25 |
| FLT942 | Oils, Fuels, | 9" - 12" Dia. Pipes | | 8 cu. ft. | 64 | \$58 | \$55.65 |
| FLT941 | Sediment, Floatables | 5" - 8" Dia. Pipes | 5' | 2.5 cu. ft. | 120 | \$40 | \$38.40 |
| FLT940 | | 2" - 4" Dia. Pipes | 3 | 0.8 cu. ft. | 252 | \$38 | \$36.45 |

PIG STORM DRAIN SKIMMER SQUID

Install inside your storm drain as a passive last line of defense.

Absorbent spaghetti strip pillow (the "head") floats to remove surface-level contaminants while the absorbent pompom (the "tentacles") sweeps through moving water to capture oil below the surface. 3-foot diameter reach covers the largest area of any in-the-drain skimmer on the market, and it works effectively in standing water or turbid conditions. It's designed to work in tandem with a PIG Storm Drain Filter for best performance, but it can also be used as a standalone treatment.

HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regulations

| PIG® Storm Drain Skimmer Squid | | pig |
|---|-------------|------|
| Item # | Pallet Qty. | 1+ |
| FLT012 • Absorbs up to 2.78 gal./box • 2/box • 24"H x 15"Dia. | 36 | \$76 |
| | D. 4 | |

Patent Pending

PROTECT THE GROUND FROM OILY LEAKS WITH AN ABSORBENT GROUND TARP. SEE PAGE 20.





Pis BIOREMEDIATION

Eliminate oils and fuels in a variety of places without harming the environment!

Sometimes oils and fuels can show up in places where they shouldn't. Now you can remove them using natural solutions instead of cleaners and degreasers that contain harsh chemicals. Those cleaners and degreasers can't be allowed to enter waterways or groundwater systems — check Section 6 of their SDS to see the warning!

PIG Bioremediation Products are specifically designed to clean up oils, fuels, and grease without leaving harmful byproducts in the environment. BioBreaker™ microbes digest the hydrocarbons and convert them into water and harmless gases, so no containment or cleanup is required.

DID YOU KNOW?

95% OF STORM DRAINS ARE AT RISK FOR OIL SHEEN RELEASE.

Your parking lots are a catch-all for oil and other vehicle fluids. Stains throw off oily sheens every time it rains, sending polluted runoff into your storm drains.

Data provided by our patented Spill Risk Algorithm.

LEARN MORE AT NEWPIG.COM/ALGORITHM







VISIT NEWPIG.COM FOR ADDITIONAL SIZES OF BIOREMEDIATION ITEMS

PIG MICROBIAL OIL STAIN REMOVER

Gradually remove oil and fuel stains from pavement and concrete to eliminate rain runoff and sheen emissions. Apply with a manual sprayer and light agitation or a pressure washer. Dilute 1:15. Great for use in parking lots and around docks,



PIG MICROBIAL OIL REMEDIATOR FOR SOIL, GRASS AND WATER

Remove oil and fuel from soil, grass and water to eliminate rain runoff. Must be diluted 1:10; each diluted gallon remediates approximately one cubic yard of soil or 200 gallons of water.



PIG OIL REMEDIATOR FOR SOIL. **GRASS AND WATER**

Enzymes in the liquid act as "food" for microbes that occur naturally in the environment. Simply spray onto oil spills — no dilution necessary.

NOTE: Does not contain microbes.



PIG MICROBIAL OIL STAIN REMOVER AND ABSORBENT

Comes in powder form; spread on oil and fuel spills to absorb them. After absorption, add water to activate microbes that will "eat" the



PIG MICROBIAL CRUDE OIL **REMEDIATOR**

Break down and eliminate all known components of crude oil in all phases of oil field operations. Applies

sprayer and light agitation or pressure washer. Dilute 1:15.

at your facility.



PIG MICROBIAL FOOD PROCESSING **OIL REMEDIATOR**

Gradually remove hydrocarbons as well as animal and vegetable grease, oils, fats, lipids and starches from food

processing environments. Dilute 1:15.



PIG MICROBIAL OIL REMEDIATOR **FOR GREASE TRAPS**

Digests grease, fats and organic wastes that accumulate in grease traps and drain lines to prevent backups and overflows. Also helps to reduce the need to pump grease traps and reduces odors associated with maintenance of traps.



PIG MICROBIAL OIL-WATER **SEPARATOR REMEDIATOR**

Significantly reduce hydrocarbon contamination in oil-water separators and interceptors. Eliminates hydrocarbon accumulation that causes backups which can interrupt production



PIG MICROBIAL OIL REMEDIATOR **FOR SEPTIC SYSTEMS**

Break down and eliminate hydrocarbons plus food and vegetable grease, oil, starches and lipids to keep your septic system working optimally. Use monthly as a preventative maintenance procedure. Dilute 1:10.



| PIG™ Bi | ioremediation | | - | | | pig |
|---------|---|-------------------------|-------------------|----------------|---|-------|
| Item # | Product Name | Sold As | Contains Microbes | Dilution Ratio | Treats | 1+ |
| CLN888 | PIG™ Microbial Oil Stain Remover | 2 - 2.5 gal. Containers | Yes | 1:15 | 7,425 sq. feet or 2,365 2 ft. Dia. Stains | \$425 |
| CLN889 | PIG™ Microbial Oil Stain Remover | 1 - 1 gal. Container | Yes | 1:15 | Up to 1,485 sq. feet or 473 2 ft. Dia. Stains | \$125 |
| CLN935 | PIG™ Microbial Oil Remediator for Soil, Grass and Water | 2 - 2.5 gal. Containers | Yes | 1:10 | Up to 50 cu. yards | \$550 |
| CLN951 | PIG™ Oil Remediator for Soil, Grass and Water | 1 - 5 gal. Container | No | No Dilution | 1 lb treats 1 lb. of Hydrocarbon | \$272 |
| CLN937 | PIG™ Microbial Oil Stain Remover and Absorbent | 1 - 25 lb. Pail | Yes | No Dilution | 18 gal. Gasoline or 15 gal. Diesel | \$165 |
| CLN945 | PIG™ Microbial Crude Oil Remediator | 2 - 2.5 gal. Containers | Yes | 1:15 | 7,425 sq. feet or 2,365 2 ft. Dia. Stains | \$575 |
| CLN939 | PIG™ Microbial Food Processing Oil Remediator | 2 - 2.5 gal. Containers | Yes | 1:15 | 7,425 sq. feet or 2,365 2 ft. Dia. Stains | \$445 |
| CLN962 | PIG™ Microbial Oil Remediator for Grease Traps | 2 - 2.5 gal. Containers | Yes | No Dilution | Call Technical Services | \$320 |
| CLN941 | PIG™ Microbial Oil-Water Separator Remediator | 2 - 2.5 gal. Containers | Yes | No Dilution | Up to a 40,000 gal. Separator Tank | \$555 |
| CLN943 | PIG™ Microbial Oil Remediator for Septic Systems | 2 - 2.5 gal. Containers | Yes | 1:10 | Call Technical Services | \$375 |

Notice: New Pig bioremediation products are engineered for minimum environmental impact. Due to regulatory variances in stormwater management practices, and to determine necessary precautions for your region, always check the composition statement on the data sheet and consult your local authorities before allowing product to enter sewers or public waters. For further assistance, please contact Technical Services.

GRIPPY MATS

WHERE **WILL YOU** STICK IT?



Get a grip with our adhesive-backed mats and runners!

Grippy Mat — the world's first

Our exclusive adhesive is formulated to perform in the wettest conditions and will never disintegrate, delaminate or leave a gooey mess to clean up.

The right amount of stick

Proven stick-and-release technology keeps mats in place without shifting but pulls up easily without leaving residue.

Easy cleaning

It's the only adhesive that stands up to heavy traffic and deep cleaning with a mop, floor scrubber or carpet extractor.















"I can't express how amazing this product is. It goes down easily and stays down perfectly, creating a safe environment."

Candy, Happy Customer

PIG GRIPPY MATS



RUBBER-BACKED MATS

- STAY IN PLACE
- ALWAYS LAYS FLAT
- **HIGHLY ABSORBENT**
- **EASY TO CLEAN**
- CONTINUOUS COVERAGE
- SHIFT AROUND
- **X** BUNCH & RIPPLE
- LIQUID PUDDLES ON TOP
- LAUNDERING FEES
- **X** GAPS & OVERLAPS

PIG Adhesive-Backed Grippy Mat is 100% guaranteed to perform! With so many advantages over rubber-backed mats, the only question is: Where will you stick it?

ASK THE EXPERTS

From product support to regulatory compliance, our team is here to help you find cleaner, safer, better ways to work.





Call 1-800-HOT-HOGS Live Chat at newpig.com



New Pig Adhesive-Backed Mat Notice: New Pig Adhesive-Backed Mats are formulated to work with most common hard-floor surfaces. New Pig Adhesive-Backed Mats are not intended for use on wood flooring with stains, finishes, or coatings. New Pig Adhesive-Backed Mats have non-permeable barrier layers to prevent liquid pass-through & as such, are considered to be non-breathable & may not be suitable for use on surfaces that require air curing, including, but not limited to, newly poured concrete or recently applied coatings, sealants & finishes. All adhesive mats have some potential to leave residue, lift and/or discolor 1) surface finish, 2) surface coating, 3) paint, 4) loose or predamaged tiles. For these reasons & others, if you have questions about the suitability of New Pig Adhesive-Backed Mats for your application, test a small section of mat in a discrete or non-critical pace before using on larger areas. New Pig Adhesive-Backed Mats are designed for use for up to 3–6 months in commercial and general public environments, depending on conditions & traffic patterns. Regardiess, New Pig Adhesive-Backed Mats sould be replaced immediately if they show signs of war or damage & environments, but should be replaced immediately if they show signs of war or damage & should always be replaced in commercial and general public environments no later than 6 months after installation.

CUSTOMER ASSUMES THE RISK THAT A NEW PIG ADHESIVE-BACKED MAT MAY DAMAGE OR ALTER CUSTOMER'S EXISTING FLOORING OR FLOOR COVERING. NEW PIG COSTOMER ASSUMES THE RISK THAT A NEW PIG ADHESIVE-BACKED MAI MAY DAMAGE OR ALLER COSTOMER S EXISTING FOR THOUSING OR FLOUR COVERING. NEW PIP PROVIDES NO WARRANTY OF THIS STOR A PARTICULAR PURPOSE & NO WARRANTY THAT THE USE OF AN AD HESIVE-BACKED MAI WILL BE ACCEPTABLE FOR USE ON CUSTOMER'S FLOORING OR ANY OTHER SURFACE. NEW PIG SHALL HAVE NO RESPONSIBILITY FOR A CUSTOMER HEREBY RELEASES & DISCHARGES NEW PIG SHALL HAVE NO RESPONSIBILITY FOR A CUSTOMER SHEREBY RELEASES & DISCHARGES NEW PIG SHOW ANY OTHER SURFACES. IN CUSTOMER'S EXPERIENCE ON PROPERTY OTHER SURFACES IN CUSTOMER'S EXPELIATE OR FACILITY. CUSTOMER'S FLOORING MATERIAL, OR ANY OTHER SURFACES IN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S LAW OTHER SURFACES IN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S FLOORING MAINTENANCE OF THE SURFACE SIN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S FLOORING MAINTENANCE OF THE SURFACE SIN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S FLOORING MAINTENANCE OF THE SURFACE SIN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S THE PROPERTY OF THE SURFACE SIN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S THE PROPERTY OF THE SURFACE SIN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S THE PROPERTY OF THE SURFACE SIN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S THE PROPERTY OF THE SURFACE SIN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S THE PROPERTY OF THE SURFACE SIN CUSTOMER'S DWELLING OR FACILITY. CUSTOMER'S THE PROPERTY OF THE SURFACE SIN CUSTOMER'S DWELLING OR SURFACE. USE OF A NEW PIG ADHESIVE-BACKED MAT IN CUSTOMER'S DWELLING OR FACILITY.

ULTRA-DUTY • CUSTOM PRINT • INDUSTRIAL • SAFETY BORDER

EXCLUSIVE BENEFITS OF GRIPPY MAT



CREATES SAFE FLOORS

Stays put without shifting to add traction in entrances, walkways and other wet areas.



ENHANCES APPEARANCE

Create continuous runs without coverage gaps, overlaps or out-of-place mats for safe floors that look good.



OUTLASTS TRAFFIC

Durable mat construction withstands cart wheels and repeated foot traffic for up to 12–16 months.



FITS ANY FLOORPLAN

Customize your layout for a seamless look; Grippy Mat cuts to any size or shape for a perfect fit.



REDUCES COSTS & CLAIMS

Eliminates wasted labor while minimizing workers' comp and liability incidents from slips, trips and falls.



Grippy Floor Mat is proven to be more environmentally friendly than traditional mats.



SCAN THE CODE TO LEARN MORE

ULTRA-DUTY

Our toughest Grippy Mat creates safe floors and stands up to your highest traffic areas.

See pages 80-81

CUSTOM PRINT

Promote your brand with logos, imagery and text in high-definition printing!

See page 82

INDUSTRIAL

Perfect for lining areas next to and around equipment and workstations.


See page 83

SAFETY BORDER

Lay out a no-slip walking path with a high-visibility border that can't be missed.

See page 83

ADHESIVE BACKING!



PIS ULTRA-DUTY GRIPPY MAT

Use our toughest adhesive-backed mat for your highest-traffic areas.

Put Ultra-Duty Grippy Mat to work in entrances, aisles, transition areas and walkways that see tons of traffic. From boots to forklifts to whatever, our most durable mat can handle it all. Create as much walkoff coverage as you need — without dangerous gaps or overlaps — to help keep floors dry and prevent slips, trips and falls. Ultra-Duty Grippy Mat stands up to aggressive floor care schedules, so run your vacuum, mop, broom or floor scrubber right over it.


AVAILABLE COLORS





A CLOSER LOOK

Needle punched and heat fused polypropylene delivers extreme durability. Protective layer retains liquids. Adhesive backing holds tight but peels up easily.





If you're not happy with your New Pig purchase, we'll refund every penny, including taxes and shipping. Even the return freight is on us!









PIG ULTRA-DUTY GRIPPY MAT


Roll out the exact amount of coverage you need, or choose precut mats in standard sizes that don't require cutting. Heavyweight mat offers the highest absorbency for the wettest problem spots in your facility. For use on hard floors.







| PIG® | PIG® Ultra-Duty Grippy® Mat Rolls | | | | | | | | | |
|------------|-----------------------------------|-------------|-------------|-------------|-------|-------|-------|--|--|--|
| (Specify o | olor: Black | Gray) | | | | | | | | |
| Weight | Item # | Size | Unit | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Heavy | GRP36301 | 3'W x 50'L | 1 roll | 18 | \$250 | \$238 | \$227 | | | |
| Med. | GRP48200 | 4'W x 100'L | 1 roll | 16 | \$407 | \$375 | \$345 | | | |
| | GRP48201 | 4'W x 50'L | 1 roll | 28 | \$230 | \$213 | \$200 | | | |
| € | GRP36200 | 3'W x 100'L | 1 roll | 18 | \$306 | \$283 | \$259 | | | |
| | GRP36201 | 3'W x 50'L | 1 roll | 28 | \$170 | \$157 | \$147 | | | |
| | GRP24200 | 2'W x 100'L | 1 roll | 32 | \$212 | \$187 | \$173 | | | |
| PIG® | Ultra-Duty | Grippy® Pre | cut Mats | | | | giq | | | |
| (Specify o | olor: Black | Gray) | | | | | | | | |
| Weight | Item # | Size/Mat | Unit | Pallet Qty. | 1-2 | 3-6 | 7+ | | | |
| Heavy | GRP72303 | 6'W x 10'L | 2 mats/roll | 30 | \$204 | \$193 | \$185 | | | |
| Med. | GRP72203 | 6'W x 10'L | 2 mats/roll | 40 | \$138 | \$129 | \$120 | | | |



5 mats/roll

10 mats/roll

28

\$175

\$164

\$153

\$153



ROLLS PRECUT MATS



GRIPPY MAT STARTER PACK

3'W x 10'L

3'W x 5'L

GRP36203

GRP36202

Each Starter Pack includes a roll of Ultra-Duty Grippy Mat, Safety Knife and Utility Board for easy application. We have a 100% Money-Back Guarantee, so you can try it with zero risk!

| PIG® Ultra-Duty Grippy® Mat Starter Pack | | | | | | | |
|--|---|------|----|--|--|--|--|
| (Specify Color: | Black Gray) | | | | | | |
| Item # | Size | Unit | 1+ | | | | |
| GRP36206 | GRP36206 3'W x 25'L 1 kit \$138 | | | | | | |
| Starter Pack Conte | Starter Pack Contents • 1 PIG Grippy Ultra-Duty Mat Roll • 1 Safety Knife • 1 Utility Board | | | | | | |

NOTE: New Pig's Adhesive-Backed Mats work with most common industrial and commercial floor surfaces. To determine the suitability for your application, test a 6"x 6" piece in a non-critical area before use. See the PIG Adhesive-Backed Mat Notice on page 78 for more information.



GRP36202

GRP36206

Stands up to 30,000+ tramplings per week!

When we say Ultra-Duty Grippy Mat is made for high-traffic areas, we're talking upwards of 30,000 people per week. This number can help you gauge which Grippy Mat you need at your facility. In addition to all that foot traffic, it's also built to hold up under heavy wheel traffic from dollies, carts and even forklifts.







PIG CUSTOM PRINTED & LOGO GRIPPY MAT

Get Grippy Mat with custom printed logos, promotions and messaging.

Provides all the safety features and convenience of Ultra-Duty Grippy Mat (page 80), with the added benefit of high-definition custom printing. Much more affordable than putting your logo on bulky carpet mats, plus Ultra-Duty Grippy Mat gives you the flexibility to change your look and/or messaging any time you want. Printed with UL Greenguard Gold Certified ink to meet rigorous chemical emission standards. Available in standard precut mat sizes or ask about custom sizing!



State-of-the-art digital printing on a smooth, flat surface produces sharper, more detailed images. Print on carpet mats can distort over time as the pile crushes.







| PIG® Cu Grippy® | pig | |
|--------------------|--------------|-------|
| (Specify color: | Black Gray) | |
| Item # | Size (W x L) | 1+ |
| | 6' x 10' | \$131 |
| GRIM | 4' x 6' | \$87 |
| GKLIVI | 3' x 10' | \$84 |
| | 3' x 5' | \$63 |

NOTE: New Pig's Adhesive-Backed Mats work with most common industrial and commercial floor surfaces. To determine the suitability for your application, test a 6" x 6" piece in a non-critical area before use. See the PIG Adhesive-Backed Mat Notice on page 78 for more information.



Custom sizes available and no minimums!
Call 1-800-HOT-HOGS® for details.



PIG INDUSTRIAL GRIPPY MAT


Soak up oily messes to stop slips and trips in the workplace.

An industry first invented here at New Pig!

Adhesive-backed absorbent mat stays exactly where you put it but peels up easily for quick changeouts. The top layer with zigzag stitching stands up to foot- and light-wheeled traffic. Traps oil, grease and grime while being easy to cut and apply.

It's perfect for lining areas next to and around industrial equipment and workstations or for covering workbenches.

HELPS YOU COMPLY with 29 CFR 1910.22(a)(2) for maintaining floors in a clean, dry condition



A CLOSER LOOK

PIG exclusive! Spunbond top layer and zigzag stitching add strength; fully coated adhesive backing holds tight.



| PIG® Industrial Absorbent Grippy® Floor Mat Rolls | | | | | | | pig | |
|---|----------|--------------|--------|------------------------|-------------|-------|-------|-------|
| Weight | Item # | Size (W x L) | Unit | Abs. Up To (gal./roll) | Pallet Qty. | 1-2 | 3-6 | 7+ |
| Med. 🦚 | MAT32100 | 32"x 100' | 1 roll | 10.5 | 13 | \$268 | \$260 | \$253 |
| | MAT3250 | 32"x 50' | 1 roll | 5.25 | 28 | \$150 | \$147 | \$144 |

Notice: New Pig's Adhesive-Backed Mats work with most common industrial and commercial floor surfaces. To determine the suitability for your application, test a 6"x 6" piece in a non-critical area before use. See the PIG Adhesive-Backed Mat Notice on page 78 for more information.



PIG SAFETY BORDER GRIPPY MAT

Designate pathways and provide traction to double-down on safety.

Safety Border Grippy Mat is the ONLY floor safety solution that combines a high-traction walking surface with a hi-viz safety edge pattern. Contrasting yellow and black markings are designed to meet ANSI standards and help you comply with OSHA 1910.22 (walking surfaces standard). Durable printed surface withstands industrial wear and tear, and you can run your vacuum, mop, broom or floor scrubber right over it.









| PIG® Safety I | Border Grippy® Mat | | | | gig |
|---------------|--------------------|-------------|-------|-------|-------|
| Item # | Size (W x L) | Pallet Qty. | 1-2 | 3-6 | 7+ |
| GRPSB36200 | 3' x 100' | 18 | \$379 | \$343 | \$319 |

NOTE: New Pig's Adhesive-Backed Mats work with most common industrial and commercial floor surfaces. To determine the suitability for your application, test a 6" x 6" piece in a non-critical area before use. See the PIG Adhesive-Backed Mat Notice on page 78 for more information.





PIG PAINT BOOTH MAT WITH ADHESIVE BACKING

Protect spray booth floors & mixing rooms from dust & overspray.

The top surface helps attract and trap dust, dirt, paint and primer overspray before it causes paint defects during a spray job, and the self-sticking back keeps mat securely in place. Mat peels up for fast, easy changeouts and lasts up to three months depending on amount of overspray and cleaning. It's durable enough for vehicles and heavy foot traffic, plus the padding reduces noise and makes standing more comfortable. Meets NFPA33 — Static Dissipative & OSHA Standards at conditions of 50% RH or higher.







| PIG® Paint | PIG® Paint Booth Mat with Adhesive Backing | | | | | | | | |
|-----------------|--|-------------|-------|-------|-------|--|--|--|--|
| (Specify Color: | (Specify Color: Blue Gray) | | | | | | | | |
| Item # | Size | Pallet Qty. | 1-2 | 3-6 | 7+ | | | | |
| MAT32350 | 32"W x 150'L | 12 | \$402 | \$394 | \$384 | | | | |
| MAT32300 | 32"W x 100'L | 13 | \$268 | \$260 | \$253 | | | | |
| MAT32305 | 32"W x 50 ' L | 28 | \$150 | \$147 | \$144 | | | | |

NOTE: New Pig's Adhesive-Backed Mats work with most common industrial and commercial floor surfaces. To determine the suitability for your application, test a 6"x 6" piece in a non-critical area before use. See the PIG Adhesive-Backed Mat Notice on page 78 for more information.



PIG STICKY STEPS MAT

Grab grime from shoes and wheels.

Prevent tracking dirt and debris with high-tack disposable mats. Used sheets tear off easily, and the numbered pull-tab system shows when you're running low. Each 4 mil polyethylene sheet is nonallergenic, nonodorous and nondrying. Low-profile pack adheres with easy-to-use backing.

| | PIG® Sticky Steps® Mat (Specify Color: Blue Gray White) (MAT195 also available in Clear) | | | | | |
|---|--|-------------|-------|-------|-------|--|
| | | | | | | |
| | Item # | Pallet Qty. | 1 | 2-4 | 5+ | |
| | MAT567 36"W x 60"L 4 pads of 30 sheets | 84 | \$495 | \$472 | \$449 | |
| 7 | MAT566 24"W x 45"L 4 pads of 30 sheets | 84 | \$413 | \$394 | \$374 | |
| • | MAT195 24"W x 36"L 4 pads of 30 sheets | 200 | \$225 | \$215 | \$204 | |

Best-Seller



Nothing comes close to the long-lasting traction of PIG TuffGrit Mats.

Tired of grit coatings that wear thin, go bald and lose their grip? Our new line of high-traction TuffGrit Anti-Fatigue Mats and Anti-Slip Runners are built to outlast the competition, and we've got the testing to prove it.

We ran head-to-head tests against the leading competitors' mats, and the results are *tuff* to argue with. Look below to get the nitty gritty on how they performed.



GRIT-IN-THE-BOX TEST

We dumped the shipping containers for TuffGrit Drainage Mat and the leading competitor to see what fell out...



The grit that's supposed to be keeping you safe doesn't stay on the mat.



Almost all our grit stays on the mat, which helps you stay on your feet.

RECIPROCAL ABRASION TEST

We tested TuffGrit Diamond Plate Mat and the leading competitor on our Abrasion Testing Machine...



Their grit was gone and raw rubber was exposed after just 7,400 passes.



We stopped the test after 82,000 passes and still no signs of wear!

PIG TUFFGRIT DIAMOND PLATE ANTI-FATIGUE MAT

We just raised the bar for non-slip anti-fatigue mats.

Some mats give you grit, some give you a diamond plate texture — this mat doubles down on safety with both! Our TuffGrit™ coating lasts *eleven times longer* than the leading competitor's grit coating in dry environments, and *seven times longer* under oily conditions. Plus, it's engineered to leave no grit behind, making it safer than other mats that lose their grit.

Exceeds ANSI standards for high slip resistance, even in wet areas and applications with light overspray or oily drips (not for use in standing water/oil). More than a half inch of PVC foam relieves stress on knees, feet, ankles and back from extended standing.

For use in areas with light splashes of water, oil, grease and chemicals.

| PIG® TuffGrit Diamond Plate Anti-Fatigue Mat | | | | | |
|--|--|------|-------|--|--|
| (Specify Color: | (Specify Color: Black Black w/Yellow Border) | | | | |
| Item # | Size | Grit | 1+ | | |
| FLM8502 | 3'W x 5'L x 0.563"H | Fine | \$350 | | |
| FLM8501 | 2'W x 3'L x 0.563"H | Fine | \$170 | | |

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov





PIG TUFFGRIT COMFORT ANTI-FATIGUE MAT

Long-lasting TuffGrit[™] surface provides long-term safety.

TuffGrit™ coating is incredibly durable and abrasion resistant; no other grit coating on the market lasts longer. Exceeds ANSI standards for high slip resistance, far better than tapes or paints. Provides extreme traction even in areas with light overspray and oily drips (not for use in standing water/oil). Engineered to leave no grit behind which is safer than other mats that gradually lose their grit.

Blend of comfort and traction is ideal for finishing stations, assembly lines and other work areas. 3/8"-thick PVC foam relieves stress on knees, feet, ankles and back from extended standing.

For use in areas with light splashes of water, oil, grease and chemicals.



| PIG® TuffGrit Comfort Anti-Fatigue Mat | | | |
|--|---------------------|------|-------|
| (Specify Color: Black Black w/Yellow Border) | | | |
| Item # | Size | Grit | 1+ |
| FLM8504 | 3'W x 5'L x 0.375"H | Fine | \$330 |
| FLM8503 | 2'W x 3'L x 0.375"H | Fine | \$155 |

^{*}A WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

Drainage holes plus TuffGrit** traction Layout shown

TUFFGRIT MODULAR ANTI-FATIGUE DRAINAGE MAT

Build custom layouts in work areas with high volumes of water or oil.

Proprietary TuffGrit™ coating easily outlasts the competition and exceeds ANSI standards for high slip resistance, providing extreme traction even in wet or oily environments. Plus, it's engineered to leave no grit behind, making it safer than other mats that lose their grit.

Modular design lets you attach multiple 3' x 3' mats and Beveled Edges (all sold individually) to create custom layouts. Large drainage holes channel liquids to prevent pooling and minimize slip hazards. Heavy-duty nitrile rubber resists a wide range of oils and industrial fluids. Relieves stress on knees, feet, ankles and back from extended standing.

Ideal for continuous water, oil and grease contact, as well as light chemical splashes.

| PIG® TuffGrit Modular Anti-Fatigue Drainage Mat | | | | | |
|---|----------------------------------|------|----|--|--|
| Item # | Size | Grit | 1+ | | |
| FLM8500 | FLM8500 3'W x 3'L x 0.625"H Fine | | | | |
| PIG® Beveled Safety Edge | | | | | |
| (Specify: Female | (Specify: Female or Male Edge) | | | | |
| Item # | | | | | |
| FLM1034 • 39"L | | | | | |

^{*} WARNING: Cancer, Birth Defects, and Reproductive Harm - www.P65Warnings.ca.gov

includes (4) FLM8500 and (4) FLM1034

Attach to your wet/dry vac to contain and capture water at the same time.

Cleaning up large volumes of water from routine washdowns and minor flooding just got easier! Place this barrier on the floor, attach to your wet/dry vac, then squeegee water toward it. Works with most standard wet/dry vacs — no special equipment needed. Directing water toward this 6' long barrier is easier than trying to guide it to a floor drain or pump, and it provides a backstop to prevent water from going where you don't want it to.

This barrier eliminates the hassle of priming a pump or having a pump motor fail from dry running. It's reusable and cleans easily with soap and water, so it's perfect for hospitals, schools, property management and much more.




Barrier stays in place while you push water toward it.



| PIG® Silicone Water Vacuum Barrier | Bid |
|-------------------------------------|-------|
| Item # | 1+ |
| WTR052 • 4"W x 6'L x 2.25"H • 1/box | \$199 |









Simply peel and stick for instant protection.



10-foot length can be cut to fit smaller applications.

PIG SILICONE WATER BARRIER

Affordably block and divert small volumes of water with this lightweight barrier.

Low-profile water barrier has an adhesive bottom that adheres to smooth surfaces. Install it once, away from traffic zones, and leave it down for long-term protection against nuisance leaks of clean water. Flexible silicone can form tight curves and small diameter circles to surround almost anything — water heaters, air compressors, HVAC, boilers and more. Priced affordably so it can be discarded once it reaches end of useful life; not intended for multiple deployments.

IF YOU NEED THIS BARRIER, YOU PROBABLY NEED TO SOAK UP SOME WATER. FIND WATER ABSORBENTS ON PAGES 14-15.

| PIG® Silicone Water Barrier | pig |
|--|------|
| (Specify Color: White Yellow) | |
| Item # | 1+ |
| WTR040 • 0.5625"W x 10'L x 1.2"H • 1/box | \$36 |

PTY502



PIG MULTI-PURPOSE EPOXY PUTTY

Top-quality resins bond better and stay stronger so repairs last.

Convenient, premeasured epoxy has Parts A and B in one tube ready for kneading. Sets in minutes and cures concrete-hard in 1 hour for drilling, tapping, sanding or painting. Perfect for plugging leaks in dented steel drums, filling rusted spots and making basic tank repairs.



| | PIG® Multi-Purpose Epoxy Putty | | | pig | |
|---|--------------------------------|-------|-------|-------|----|
| | Item # | 1-3 | 4-9 | 10+ | 1 |
| 6 | PTY201 • 7"L • 12/box | \$139 | \$133 | \$128 | * |
| | PTY202 • 7"L • 6/box | \$82 | \$76 | \$74 | 1* |
| | PTY230 • 1.5"L • 40/box | \$165 | \$157 | \$153 | * |

^{*} WARNING: Cancer - www.P65Warnings.ca.gov

PIG PIPE WRAP REPAIR KITS

Make broken pipes like new.

Each kit has materials to restore one pipe or joint. Permanently fix broken, corroded or leaking pipes and joints; no need to drain pipes or relieve line pressure. Works on PVC, copper, galvanized steel, rubber, lead and iron; cures in about 30 minutes at 75°F. NSF Certified for safe use on potable water lines.



PTY124

| PIG® Pipe Wrap Repair Kit for Lines & Joints Under Pressure | | pig |
|---|-------------|-------|
| Item # | 1-3 | 4+ |
| PTY124 • For 2.5" to 4" Dia. Pressurized Pipes & Joints • 3/box | \$481 | \$461 |
| PTY123 • For up to 2" Dia. Pressurized Pipes & Joints • 3/box | \$372 | \$354 |
| Contents • Putty Sticks • Pressure-sensitive Tape • Nitrile Gloves • Polyurethane-impregnated Fiberglass Wrap | | |
| Contents • Putty Sticks • Pressure-sensitive Tape • Nitrile Gloves • Polyurethane-impregnated Fit | berglass Wr | ар |

^{*} MARNING: Cancer - www.P65Warnings.ca.gov

PTY124

Limit water damage and disruption by encasing broken pipes in a reusable clamp.

PIG PIPERESCUE INSTANT REPAIR CLAMP

Repair water pipes and leaky fittings with this clamp.

Creates a watertight seal on metal, plastic or multilayer pipes. Can be fitted when the leak is still in full flow, in tight spaces to clipped pipes and in the notch of a joist. Once clamp is applied, pipe can function normally, hot or cold, until a permanent repair can be made! For temporary use only; can be reused. Kit includes two clamps and two rolls of PTFE tape.



PTY504

| PIG® PipeRescue™ Instant Repair Clamp | Big |
|--|------------|
| Item # | 1+ |
| PTY502 • For .5" Dia. Pipes | \$40 |
| PTY503 • For .75" Dia. Pipes | \$45 |
| PIG® PipeRescue™ Instant Repair Clamp Kit | Big |
| Item # | 1+ |
| PTY504 • For .5" to .75" Dia. Pipes | \$80 |
| PTY504 Contents • (1) Clamp for .5" Dia. Pipes • (1) Clamp for .75" Dia. Pipes • 2 Rolls of PTFE Tape • 1 PI | antin Cana |

☼ = Best-Seller



| | M • | |
|--|--------------|---------------------|
| OilSafe® Container | MO | ilSafe [*] |
| Item # | 1-2 | 3+ |
| GEN544 • 10 qt. | \$89 | \$84 |
| GEN543 • 5 qt. | \$46 | \$43 |
| GEN542 • 3 qt. | \$41 | \$40 |
| OilSafe® Lid | O | ilSafe |
| Item # | 1-2 | 3+ |
| (Specify Lid Color: Black, Blue, Dark Green, Gre Purple, Red, Tan or Yellow) | en, Gray, Or | ange, |
| GEN593 • Storage Lid | \$49 | \$48 |
| GEN594 • Utility Lid w/ Screw-on Cap | \$54 | \$53 |
| GEN595 • 8" Stretch Spout Lid w/ 0.5" Opening | \$91 | \$87 |
| GEN596 • 5" Stumpy Spout Lid w/ 1" Opening | \$118 | \$114 |
| GEN598 • 5" Mini Spout Lid w/ 0.25" Opening | \$100 | \$99 |
| GEN547 • Hose Extension for the GEN595 Only • 13" | \$43 | \$41 |
| GEN835 • Hose Extension For the GEN596 Only • 9" | \$56 | \$55 |
| OilSafe® Pump | O | ilSafe |
| Item # | 1-2 | 3+ |
| GEN550 • For GEN594 Lid and GEN542, GEN543 and GEN544 Containers • 5' Hose | \$144 | \$140 |

OIL-SAFE CONTAINERS

Color-coded for storing and dispensing lubricants.

Compact, ergonomical, wide-mouth containers are easy to fill. Five lid styles available including stretch spouts and utility lids (sold separately). Industrial-grade HDPE has antistatic treatment

and resists heat, UV and contamination. Optional pump (GEN550) dispenses liquids in hard-toreach spots.





FLUORESCENT LAMP STORAGE DRUM

Store spent bulbs in these lightweight fiber drums.

Cost-effective way to store spent fluorescent tubes. Lightweight but sturdy kraft material minimizes breakage. DRM1149 and DRM1148 hold 4' lamps; DRM805 telescopes to hold 6' or 8' lamps.

NOTE: Not a shipping container.



| DD144440 | DRM8 |
|----------|------|
| DRM1149 | |

| Fluorescent Lamp Storage Drum | | | | |
|--|-------------|-------|-------|--|
| Item # | Pallet Qty. | 1-9 | 10+ | |
| DRM1149 • Holds up to 350 T8, 220 T10 or 190 T12 Bulbs Ext. Dia. 23" x 49"H | 6 | \$107 | \$105 | |
| DRM1148 • Holds up to 150 T8, 90 T10 or 85 T12 Bulbs Ext. Dia. 14.6" x 49"H | 12 | \$102 | \$99 | |
| DRM805 • Holds up to 150 T8, 90 T10 or 85 T12 Bulbs Ext. Dia. 15.25" x 96"H | 9 | \$98 | \$96 | |



USED BATTERY CONTAINER

Battery container helps you meet regs.

Easy-to-reseal polyethylene container stores used dry-cell batteries for disposal.

NOTE: Not a shipping container.

| Used Battery Container | | |
|---|------|------|
| Item # | 1-9 | 10+ |
| DRM136 • Holds 2 gal. 7.75"W x 9.75"L x 9.625"H | \$25 | \$22 |
| Item # | 1-4 | 5+ |
| SGN242 • Used Batteries Label 5"L x 6"H • 25/package | \$32 | \$28 |



DRM1148

PIG AEROSOL SINGLE-CAN RECYCLER

Puncture aerosol cans to avoid the hassle of haz waste handling.

Why pay for haz waste disposal, when you can cash in by selling properly emptied cans as scrap steel? Our recycling system easily punctures aerosol cans, rendering them exempt from haz waste regs when properly emptied.

Recycler works with domed mini, standard and jumbo aerosol cans. Mounts directly into 2" bung on a 30- or 55-gallon closed-head steel drum to collect residual liquids (drum should not be filled more than 70% full to provide proper displacement for released contents).

One-piece filter system removes harmful VOC's while timestrip indicator eliminates the guesswork of carbon cartridge changeouts. Carbon filter life is approximately three months.

HELPS YOU COMPLY with 40 CFR 261.1(c)(6) defining scrap metal



DRM1265Combination
Coalescing/
Carbon Filter

DRM4000

| PIG® Aerosol Single-Can Recycler | | pig |
|--|---------------|-------|
| Item # | 1-2 | 3+ |
| DRM1266 | \$902 | \$853 |
| DRM1266 Contents • 1 Puncture Unit • 1 Goggles • 1 Instruction Sign • 1 Plastic Sleeve • 1 Col 1 Grounding Wire • 8 various-sized gaskets | mbination Fil | ter |
| Item # | 1-3 | 4+ |
| DRM1265 • Combination Coalescing/Carbon Filter • 1 each | \$342 | \$268 |
| DRM1238 • Repair Kit with Viton Replacement Gasket | \$9 | 94 |
| DRM1238 Contents • 1 Grease • 1 Puncture Pin • 1 Spring • 2 Viton Gaskets | | |

PIG AEROSOL FOUR-CAN RECYCLER

Save time with the only four-can recycler on the market.

Many of our customers go through thousands of aerosol cans every month. Puncturing that many one by one isn't efficient, so we came up with a time-saving solution! Our Four-Can Recycler mounts directly into 2" bung on a 55-gallon closed-head steel drum, and it has all of the same features and benefits listed above.

| | | R |
|--|-------------|--------|
| PIG® Aerosol Four-Can Recycler | | pig |
| Item # | 1-2 | 3+ |
| DRM4000 | \$1975 | \$1871 |
| DRM4000 Contents • 1 Puncture Unit • 1 Goggles • 1 Instruction Sign • 2 Combination Filters | 1 Grounding | Wire |
| Item # | 1-3 | 4+ |
| DRM1265 • PIG® Combination Coalescing/Carbon Filter • 1 each | \$342 | \$268 |
| DRM4003 ● PIG® Aerosol Four-Can Recycler Repair Kit ● 1 each | \$7 | 72 |
| DRM4003 Contents • 5 Neoprene Gaskets • 4 Puncture Pins | | |

NOTE: Always operate system outdoors or in a well-ventilated area.





REDUCE YOUR HAZ 18X WASTE

1 DRUM



USING A PIG AEROSOL CAN RECYCLER

One 55-gallon drum can hold the residual liquid from 4,200 emptied cans. The cans can then be recycled or sold for scrap metal.

DRUMS OF HAZ WASTE = 1 RECYCLABLE CANS = 4,200

VS

18 DRUMS



Without puncturing cans, you'd fill eighteen 55-gallon drums with waste and they would all have to be disposed of as hazardous if not completely emptied.

DRUMS OF HAZ WASTE = 18 RECYCLABLE CANS = 0

NOTE: Be sure to check federal, state and local regulations.

When you consider drum prices, haz waste disposal costs, transportation costs, labor costs, storage space and environmental impact, can you really afford **NOT** to empty your aerosol cans?

IT'S A NO-BRAINER!
PIG AEROSOL CAN RECYCLER

LEAK DIVERTERS



THE PIG DIFFERENCE

PIG Leak Diverters are engineered to outperform cheap tarp-and-hose contraptions:

EASIER, SECURE HANGING

Multiple grommet points help maintain funnel shape.



STRONGER MATERIALS

No sagging or drooping so water won't spill over.



BETTER SHAPE FOR MAX FLOW

Pinched corners direct water flow to center of tarp.



FASTER DRAINING

Built-in debris cage stops clogs to keep big leaks flowing.



PIG Leak Diverters are the solution to help you weather the storm.

No workplace is immune to the threat of overhead water hazards. Sometimes they're weather-related problems such as a leaky roof. Other times, they're an operational problem such as ruptured pipes or equipment condensation.

The benefits to having diverters on hand are endless! They'll help prevent facility water catastrophes before they happen, keep floors dry and safe, and prevent ruined equipment, inventory, lost production time and even possible injuries.

PIG Leak Diverters are engineered better than others, and include:


- Anti-clog drain filters
- RF welding technology for leakproof seams
- Heavy duty PVC that eliminates tears and punctures
- The perfect shape for superior water flow
- ✓ More stability thanks to more hanging points

Collection tarp captures liquid and funnels it to the hose connection. Hose channels liquid to a floor drain or collection container.

PIG ROOF LEAK DIVERTER

Help protect people, equipment and inventory from roof leaks.

PIG Leak Diverters hang easily in problem spots to catch roof leaks and channel them to a floor drain or container. They're great for quick response to avoid downtime and keep floors safe while you're waiting for repairs to be made. Nonpermeable tarp is strong and durable; resists punctures, UV rays and mildew. Accepts a standard ¾" hose connection to channel liquid. Choose a size and color below — and don't forget to add your straps and hose!





ADDITIONAL SIZES & STYLES AVAILABLE AT NEWPIG.COM

| PIG® Roof Leak Diverter Tarp | | gig |
|--|-------|-------|
| (Specify Color: Clear Gray Translucent) | | |
| Item # | 1-3 | 4+ |
| TLS467 • 20'W x 20'L | \$497 | \$477 |
| TLS466 • 15'W x 15'L | \$292 | \$277 |
| TLS554 • 10'W x 20'L | \$301 | \$291 |
| TLS464 • 10'W x 10'L | \$167 | \$159 |
| TLS463 • 7'W x 7'L | \$105 | \$102 |
| TLS553 • 5'W x 10'L | \$115 | \$110 |
| TLS462 • 5'W x 5'L | \$74 | \$71 |
| TLS672 • 3'W x 10'L | \$95 | \$91 |
| TLS552 • 2.5'W x 2.5'L | \$71 | \$67 |
| Contents • 1 Leak Diverter • 1 Hose Connector | , | |
| Leak Diverter Accessories | | pig |
| Item # | 1-3 | 4+ |
| TLS559 • Adjustable Straps • 6"L to 60"L • 4/bag | \$34 | \$30 |
| TLS679 • Clear Drainage Hose • 25'L | \$30 | \$26 |
| TLS690 • Clear Drainage Hose • 10'L | \$21 | \$20 |
| TLS680 • Quick Connect Set | \$13 | \$12 |
| TLS799 • Roof Leak Diverter Bucket • 6.5 gal. | \$45 | \$42 |

NOTE: Not suitable for temperatures over 170°F/77°C.

Leak Diverter Tarp dimensions are nominal size due to pinched corners and reinforced side walls.

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov





TLS680

TLS679 Clear drainage hose






Quick-connect set lets you instantly connect hose to diverter.





TLS559 Adjustable hanging straps for uneven ceilings

😂 = Best-Seller



PIG LEAK DIVERTER BUCKET KITS

Be ready for roof leaks with all-in-one diverter kits.

Our portable Leak Diverter Tarp Bucket Kits have everything you need for grab-and-go response to divert and contain ceiling leaks, all in a 6 1/2-gallon pail. Bucket doubles as collection container and has a printed "Caution" warning message; removable plug allows 25'L drainage hose to be inserted without having to remove the lid. Translucent material allows for easy monitoring of leak. Optional absorbents included in TLS668.





| PIG® Roof Leak Diverter Tarp Bucket Kit | | pig | |
|--|--------------|-------|---|
| Item # | 1-3 | 4+ | 1 |
| TLS668 • 7'W x 7'L | \$238 | \$226 | 1 |
| TLS668 Contents • 1 Leak Diverter Tarp • 1 Drainage Hose • 4 Adjustable Hanging Straps • 1–30 Pack "CAUTION" Mat Pads • 2–25 Pack Wipers | 1 Bucket | | |
| TLS121 • 5'W x 5'L | \$180 | \$171 | 1 |
| TLS121 Contents • 1 Leak Diverter Tarp • 1 Drainage Hose • 4 Adjustable Hanging Straps • 1 Bucket | 1 Hose Conne | ctor | |

NOTE: Not suitable for temperatures over 170°F/77°C. Dimensions are nominal size due to pinched corners and reinforced side walls.

* MARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov





Tight spot? TLS190 is low-profile for leaks where full-size diverters won't fit.



Standard design (left) is for single point leaks. TLS147 (above) wraps to catch spraying leaks.

PIG PIPE LEAK DIVERTER

Protect your facility & your people.

Hang from a leaking pipe and channel liquid to a drain or container. Nonpermeable tarp is vinyl coated so it resists punctures, UV and mildew to last multiple deployments. Hose sold separately on page 93.

- TLS691, TLS248 and TLS200 have built-in grommets and 14"L rubber straps for easy hanging from a pipe
- TLS190 has built-in grommets; straps sold separately on page 93
- TLS147 wraps around 3/4" to 4" pipes to capture and contain spray; hook-and-loop fasteners make installation quick

| PIG® Pipe Leak Diverter Tarp | | giq |
|--|----------|----------|
| (Specify Color: Clear Gray Yellow) | | |
| Item # | 1-3 | 4+ |
| TLS691 • Ext. Dia. 24" x 24"H | \$105 | \$101 |
| TLS248 • Ext. Dia. 18" x 18"H | \$87 | \$82 |
| TLS200 • Ext. Dia. 12" x 12"H • Yellow and Clear Only | \$80 | \$77 |
| Contents • 1 Leak Diverter Tarp • 1 Hose Connector • 4 Rubber Hanging Straps | <u>'</u> | |
| TLS190 • Ext. Dia. 11.5" x 9"H • Yellow Only | \$84 | \$78 |
| Contents • 1 Leak Diverter Tarp • 1 Hose Connector | | |
| PIG® Leak Diverter Tarp for Spraying Pipes | | giq |
| Item # | 1-3 | 4+ |
| TLS147 • 28.5"W x 16"H • Yellow Only | \$104 | \$100.80 |
| Contents • 1 Leak Diverter Tarp • 1 Hose Connector | | |
| NOTE: Not suitable for temperatures over 170°F/77°C. | | |

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

TLS691

PIG UMBRELLA-STYLE LEAK DIVERTER KIT

Pop open the fastest solution you can buy to catch a roof leak.

Hang the hook from a single point near the leak, pull off the cover and it opens like an umbrella. All-in-one kit is perfect for quick response to prevent damage to inventory or machinery and to avoid slip hazards.

Flexible 10'L PVC drain hose included with TLS461 or 25'L hose included with TLS903 channels leaks to a floor drain or collection container. 3/4" drain fitting accepts longer hoses. Nonpermeable tarp is vinyl coated for strength and durability; it resists punctures, UV and mildew to last multiple deployments. Tapered sides help funnel liquid toward center for better drainage. Three colors available: yellow draws attention; clear shows liquids and lets light pass through; translucent shows liquids and blends in with white ceilings.



| PIG® Umbrella-Style Roof Leak Diverter Tarp Kit | | pig |
|---|-----------|-------|
| (Specify Color: Yellow Clear | Transluce | nt) |
| Item # | 1-3 | 4+ |
| TLS903 • 48.5"W x 48.5"L | \$333 | \$317 |
| TLS461 • 30"W x 30"L | \$210 | \$201 |
| TLS903 & TLS461 Contents • 1 Leak Diverter Tarp 1 Hose Connector • 1 Quick Connect | • 1 Hose | |

NOTE: Not suitable for temperatures over 170°F/77°C.

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov



Hang the diverter from a single point near the leak, remove cover, pop diverter open.








"Holy Pig! It works! We've needed something for those sudden leaks that appear out of nowhere. These work great. They're easy to store and put into use. If you buy one, you're gonna want more!"

—David, TLS461 Customer





PIG HIGH REACH LEAK DIVERTER KIT

Here's a solution when you can't hang a diverter from the ceiling.

Quickly route small leaks from high ceilings in hard to reach areas. Diverter captures drips from ceilings up to 15' high without risk of splash-out; use included mat pad to catch splashes from ceilings higher than 15'. Adjustable telescoping pole allows easy installation without the need for a ladder. Included pail has a removable plug to allow the drainage hose to be inserted without removing the lid.



| PIG® High Reach Roof Leak Diverter Tarp Kit | | gig |
|---|-----------|-------|
| Item # | 1-4 | 5+ |
| TLS820 • 27" W x 35"L x 12"H • Telescopes up to 9'H | \$415 | \$395 |
| TLS820 Contents • 1 Leak Diverter • 1 Drainage Hose • 1 Telescoping Pole • 1 Bucket • 1 | 1 Mat Pad | |
| NOTE: Not suitable for temperatures over 170°F/77°C. * MARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov | | |



PIG CEILING TILE LEAK DIVERTER

Replace damaged ceiling tiles with a discreet diverter.

Channel away liquids to minimize wet floors, damaged equipment and disturbance to workers. Replaces any standard 2' x 2' or 2' x 4' drop ceiling tile until you have time to find and fix the leak. Includes drain hose and clips to secure hose to ceiling grids.

| PIG® Ceiling Tile Leak Diverter | | Big |
|---------------------------------|-------|-------|
| Item # | 1-3 | 4+ |
| TLS367 • 2'W x 4'L | \$238 | \$228 |
| TLS366 • 2'W x 2'L | \$211 | \$200 |

NOTE: Not suitable for temperatures over 170°F/77°C.

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

STORAGE & MATERIAL HANDLING

EASY WAYS TO WORK. **NO GRUNTS ABOUT IT.**





PIG LATCHING LIDS

Safely cover drums of solid waste without the fuss of a nut and bolt ring.

- Quick, easy access helps keep contents dry and secure
- One-hand latch makes it easy to add to drum contents and helps you comply with regs
- Nitrile gasket and locking mechanism seal lid to help reduce vapors and protect contents



PIG BURPLESS FUNNELS

Our patented funnel designs help you pour quickly and safely.

- Burpless vents allow fast pouring without venting through 3/4" bung
- Easy-access design helps you meet closed container regs and minimize vapors
- Nitrile gasket and locking mechanism seal drum funnel lid to reduce vapor emissions



HELPS YOU COMPLY


40 CFR 264.1086(c)(1)(ii) Requires haz waste containers to be sealed to prevent VOC emissions

40 CFR 262.16(b)(2)(iii) and 262.17(a)(i)(iv) Require haz waste containers to be kept closed

40 CFR 262.15 Requires containers in satellite accumulation areas to be kept closed

PRO TIP: If you find that you need lids and funnels to comply, you might need a Spill Containment Pallet, too! (See page 115)
















"Getting a whole plant full of employees to follow compliance requirements is often difficult. This product takes away the issue of drums never being closed which is one worry off my back."

— Dawn, DRM1072 Customer

PIG LATCHING DRUM LID - FAST-LATCH RING

Fast-latch ring makes installation easy on a new or reconditioned drum; no clumsy nut-and-bolt ring. Adjustment rod lets ring expand to fit drums with larger diameters. Two lid sizes available for different sizes of drum, plus three color choices to help you segregate waste.

| | pig |
|-------|-------|
| | |
| 1-2 | 3+ |
| \$469 | \$446 |
| \$472 | \$448 |
| | \$469 |





DRM1072



DRM2072

DRM659

PIG LATCHING DRUM LID - STANDARD RING

Don't want the fast-latch convenience of the lids shown above? We still offer the same quality in our standard bolt ring model. We have one to fit just about any size of drum that you might have.

| PIG® Latching Drum Lid | | pig |
|---|-------|-------|
| (Specify Color for DRM659 & DRM821: Black Red Yellow) | | |
| Item # | 1-2 | 3+ |
| DRM1201 • Red only • For 85-gal. Open-head Steel Drums | \$552 | \$524 |
| DRM659 • For 55-gal. Open-head Steel Drums | \$457 | \$436 |
| DRM821 • For 20- and 30-gal. Open-head Steel Drums | \$435 | \$416 |
| DRM167 • Red only • For 5-, 8-, 10- and 16-gal. Open-head Steel Drums | \$370 | \$351 |

^{*} MARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

PIG VAPOR-CONTROL LATCHING LID

Offers controlled, temporary containment of hazardous waste with high vapor emissions. 5" diameter easy-access port opens to accept waste while discouraging recovery of disposed items and limiting exposure to odor and vapors.

| PIG® Vapor-Control Latching Drum Lid | | Bid |
|---|-------|-------|
| (Specify Color: Black Red) | | |
| Item # | 1-2 | 3+ |
| DRM1033 • For 55-gal. Open-head Steel Drums | \$833 | \$790 |
| DRM1034 • For 20- and 30-gal. Open-head Steel Drums | \$839 | \$804 |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov



Open the entire lid to dispose of larger items.







PIG LATCHING DRUM LID FOR DRAINING

Drain liquids with our one-hand lid to meet closed container regs.

Our Latching Lid and Mesh Screen system let your drums stay closed while draining to help you meet haz waste regs. Includes all the features and regulatory compliance of our lids listed on page 98, but with more headroom inside. Tall Lid (DRM1213) accepts buckets and large containers. Short Lid (DRM1212) holds standard filters. Lids and screens are sold separately. Fine mesh screens available at newpig.com.

HELPS YOU COMPLY with regulations listed on page 97



Drum Lid Screens let you drain waste liquids without the hassle of holding it over the drum yourself.





DRM1212

DRM1204

DRM1049

| | PIG® Latching Drum Lid for Draining | | pig | |
|---|---|--------------|-------------|---|
| | (Specify Color: Red Yellow) | | |] |
| | Item # | 1-4 | 5+ | |
| | DRM1213 • Tall • For 55-gal. Open-head Steel Drums Ext. Dia. 23.75" x 18.75"H | \$646 | \$621 | * |
| • | DRM1212 • Short • For 55-gal. Open-head Steel Drums Ext. Dia. 23.75" x 6.75"H | \$535 | \$514 | * |
| | DRM1214 • Short • For 20- and 30-gal. Open-head Steel Drums Ext. Dia. 19.5" x 6.75"H | \$499 | \$477 | * |
| | DRM602 • Replacement Gasket Kit • For DRM1213 and DRM1212 | \$ | 84 | * |
| | Pate | nt 5,931,330 | ; 5,954,218 | 3 |

| Patent | 5.931. |
|--------|--------|

| Screen for PIG® Latching Drum Lid | | pig |
|---|-------|-------|
| Item # | 1-4 | 5+ |
| DRM1204 • Coarse Mesh • For DRM1213, DRM1212 and DRM965 0.438"W x 1"L Mesh Opening | \$88 | \$84 |
| DRM1205 • Coarse Mesh • For DRM1214 • 0.438"W x 1"L Mesh Opening | \$67 | \$64 |
| PIG® Lever Ring | | pig |
| Item # | 1-4 | 5+ |
| DRM1049 • Adjustable • For Reconditioned 55-gal. Open-Head | \$168 | \$160 |

^{*▲} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov





Equip your 30- or 55-gallon poly drums with our easy-access lids.

3"-wide EVA gasket and locking mechanism seal lid to protect contents; included spacers help lid fit a variety of poly drums. Crowned lid won't accumulate clutter. Includes all the features listed on page 98.

HELPS SMALL AND LARGE QUANTITY GENERATORS COMPLY with 40 CFR 262.16(b)(2)(iii) and 40 CFR 262.17(a)(i)(iv) requiring haz waste containers to be kept closed

HELPS YOU COMPLY with 40 CFR 262.15 for containers in satellite accumulation areas



Lid fits the most common poly drums. See our selection on page 106.

| PIG® Latching Lid with Fast-Latch Ring for Poly Drum | | | | |
|--|-------|-------------|--|--|
| (Specify Color for DRM1084: Black Red Yellow) | | | | |
| Item # | 1-2 | 3+ | | |
| DRM1084 • For Most 55-gal. Open-head Poly Drums | \$650 | \$614 | | |
| DRM1084 Contents • 1 Latching Drum Lid • 5 Small Spacers • 5 Large Spacers | | | | |
| DRM1085 • Red Only • For Most 30-gal. Open-head Poly Drums | \$562 | \$533 | | |
| DRM1085 Contents • 1 Latching Drum Lid • 4 Spacers | | | | |
| Flammables Warning: Not for use with flammables (f.p.<141°F/60.5°C). | Paten | t 8.480.139 | | |

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

Black Red 1-2 3+ DRM1065 • For 55-gal. Open-head Steel Drums \$495 * WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov If you're not happy with your New Pig purchase, we'll refund every penny, including taxes and shipping. Even the return freight is on us! ♠ Best-Seller



PIG LATCHING LID WITH FUSIBLE PLUGS

Turn a 55-gallon steel drum into a container for flammable materials.

Lids are designed specifically for NFPA 30 venting requirements. In a fire, the nylon plugs melt to vent pressure and prevent drum from bursting. Latching handle easily opens and closes with one hand. Ideal for safe storage of flammable or combustible solids. Nitrile gasket and locking mechanism seal lid to help reduce vapor emissions.

HELPS YOU COMPLY with the regulations

listed on page 97



FM Approved plugs melt if there's a fire.





PIG® Latching Drum Lid with Fusible Plugs pig Item



PIG OUTDOOR LATCHING LID

Get the only Latching Lid that stands up to the elements.

Outdoor drum lid is zinc-primed for extra protection against rust and corrosion. Fast-latch ring allows easy installation on new or reconditioned 55-gallon steel drums; no clumsy nut-and-bolt ring. 3"-wide polyethylene foam gasket and locking mechanism seal lid to reduce vapor emissions and protect contents.



Rainwater rolls right off without puddling.

HELPS YOU COMPLY with the regulations listed on page 97





⊘= Best-Seller



PIG POLY DRUM FUNNEL

Cover your entire drum top for clean, easy draining and pouring.

4"-high sidewalls and zigzag ridges prevent splashes and catch tools or parts. Double-wall polyethylene construction resists UV rays, corrosion and most chemicals. Level inside surface allows easy draining. Fits 55 gal. tighthead steel or poly drums while allowing access to 3/4" bung for a liquid-level gauge.



Pop-up drum fill gauge (DRM245) helps prevent overfilling. Two sizes available.

| PIG® Universal Poly Drum Funnel with Hinged Lid | | pig |
|--|-------|------|
| (Specify Color: Black Red Yellow) | | |
| Item # | 1-4 | 5+ |
| DRM672 ● Ext. Dia. 29" x 11"H | \$102 | \$95 |
| Pop-Up Drum Fill Gauge | | |
| Item # | 1-3 | 4+ |
| DRM317 • 11" Float Indicator Depth • For Drums w/ 0.75" NPT Bung | \$35 | \$34 |
| DRM245 • 5" Float Indicator Depth • For Drums w/ 0.75" NPT Bung | \$34 | \$33 |

Flammables Warning: Not for use with flammables (f.p.<141°F/60.5°C).

PIG LATCHING BUCKET LID

Secure contents & meet regs with a Latching Lid for steel & poly buckets!

Latching mechanism and EVA gasket provide a tight seal to secure contents and reduce vapor emissions. Single latching hasp easily opens and closes and is padlockable to increase security. Fast-latch ring makes installation simple on steel or poly open-head 5-gallon pails with a 11.25" inside diameter; no clumsy nut-and-bolt ring to hassle with.



DRM1200 Shown on poly bucket

HELPS YOU COMPLY with the regulations listed on page 97



 ${\color{red} * } {\color{red} \blacktriangle} {\color{red} \textbf{WARNING:}} {\color{red} \textbf{Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov}$

Patent 8,480,139

PIG IBC TOTE FULL-TOP FUNNEL

Easy-reach funnel completely covers the top of your IBC.

Covers entire top of IBC and molded-in ridges prevent funnel from sliding off. Fits 275- and 330-gallon IBC totes with centered openings from 4" to 6". It's easier to use than standard funnels because it eliminates awkward reaching/leaning or keeping a step nearby. Level ridges run across a sloped surface for easy draining of containers, parts or filters while double-wall polyethylene construction resists UV rays, corrosion and most chemicals.



| PIG® Poly IBC Tote Full-Top Funnel | | gig |
|--|-------|-------|
| Item # | 1-4 | 5+ |
| IBC600 • Funnel • 40.7 "W x 49.5 "L x 5.5 "H | \$270 | \$257 |
| IBC601 • Filter Pads • 8"W x 8"L x 0.5"H • 10/pack | \$26 | \$24 |
| Flammables Warning: Not for use with flammables (f.p.<141°F/60.5°C). | | |

Need to filter large debris from the liquid you're pouring? Just add our disposable filter pads (one included with funnel; replacements sold separately).





PIG BURPLESS POLY FUNNEL

Keeps on chugging without burps or splashbacks.


Burpless design vents during pouring with no splashback; lets you pour without having to vent through ¾" bung. Designed for use with nonhazardous liquids: coolants, non-flammable oils and water-based liquids.

NOTE: Does not meet closed container regulations.

| PIG® Burpless® Poly Drum Funnel | | pig |
|---|---------------------|-------|
| (Specify Lid Color: Black Red Yellow) | | |
| Item # | 1-4 | 5+ |
| DRM1680 • Standard w/Overfill Preventer • For 30- and 55-gal. Ste Poly Drums w/ 2" NPT • 13.5"W x 16.25"L x 13.9"H | eel or \$104 | \$97 |
| DRM1681 * Standard w/Overfill Preventer * For 30- and 55-gal. Poly Drums w/ 2" Buttress Thread * 13.5"W x 16.25"L x 13.9"H | ^y \$119 | \$114 |
| DRM138 • Large • For 30- or 55-gal. Steel or Poly Drums w/ 2" NPT 19.5"W x 22"L x 11.5"H | \$150 | \$143 |













PIE BURPLESS FUNNELS

Clean pouring, no splashback and a one-hand latch for easy compliance.

Patented Burpless design lets you pour without having to vent through ³/₄" bung — a possible closed container reg violation if left open. Lockable latching handle opens and closes lid with one hand. Nitrile gasket and locking mechanism create a vapor-tight seal.

HELPS SMALL AND LARGE QUANTITY GENERATORS COMPLY with 40 CFR 262.16(b)(2)(iii) and 40 CFR 262.17(a)(i)(iv) requiring haz waste containers to be kept closed


HELPS YOU COMPLY with 40 CFR 262.15 for containers in satellite accumulation areas

HELPS YOU COMPLY with 40 CFR 264.1086(c)(1)(ii) for VOC emissions



HOW THE OVERFILL PREVENTER WORKS

(INCLUDED ON SELECT MODELS)



- 1. When liquid level reaches the bottom of preventer, funnel stops draining and starts to fill up, so you know when to stop pouring.
- 2. Air trapped between inside of drum and outside of tube stops liquid from rising.
- 3. To empty funnel, twist funnel and preventer counterclockwise and slowly lift to drain contents into remaining airspace.

Red

PIG ORIGINAL BURPLESS FUNNEL



Our original bestselling drum funnel is great for your everyday pouring needs.



PIG LARGE BURPLESS FUNNEL



Wide-mouth funnel has more volume for larger draining and pouring jobs — you can empty a 5-gallon pail in 17 seconds!

> Sturdy, coarse mesh screen (DRM1203) holds heavier containers and parts for draining.

PIG SMALL BURPLESS FUNNEL



5"-diameter fill mouth limits vapor, odor and VOC emissions.



PIG STAINLESS STEEL BURPLESS FUNNEL



Resistant to acetone, methyl ethyl ketone (MEK), toluene and other chlorinated solvents and harsh chemicals.







| PIG® Burpless® Steel Drum Funnel | | | | | | pig | | | | |
|----------------------------------|-----------------|--------------------|------------------|---------------|----------------|--------------------------|-------------------------|--------|--------|---|
| Item # | Name | Overfill Preventer | Drum Size (gal.) | Type of Drum | Type of Thread | Dimensions | Color Options Available | 1-4 | 5+ | |
| DRM1210 | Large | No | 30 - 55 | Steel or Poly | 2" NPT | 16.5"W x 19.8"L x 13.3"H | Black, Red, Yellow | \$625 | \$597 | * |
| DRM1127 | Original | Yes | 20 - 55 | Steel or Poly | 2" NPT | 11.25"W x 15"L x 15"H | Black, Red, Yellow | \$535 | \$500 | * |
| ORM1125 | Original | No | 20 - 55 | Steel or Poly | 2" NPT | 11.25"W x 15"L x 13"H | Black, Red, Yellow | \$379 | \$354 | * |
| DRM1112 | Stainless Steel | Yes | 20 - 55 | Steel or Poly | 2" NPT | 11.25"W x 15"L x 15"H | N/A | \$1303 | \$1250 | * |
| DRM1032 | Small | Yes | 5 - 55 | Steel or Poly | 2" NPT | 5"W x 8.3"L x 11"H | Black, Red | \$415 | \$383 | * |
| DRM1050 | Small | Yes | 5 - 55 | Poly | 2" Buttress | 5"W x 8.3"L x 11"H | Red | \$474 | \$457 | * |
| A | | 1 .: 11 | | | | | | | | - |

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

Patent 5,676,185

DRUM FUNNEL ACCESSORIES

Tailor your funnel to your needs.

Add a Flame Arrestor to create an FM Approved funnel (except for DRM1211). Screens allow a sturdy surface to hold heavier containers and catches debris. Replacement Gasket Kit keeps your funnel airtight and includes everything you need to replace a gasket.







| PIG® Drum Funnel Flame Arrestor | | giq | |
|--|-------|-------|--|
| Item # | 1-4 | 5+ | |
| DRM617 • For Steel Drum Funnels | \$152 | \$145 | |
| PIG® Drum Funnel Screen | | pig | |
| Item # | 1-4 | 5+ | |
| DRM600 • Fine • For DRM1210 • 0.125" Dia. Mesh Opening | \$94 | \$85 | |
| DRM579 • Fine • For DRM1125–DRM1128 and DRM1211 0.125" Dia. Mesh Opening | \$60 | \$56 | |
| DRM1203 • Coarse • For DRM1210 • 0.438"W x 1"L Mesh Opening | \$63 | \$56 | |
| DRM1206 • Coarse • For DRM1125–DRM1128 and DRM1211 0.438"W x 1"L Mesh Opening | \$45 | \$41 | |
| Replacement Gasket Kit | | | |
| Item # | | 1+ | |
| DRM604 • For DRM1125, DRM1127 and DRM1211 | | | |
| DRM605 • For DRM1210 | | | |
| DRM604 and DRM605 Contents • 1 Lid Gasket • 1 1 oz. Adhesive | | | |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

😂= Best-Seller

OPEN-HEAD POLY DRUM

Store and ship solid waste in these UN Rated containers.

Rigid, lightweight high-density polyethylene won't rust and is compatible with many chemicals. UN Rated for storage and transport of solid hazardous materials, and lever lock band can be wire sealed to prevent tampering. DRM1147, DRM386 and DRM385 are made from FDA-Compliant resins for containment of food and cosmetic products. Straight-sided drums (DRM1059, DRM1060) have ribs for extra strength; allows broader use of drum grabs, parrot beak lifters and other equipment that can't move tapered drums.



| Open-Head UN Rated Poly Drum | | |
|--|-------|-------|
| Item # | 1-9 | 10+ |
| DRM1147 • 55 gal. • UN1H2/X200/S, UN1H2/Y250/S | \$199 | \$187 |
| DRM386 • 30 gal. • UN1H2/X120/S, UN1H2/Y180/S | \$159 | \$150 |
| DRM385 • 14 gal. • UN1H2/Y100/S, UN1H2/X65/S | \$113 | \$104 |
| Straight-Sided Open-Head UN Rated Poly Drum | | |
| Item # | 1-9 | 10+ |
| DRM1059 • 55 gal. • UN1H2/X200/S, UN1H2/Y250/S | \$187 | \$180 |
| DRM1060 • 30 gal. • UN1H2/Y180/S | \$181 | \$174 |

PUT AN END TO MESSY PUMP DRIPS WITH A PIG BARREL TOP MAT.

Absorb messy pump drips to keep them off your drum tops and floors. These circular mats fit perfectly on your barrel tops and have precut bung openings. See page 8.





TIGHT-HEAD POLY DRUM

Rustproof, lightweight containers meet UN specs for liquid waste.

Drums won't rust and are compatible with a wide range of chemicals; made from FDA-Compliant resins for containment of food and cosmetic products. DRM1134 has 2" and $\frac{3}{4}$ " NPT bungs. DRM1135 and DRM1136 have 2" buttress and 2" NPT bungs plus a 360° top drum chime which makes them easy to move with a drum lifter.

| | Tight-Head UN Rated Poly Drum | | |
|---|---|-------|-------|
| | Item # | 1-9 | 10+ |
| € | DRM1136 • 55 gal. • UN1H1/Y1.9/100 | \$149 | \$143 |
| | DRM1135 • 30 gal. • UN1H1/Y1.8/100 | \$133 | \$124 |
| | DRM1134 • 15 gal. • UN1H1/Y1.8/100 | \$96 | \$91 |



TRANSLUCENT POLY DRUM

Check fluid levels at a glance with a see-through drum.

Eliminate guesswork and help prevent overfilling or running out of materials. UN Rated and made from FDA-Compliant resins for containment of food and cosmetic products. DRM1137 has 2" NPS and 3/4" NPS bungs; DRM1138 has 2" buttress and 2" NPT bungs; DRM1139 has 2" buttress and 2" NPS with center reducer (3/4" NPS fitting).

| Translucent UN Rated Poly Drum | | |
|---|-------|-------|
| Item # | 1-9 | 10+ |
| DRM1139 • 55 gal. • UN1H1/Y1.9/100 | \$138 | \$133 |
| DRM1138 • 30 gal. • UN1H1/Y1.8/100 | \$134 | \$124 |
| DRM1137 • 15 gal. • UN1H1/Y1.8/100 | \$96 | \$91 |



UN RATED STEEL DRUMS

Choose the size, style and lining you need.

UN Rated and tested to help ensure safe shipping of hazardous materials. Optional phenolic/epoxy lining adds corrosion resistance.

OPEN-HEAD DRUMS

Made for liquid or solid hazardous waste. Removable lid offers full access to inside of drum. 12-gauge bolt ring closure, sponge rubber gasket and plated bolt/nut (on all except DRM837) provide tight seal. Quick-style lever lock rings (DRM837) help you comply with closure regs; no tools required and shippable "as is." DRM1973 features 2" NPT and 3/4" NPT bungs.

TIGHT-HEAD DRUMS

A great choice for storing or shipping liquids. You can rely on them to deliver safety and compliance. Tight-head design is equipped with 2" NPT and 3/4" NPT bungs.

| Open-Head UN Rated Steel Drum | | | | | | | | | |
|---|---|----------------------|--|-------------|-------|--|--|--|--|
| (Specify: Lined or Unlined; Add \$10 to price shown for Lined) For DRM1844 and DRM1971: Unlined version in black with white lid only | | | | | | | | | |
| Item # | n # Size (gal.) Thickness (mm) UN Marking | | | | | | | | |
| DRM423 | RM423 55 1.2/1.2/1.2 UN1A2/X435/S, UN | | UN1A2/X435/S, UN1A2/Y1.5/150 | \$311 | \$297 | | | | |
| ⇔ DRM1844 | DRM1844 55 1.1/1.1/1.1 UN1A2/X400/S, UN1A | | UN1A2/X400/S, UN1A2/Y1.8/150 | \$229 | \$221 | | | | |
| DRM1336 | DRM1336 30 1.2/1.2/1.2 | | UN1A2/X235/S, UN1A2/Y1.5/150 | \$229 | \$221 | | | | |
| DRM1971 | 30 | 1.1/1.1/1.1 | UN1A2/X250/S, UN1A2/Y1.5/100 | \$165 | \$158 | | | | |
| DRM335 | DRM335 20 1.2/1.2/1.2 UN1A2/X220/S, UN1A2/Y1.5/1 | | | \$230 | \$221 | | | | |
| Quick-Style Open-Head UN Rated Steel Drum | | | | | | | | | |
| (Specify: Lined or Unlined; Add \$10 to price shown for Lined) | | | | | | | | | |
| Item # | # Size (gal.) Thickness (mm) UN Marking | | | | 10+ | | | | |
| DRM837 | DRM837 55 1.5/1.5/1.5 | | UN1A2/X430/S | \$365 | \$338 | | | | |
| Open-Hea | Open-Head UN Rated Steel Drum with Bungs | | | | | | | | |
| (Specify: Lined or I | Unlined; Ad | d \$10 to price show | wn for Lined) Unlined version in black with whit | e lid only | | | | | |
| Item # | Size (gal.) | Thickness (mm) | UN Marking | 1-9 | 10+ | | | | |
| DRM1973 | M1973 55 1.1/1.1/1.1 UN1A2/X400/S, UN1A2/Y1.8/150 | | \$188 | \$181 | | | | | |
| Tight-Hea | ad UN | Rated Ste | el Drum | | | | | | |
| (Specify: Lined or Unlined; Add 57 to price shown for Lined) For DRM1427: Unlined version in black with white lid only | | | | | | | | | |
| Item # | Size (gal.) | Thickness (mm) | mm) UN Marking | | 10+ | | | | |
| ⇔ DRM1427 | 427 55 1.1/0.8/1.1 | | UN1A1/X1.8/300 | \$202 | \$195 | | | | |
| DRM1426 | 30 1.5/0.9/1.5 | | UN1A1/X1.8/300 | \$217 | \$208 | | | | |
| DRM845 | 30 | 0.9/0.9/0.9 | UN1A1/Y1.5/300 | \$202 \$194 | | | | | |
| DRM425 | 20 | 1.5/0.9/1.5 | UN1A1/X1.2/300 | \$211 | \$205 | | | | |
| DRM683 | 5 | 0.9/0.9/0.9 | UN1A1/X1.6/250 | \$166 | \$159 | | | | |
| | | | | 7-11 | | | | | |

RECONDITIONED STEEL DRUMS

Need steel drums, but don't need brand new?

Whether you use drums for shipping or storage, these reconditioned 55-gallon steel drums will help you save money. They're cleaned, inspected, tested, quality assured and given a fresh coat of black paint. They're also guaranteed to meet or exceed the updated UN rating. You can get them with a phenolic/epoxy lining or unlined.



| RCN100 | |
|--------|--|
| | |
| | |
| | |
| | |
| | |

| Reconditioned Steel Drums | | | | | | | | |
|--|---------------------|----------------|--------------------|-------------|-----------------|-------|-------|--|
| (Specify: Lined or Unlined; Add \$11 to price shown for Lined) | | | | | | | | |
| Item # | Drum Size (gal.) | Lid Type | Bung Size | Thickness | UN Rating | 1-4 | 5+ | |
| RCN100 | 55 | Tight- Head | (1) ¾" & (1) 2" | 1.2/1.1/1.2 | UN1A1/Y/1.2/100 | \$104 | \$93 | |
| RCN101 | 55 | Open- Head | n/a | 1.1/0.8/1.1 | UN1A2/Y1.2/100 | \$126 | \$115 | |
| RCN102 | 55 | Open- Head | (1) ¾" & (1) 2" | 1.2/1.1/1.2 | UN1A2/Y1.2/100 | \$128 | \$117 | |

Reconditioned drums are not brand new so their appearance will vary. Each will have minor visible imperfections that do not affect performance, such as scratches, small dents, and variations in finish. These drums may also be downrated from their UN Rating when brand new (shown as a permanent embossment on the bottom). A durable mark (shown as either a stencil or label on the drum) is the current UN rating for the reconditioned drum.



POLY IBC TOTE

Replace multiple drums with just one tote.

Blow-molded HDPE tank is chemical resistant and made from FDA-Compliant resins for containment of food and cosmetic products (must be cleaned prior to use). Four-way forklift entries let you stack units up to four high to save space.

Caged models have a 2" butterfly valve with outlet nozzle for controlled dispensing.

Rebottled caged models have a brand new bottle; steel cage and composite plastic-and-steel pallet are reused. Valve type may vary.



DRM1161

| Caged Poly IBC Tote | | |
|--|-------|-------|
| Item # | 1-2 | 3+ |
| ♦ DRM1142 • 330 gal. • 39"W x 47"L x 53"H • UN31HA1/Y | \$692 | \$666 |
| DRM1141 • 275 gal. • 39"W x 47"L x 46"H • UN31HA1/Y | \$673 | \$647 |
| DRM1140 • 135 gal. • 40"W x 48"L x 27"H • UN31HA1/Y | \$616 | \$592 |
| Rebottled Caged Poly IBC Totes | | |
| Item # | 1-2 | 3+ |
| DRM1161 • 330 gal. • 40"W x 48"L x 54"H • UN31HA1/Y | \$545 | \$525 |
| DRM1160 • 275 gal. • 40"W x 48"L x 46"H • UN31HA1/Y | \$494 | \$476 |



UN RATED BULK BAGS

Collect hazardous materials for easy shipping and disposal.

UN Rated shipping containers are ideal for saturated absorbents, used rags, contaminated soil and other hazardous materials (intended for solids only). High-capacity straps allow bags to be lifted using a forklift (with proper attachment) while corrugated sleeve maintains rigidity. Top Flap closures tie; Zipper Top zips.





DRM3009

DRM3008

| Clean-Pak™ UN Rated Bulk Shipping Bags | | | | | | | | |
|--|-------------|--------------------|-------------------------------------|--|--|----------------------|-------|-------|
| Item # | Lid Closure | Dimensions | Storage Capacity (Cubic Yard) | UN Packaging Group I (Weight Capacity) | UN Packaging Groups II and III (Weight Capacity) | UN Marking | 1-19 | 20+ |
| DRM3009 | Top Flap | 42"W x 42"L x 42"H | 1.6 | | 3,020 lbs. | | \$163 | \$138 |
| DRM1240 | Top Flap | 36"W x 36"L x 36"H | 1 | 2,500 lbs. | 3,000 lbs. | UN13H4/X UN13H4/Y | \$153 | \$115 |
| DRM3008 | Zipper Top | 36"W x 36"L x 36"H | 1 | | 3,000 lbs. | 01113114/1 | \$153 | \$115 |



24-gauge steel provides reliable strength, and steel fold-down handle makes carrying easy. Quick-release lever lock band can be wire sealed to deter unauthorized access. UN Rated for Packing Groups I, II and III; ideal for storing and shipping hazardous or nonhazardous solids.

| Open-Head UN Rated Steel Pail | | | | | | | |
|---|------|-------|------|--|--|--|--|
| Item # | 1-9 | 10-49 | 50+ | | | | |
| DRM6000 • 5 gal. UN1A2/X50/S Ext. Dia. 11.81" x 13.5"H | \$75 | \$73 | \$71 | | | | |



LIFE LATCH PAILS

Store, transfer and ship solids in these poly pails.

Screw-top containers are UN Rated for storing liquids or transferring and storing solids. Pails are made from FDA-Compliant resins. Built-in locking mechanism lets you close lid simply and securely. More sizes available at newpig.com.

| Life Latch® Screw Top UN Rated Poly Pail | | | | | | | | |
|--|------|-------|------|--|--|--|--|--|
| Item # | 1-9 | 10-49 | 50+ | | | | | |
| DRM1051 • 6.5 gal. • UN1H2/Y30/S, UN1H2/X11.5/S Ext. Dia. 12.62" x 19.45"H | \$53 | \$52 | \$47 | | | | | |
| DRM1054 • 5 gal. • UN1H2/Y30/S, UN1H2/X11.5/S Ext. Dia. 12.63" x 16.04"H | \$48 | \$47 | \$45 | | | | | |
| DRM1048 • 1.25 gal. • UN1H2/Y6/S • Ext. Dia. 8.87" x 9.14"H | \$30 | \$28 | \$25 | | | | | |

UN RATED STEEL SALVAGE DRUM

Safely ship a damaged or leaking container.

UN Rated and tested to help ensure safe shipping of hazardous materials. Open-head design and removable lid offer full, convenient access. Bolt & ring drums provide a tight seal with plated bolt/nut, EPDM gasket. Interior is coated with a corrosion inhibitor; choose optional phenolic/epoxy lining for added resistance.

HELPS YOU COMPLY with 49 CFR 173.3(c)(1)



| Bolt & Ring Open-Head UN Rated Steel Salvage Drum | | | | | | | | | | |
|---|--|----------------|-----------------------------|-------|-------|--|--|--|--|--|
| (Specify: Lined o | (Specify: Lined or Unlined; Add \$10 to price shown for Lined) | | | | | | | | | |
| Item # | Size (gal.) | Thickness (mm) | UN Marking | 1-9 | 10+ | | | | | |
| DRM1002 | 85 | 1.0/1.0/1.0 | UN1A2/X440/S | \$466 | \$440 | | | | | |
| DRM1001 | 85 | 1.2/1.2/1.2 | UN1A2/X440/S, UN1A2T/Y320/S | \$497 | \$471 | | | | | |



PIG OVERPACK DRUM

Ship hazardous waste in a perfectly sized overpack salvage drum.

X-rated for Packing Groups I, II and III; ideal for shipping haz waste by land, sea or rail. Sizes available from 20 to 110 gallons so you don't overspend on a container or shipping. Chemical-resistant polyethylene with UV inhibitors is durable and lightweight plus designed and proven to withstand the abuse of shipping to help keep haz waste safely contained. Made from FDA-Compliant resins for containment of food and cosmetic products.



PAK710 has 6" olefin wheels for easy transport.

HELPS YOU COMPLY with 49 CFR 173.3 (c)(1) requiring salvage drums to meet UN specifications

| PIG® O | verpac | k Salva | ge Drum | | | | pig |
|--|--------------------|--------------------------------------|--------------------------------------|--------------|-------|-------|-------|
| Item # Capacity Gal.) Max. Container Size (gal.) | | Interior Dimensions (Base x H) | UN Marking | 1-5 | 6-9 | 10+ | |
| PAK674 | 110 | 55 | 25"Dia. x 42"H | UN1H2/X295/S | \$395 | \$385 | \$370 |
| PAK725 | 95 | 55 | 24.75"Dia. x 37"H | UN1H2/X295/S | \$295 | \$285 | \$280 |
| PAK384 | 65 | 30 | 22"Dia. x 34.25"H | UN1H2/X200/S | \$275 | \$265 | \$260 |
| PAK709 | 30 | 16 | 16.75"Dia. x 27.25"H | UN1H2/X70/S | \$112 | \$107 | \$102 |
| PAK708 | 20 | 5 | 16.75"Dia. x 16.5"H | UN1H2/X46/S | \$94 | \$89 | \$84 |
| PIG® W | heeled | d Overpa | ack Salvage | e Drum | | | giq |
| Item# | Capacity (gal.) | Max. Container Size (gal.) | Interior Dimensions (Base x H) | UN Marking | 1-5 | 6-9 | 10+ |
| PAK710 | 95 | 55 | 24.75"Dia. x | UN1H2/X113/S | \$385 | \$375 | \$360 |

* MARNING: Cancer - www.P65Warnings.ca.go



PiB FLAMMABLE SAFETY CABINETS

PIG Safety Cabinets offer security backed by a lifetime warranty.

If you use flammable liquids, the best way to keep people safe is to store those liquids in a Flammable Cabinet. A PIG Safety Cabinet keeps dangerous flammable liquids away from ignition sources that can create fires or explosions, plus they make auditors happy.

- FM Approved for the storage of flammables plus meets NFPA and OSHA specs
- Fully MIG-welded 18-gauge steel body
- Three-point zinc latch ensures fail-safe, nonsparking door closure
- Secure the door with built-in lock and included keys or use your own separate lock
- · Air-insulated double wall construction, flame arrestor vents and grounding connection minimize fire risks
- Adjustable shelves on welded hanging tabs hold up to 270 lbs. UDL

- Leakproof sump contains drips and spills
- · Powder-coat finish resists corrosion
- Leveling feet can be adjusted for stability

NOTE: OSHA codes state that no more than 60 gallons may be Category 1, 2 or 3 flammable liquids, and no more than 120 gallons may be Category 4 flammable liquids. Cabinets are for indoor use only.



If you're not happy with your New Pig purchase, we'll refund every penny, including taxes and shipping. Even the return freight is on us!



Self-closing models have a fusible link that melts in a fire; allows you to prop doors open.



Shelves are adjustable and hold up to 270 lbs. UDL.



Three-point zinc latch ensures spark-free closing every time.



Door can be locked with included keys or use your own padlock (not included).





| | PIG® Fla | mmable Safety Ca | binet | | | pig | |
|---|----------|------------------|--------------------|-----------------------------|--------------------|--------|---|
| | Item # | Style | Capacity (Gallons) | Ext. Dimensions (W x D x H) | Adjustable Shelves | 1+ | |
| | CAB924 | Manual-closing | 120 | 59" x 34" x 65" | 2 | \$2835 | |
| | CAB935 | Self-closing | 120 | 56" x 30.313" x 61.313" | 2 | \$3119 | * |
| | CAB922 | Self-closing | 90 | 43" x 34" x 66.375" | 2 | \$2572 | * |
| | CAB920 | Manual-closing | 90 | 43" x 34" x 65" | 2 | \$2338 | 1 |
| | CAB918 | Self-closing | 60 | 34" x 34" x 66.375" | 2 | \$2095 | * |
| | CAB916 | Manual-closing | 60 | 34" x 34" x 65" | 2 | \$1904 | |
| 6 | CAB912 | Self-closing | 45 | 43" x 18" x 66.375" | 2 | \$1921 | * |
| | CAB910 | Manual-closing | 45 | 43" x 18" x 65" | 2 | \$1746 | 1 |
| | CAB908 | Self-closing | 30 | 43" x 18" x 45.375" | 1 | \$1344 | * |
| | CAB906 | Manual-closing | 30 | 43" x 18" x 44" | 1 | \$1221 | 1 |
| | CAB905 | Self-closing | 22 | 23.313" x 18.125" x 66.375" | 2 | \$1364 | * |
| | CAB904 | Manual-closing | 22 | 23.313" x 18.125" x 65" | 2 | \$1240 | 1 |
| | CAB903 | Self-closing | 16 | 23" x 18" x 45.375" | 1 | \$931 | * |
| | CAB902 | Manual-closing | 16 | 23" x 18" x 44" | 1 | \$846 | 1 |
| | CAB901 | Self-closing | 12 | 23" x 18" x 36.375" | 1 | \$788 | * |
| | CAB933 | Manual-closing | 4 | 14.375" x 14.438" x 18.375" | 1 | \$636 | |
| | CAB934 | Self-closing | 4 | 14.375" x 14.438" x 18.375" | 1 | \$700 | * |
| | CAB931 | Manual-closing | 2 | 14.438" x 14.375" x 13.5" | 1 | \$541 | 1 |
| | CAB932 | Self-closing | 2 | 14.438" x 14.375" x 13.5" | 1 | \$596 | * |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov NOTE: CAB931 and CAB932 are not FM Approved

EXTRA SHELVES AVAILABLE AT NEWPIG.COM





PIG HIGH-RISE SAFETY CABINET

Cabinet feet keep base off the floor in wet areas.

6"-high feet keep cabinet base off the floor, making cleaning and washdowns easier. Cabinets have all the features of standard cabinets on page 110 and are forkliftable for easy relocation (when unloaded).

| | PIG® High-Rise Flammable Safety Cabinet | | | | | | | | |
|---|---|----------------|-----------------------|--------------------------------|-----------------------|--------|---|--|--|
| | Item # | Style | Capacity (Gallons) | Ext. Dimensions (W x D x H) | Adjustable Shelves | 1+ | | | |
| | CAB923 | Self-closing | 90 | 43" x 34" x 72.375" | 2 | \$3010 | * | | |
| | CAB921 | Manual-closing | 90 | 43" x 34" x 71" | 2 | \$2736 | | | |
| | CAB919 | Self-closing | 60 | 34" x 34" x 72.375" | 2 | \$2452 | * | | |
| | CAB917 | Manual-closing | 60 | 34" x 34" x 71" | 2 | \$2228 | | | |
| 6 | CAB913 | Self-closing | 45 | 43" x 18" x 72.375" | 2 | \$2243 | * | | |
| | CAB911 | Manual-closing | 45 | 43" x 18" x 71" | 2 | \$2043 | 1 | | |
| | CAB909 | Self-closing | 30 | 43" x 18" x 51.375" | 1 | \$1573 | * | | |
| | CAB907 | Manual-closing | 30 | 43" x 18" x 50" | 1 | \$1429 | | | |

NOTE: See OSHA Code note on page 110.



PIG CORROSIVES SAFETY CABINET

Built especially for safe storage of corrosive materials.

True double-wall construction provides excellent fire protection and built-in ground connector inhibits static buildup. Polyethylene shelf liners resist acids, bases and pesticides while 2" leakproof sump contains leaks, drips and spills.

| PIG® Corr | PIG® Corrosives Safety Cabinet | | | | | | | |
|-----------|--------------------------------|-----------------------|--------------------------------|-----------------------|--------|---|--|--|
| Item # | Style | Capacity (Gallons) | Ext. Dimensions (W x D x H) | Adjustable Shelves | 1+ | | | |
| CAB1110 | Manual-closing | 90 | 40" x 30" x 61" | 2 | \$2880 | 1 | | |
| CAB1111 | Self-closing | 90 | 40" x 30" x 61" | 2 | \$3168 | * | | |
| CAB1108 | Manual-closing | 60 | 31" x 30" x 61" | 2 | \$2201 | 1 | | |
| CAB1109 | Self-closing | 60 | 31" x 30" x 61" | 2 | \$2422 | * | | |
| CAB1106 | Manual-closing | 45 | 40" x 14" x 61" | 2 | \$2046 | 1 | | |
| CAB1107 | Self-closing | 45 | 40" x 14" x 61" | 2 | \$2251 | * | | |
| CAB1104 | Manual-closing | 30 | 40" x 14" x 40" | 1 | \$1419 | 1 | | |
| CAB1105 | Self-closing | 30 | 40" x 14" x 40" | 1 | \$1561 | * | | |
| CAB1102 | Manual-closing | 16 | 20" x 14" x 40" | 1 | \$928 | 1 | | |
| CAB1103 | Self-closing | 16 | 20" x 14" x 40" | 1 | \$1021 | * | | |
| CAB1100 | Manual-closing | 4 | 14" x 14" x 18" | 1 | \$671 | 1 | | |
| CAB1101 | Self-closing | 4 | 14" x 14" x 18" | 1 | \$739 | * | | |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

NOTE: Cabinet dimensions shown above are nominal sizes, not exact measurements. See newpig.com for actual width, depth and height.





PIG VERTICAL DRUM SAFETY CABINET

Convenient vertical storage with rollers for easy loading/unloading.

This cabinet lets you safely store drums vertically while keeping pumps and funnels attached. Rollers in the bottom of the cabinet make it easy to move drums in and out. In addition, you get all the features of our standard cabinets shown on page 110.

| PIG® Vertical Drum Flammable Storage Safety Cabinet with Drum Rollers | | | | | | | |
|---|----------------|-----------------------|--------------------------------|-----------------------|--------|--|--|
| Item # | Style | Capacity (Gallons) | Ext. Dimensions (W x D x H) | Adjustable Shelves | 1+ | | |
| CAB915 | Self-closing | 55 | 34" x 34" x 66.375" | 1 | \$2554 | | |
| CAB914 | Manual-closing | 55 | 34" x 34" x 65" | 1 | \$2321 | | |

NOTE: See OSHA Code note on page 110.

* MARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

| Steel Loading Ramp for PIG® Flammable Safety Cabinet with Drum Rollers | pig |
|--|-------|
| Item # | 1+ |
| CAB930 • Use with CAB914 and CAB915 • 1000 lb. load capacity | \$465 |

^{*} MARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov



USED OIL STORAGE TANK

Weather-resistant, lockable, doublewall tank provides 110% secondary containment and meets regs.

Complete with double-wall tank, filters, overflow shutoff, level gauge and drain evacuation coupling. Indoors or out, polyethylene construction resists UV rays, rust and corrosion. Level monitoring gauge lets you determine tank's content level with a glance. Lockable opening adds security and prevents cross-contamination. Arrives assembled and ready to use!

HELPS YOU COMPLY with 40 CFR 279.22(a) for storage of used oil

HELPS YOU COMPLY with 40 CFR 264.193(c)(3) — translucent outer wall allows easy inspection



Large top drain with removable debris screen and strainer allows you to drain containers and filters.



| Oil-Tainer® Storage Tank | |
|---|--------|
| Item # | 1+ |
| PAK638 • 385 gal. • Ext. Dia 64" x 42"H | \$4682 |
| PAK2101 • 200 gal. • Ext. Dia 41" x 53"H | \$3930 |
| PAK2100 • 150 gal. • Ext. Dia 34" x 49"H | \$2880 |
| PAK996 • 100 gal. • Ext. Dia 35" x 41"H | \$2613 |

Flammables Warning: Not for use with flammables (f.p.<141°F/60.5°C).

Oil Storage Regulations: Be sure to check federal, state and local oil storage regulations prior to purchasing.



WASTE OIL TANKS

Store up to 500 gallons of waste oil in strong steel tanks.

Waste Oil Tank's bulk capacity eliminates multiple small containers and centralizes waste oil storage. Double-wall, 10 guauge steel construction helps tank withstand impact and provides leak-tested containment. 10"-diameter fill hole features a lockable hatch and debris screen; 2" vent helps prevent pressure buildup. Tank has a durable powder coating to resist chipping, rust and corrosion and includes individual ports. Tanks exteriors are fully labeled for easy identification.

NOTE: Not intended to be used as storage for new oil.



PIG REG TIP

MAKE USED OIL USEFUL AGAIN — RECYCLE IT!

One gallon of used oil produces 2.5 quarts of high-quality lubricating oil, and a bulk collection area makes it easy to recycle it.

reghelp@newpig.com • 1-800-HOT-HOGS
GET FREE ADVICE ON REGS! PG 27

| 10-Gauge Double Wall Waste Oil Tank with Accessor | ies |
|---|--------|
| Item # | 1+ |
| PAK1006 • 500 gal. • 42"W x 73"L x 52"H | \$7421 |
| PAK250 • 240 gal. • 37"W x 54"L x 43"H | \$5274 |
| PAK249 • 185 gal. • 37"W x 42"L x 43"H | \$4881 |
| PAK248 • 120 gal. • 28"W x 37"L x 45"H | \$3894 |

Oil Storage Regulations: Be sure to check federal, state and local oil storage regulations prior to purchasing.



SPILL CONTAINMENT

NOBODY STACKS UP TO PIG.



Designed and tested PIG tough.

Containment products are your last line of defense against nasty liquids — so failure is not an option. That's why we tend to go a little overboard with our product testing.

Extreme measures

We built the hulking machine shown here to push the limits of our decks and pallets. It can easily simulate your real-world jobs, but we crank up the pressure and keep it there for months to ensure performance

when it counts. So whatever you do to your PIG Pallets, we've punished them even worse.

Don't waste your money on products that can't handle the pressure. PIG Decks and Pallets are designed, tested and guaranteed not to fail.

You can't buy a stronger pallet or deck.



PIG GRATES TAKE THE PRESSURE

Our compression tester simulates long-term, full-capacity drum storage.

PIG passes with flying colors!



OTHER BRANDS BEND AND BOW

Anything less than level is an accident waiting to happen. Why risk it?

Play it safe with PIG!

HELPS YOU COMPLY

40 CFR 264.175

Secondary Containment Regs require full containment for haz waste to prevent releases into the environment. Full containment is 100% of the largest container or 10% of the total volume, whichever is greater.

40 CFR 122.26

Stormwater Regs require facilities with an SWPPP to describe the plan and equipment to prevent illegal discharge of pollutants into waterways

40 CFR 112.7

SPCC Regs require written plans and documentation of the products that are in place to prevent discharge of oil into waters







PIG POLY SPILL PALLETS

PIG-tough Pallets catch leaks, drips and spills to help you meet regulations.

How are Pallets different from Decks? Pallets are best when: you need full containment; you need to move your containment with a forklift; or you don't have enough floor space to build a modular system.

All PIG Spill Containment Pallets feature molded-in sumps to catch escaped liquids and keep your storage areas clean and safe. Low-density polyethylene construction resists UV rays, rust, corrosion and most chemicals. Textured grating adds traction and lifts out for easy sump access. Choose from three models to suit your needs.

HELPS YOU COMPLY with regs listed on opposite page

HEAVY-DUTY PALLETS

The only pallets strong enough to be moved by forklift with drums in place (MUST be strapped down). Engineered for long-term storage of liquids with high specific gravities.

STANDARD-DUTY PALLETS

The perfect blend of strength and savings for everyday drum storage. Holds fully loaded steel or poly drums without sagging.

ECONOMY PALLETS

These pallets may be economical, but they're strong enough to store fully loaded steel drums (not recommended for long-term storage of poly drums).



| PIG® Pol | PIG® Poly Spill Containment Pallets | | | | | | | | | |
|------------------|--|-------------------|------------------|---------------|---------------------|--------------------------|-------|-------|-------|--|
| (Specify: With d | Specify: With drain or without drain; Add \$16 to price shown for Pallet with drain) | | | | | | | | | |
| Item # | Name | # of 55-Gal Drums | Types of Drums | Sump Capacity | Load Capacity (ULD) | Overall Dimensions | 1-2 | 3-6 | 7+ | |
| PAK672 | Heavy Duty | 4 | Steel or Plastic | 75 Gal. | 9,000 lbs | 62.5"W x 62.5"L x 8.75"H | \$621 | \$600 | \$587 | |
| PAK210 | Standard | 4 | Steel or Plastic | 66 Gal. | 6,000 lbs | 51"W x 51"L x 10"H | \$445 | \$434 | \$415 | |
| PAK606 | Economy | 4 | Steel | 66 Gal. | 5,000 lbs | 52.6"W x 52.6"L x 12"H | \$377 | \$363 | \$350 | |
| PAK213 | Heavy Duty | 3 | Steel or Plastic | 66 Gal. | 4,500 lbs | 34.5"W x 83"L x 8.75"H | \$510 | \$485 | \$460 | |
| PAK604 | Heavy Duty | 2 | Steel or Plastic | 66 Gal. | 4,500 lbs | 40"W x 66"L x 8.75"H | \$353 | \$336 | \$324 | |
| PAK605 | Economy | 2 | Steel | 66 Gal. | 1,500 lbs | 29.9"W x 54.6"L x 16.8"H | \$279 | \$247 | \$242 | |
| PAK987 | Heavy Duty | 1 | Steel or Plastic | 61 Gal. | 800 lbs | 40"W x 40"L x 12.5"H | \$281 | \$266 | \$250 | |

Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.



PIG STEEL SPILL CONTAINMENT PALLET

Designed for secondary containment of flammable liquids.

Durable, 12-gauge steel can be bonded and grounded to control static electricity and prevent sparking while transferring or storing flammable liquids. Catch leaks and spills to help you comply with regs, and empty the sump without removing drums thanks to the 1/2" NPT drain plug. The powder coating guards against rust and corrosion.



PAK239

HELPS YOU COMPLY with regulations listed on page 114



Deck captures small spills and leaks. Bladder stays rolled up behind trap door until sump is full and then deploys automatically. **PAK523**

PIG BLADDER POLY CONTAINMENT DECK

Roll out 55 gallons of additional sump capacity!

Modular design features exclusive bulkhead fittings and predrilled ports to connect to other decks, and patented "flow-through" sump design lets liquid pass freely from the sump to the bladder to help you comply with containment regs. Integrated bladder box provides an extra 55 gallons of containment and translucent white side walls allow easy visual inspection. Full bladder deployment requires clearance of 66"W x 58"D in front of deck. Polyethylene construction resists UV rays, rust and corrosion. Replacement Bladder (PAK525) recommended after bladder is used, and loading Ramp (PAK726) sold on opposite page.

HELPS YOU COMPLY with regs listed on page 114

| PIG® Steel Spill Containment Pallet | | pig | | | | | |
|---|--------|--------|--|--|--|--|--|
| Item# | 1-4 | 5+ | | | | | |
| ◆ PAK241 • Holds (4) 55-gal. Steel Drums • 66 gal. sump capacity 5,000 lb. load capacity • 55.25"W x 55.25"L x 8.75"H | \$1426 | \$1404 | | | | | |
| PAK239 • Holds (2) 55-gal. Steel Drums • 66 gal. sump capacity 2,500 lb. load capacity • 35"W x 53.75"L x 12.375"H | \$1121 | \$1051 | | | | | |
| PAK238 • Holds (1) 55-gal. Steel Drum • 66 gal. sump capacity 1,500 lb. load capacity • 32.625"W x 37.5"L x 17.5"H | \$856 | \$804 | | | | | |
| Steel Loading Ramp With Non-Slip Poly Grate | | | | | | | |
| Item # 1+ | | | | | | | |
| PAK603 • Use with PAK241 • 1,000 lb. load capacity | \$701 | | | | | | |

| PIG® Bladder Poly Spill Containment Deck | | | gig |
|---|-------|-------|-------|
| Item # | 1-2 | 3-6 | 7+ |
| PAK530 • Holds (4) 55-gal. Steel or Poly Drums • 99 gal. sump capacity • 6,000 lb. load capacity • 52"W x 56"L x 5.75"H | \$523 | \$510 | \$499 |
| PAK528 • Holds (2) 55-gal. Steel or Poly Drums • 77 gal. sump capacity • 3,000 lb. load capacity • 26"W x 56"L x 5.75"H | \$409 | \$395 | \$385 |
| PAK523 • Holds (1) 55-gal. Steel or Poly Drum • 66 gal. sump capacity • 1,500 lb. load capacity • 26"W x 30.38"L x 5.75"H | \$327 | \$310 | \$296 |
| PAK525 • Replacement Bladder | \$112 | | |

Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.



PIG POLY DRIP & SPILL DECKS

Practice good housekeeping with low-profile, easy-to-load Decks.

How are Decks different from Pallets? Decks are best when: you're storing drums of non-hazardous liquids; you need to store smaller containers in full compliance; or you need low-profile easy access.

PIG Poly Decks are built PIG-tough but with lower profile designs and smaller sump capacities. Strong enough for storing steel or poly drums, easy to load and unload, pumps and funnels are easy to reach.

POLY MODULAR SPILL DECK

Want low-profile storage AND full containment? Build a Modular Spill Deck! Patented "flow through" sump design lets you mix and match sections to fit your space and build up to your required sump capacity.

HELPS YOU COMPLY with regs listed on page 114 (depending on size of haz waste containers stored)



Patented bulkhead fittings let liquids from leaking drums flow from one deck to another. (Modular Spill Decks only)







| PIG® Poly Drip Deck | | | | | | | | |
|---------------------|-------------------|------------------|---------------|---------------------|----------------------------|-------|-------|--|
| Item # | # of 55-Gal Drums | Types of Drums | Sump Capacity | Load Capacity (ULD) | Overall Dimensions | 1-2 | 3+ | |
| PAK956 | 8 | Steel or Poly | 75 Gal. | 12,000 lbs | 50.25"W x 98.25"L x 5.19"H | \$740 | \$689 | |
| PAK756 | 6 | Steel or Poly | 66 Gal. | 6,000 lbs | 50.06"W x 74.25"L x 5.19"H | \$564 | \$526 | |
| PAK566 | 4 | Steel or Plastic | 44 Gal. | 6,000 lbs | 52"W x 52"L x 5.75"H | \$382 | \$365 | |
| PAK565 | 2 | Steel or Plastic | 22 Gal. | 3,000 lbs | 26"W x 52"L x 5.75"H | \$252 | \$239 | |
| PAK527 | 1 | Steel or Plastic | 11 Gal. | 1,500 lbs | 26"W x 26"L x 5.75"H | \$164 | \$151 | |
| | | | | | | | | |

| PIG® Po | PIG® Poly Modular Spill Deck | | | | | | | |
|---------|------------------------------|------------------|------------------|---------------------|----------------------|-------|-------|-------|
| Item # | # of 55-Gal Drums | Types of Drums | Sump Capacity | Load Capacity (ULD) | Overall Dimensions | 1-2 | 3-6 | 7+ |
| PAK531 | 4 | Steel or Plastic | 44 Gal. | 6,000 lbs | 52"W x 52"L x 5.75"H | \$474 | \$461 | \$450 |
| PAK529 | 2 | Steel or Plastic | 22 Gal. | 3,000 lbs | 26"W x 52"L x 5.75"H | \$320 | \$309 | \$295 |
| PAK524 | 1 | Steel or Plastic | 11 Gal | 1 500 lbs | 26"W x 26"L x 5 75"H | \$199 | \$192 | \$187 |

Flammables Notice: See note on opposite page

Patent 5,562,074; and other foreign patents

| | | J 1 | | | |
|---------------|-------------|------------------------------------|---------------------|-------|--|
| Loading Ramps | | | | | |
| Item # | Composition | Use with | Load Capacity (ULD) | 1+ | |
| PAK726 | Poly | All Decks except PAK527 and PAK524 | 600 lbs | \$216 | |
| PAK538 | Steel | All Decks on this page | 1,000 lbs | \$465 | |

Flammables Notice: See note on opposite page.

117

PIG SINGLE DRUM CONTAINER

Sump is large enough to contain fully ruptured drums.

70-gallon sump is large enough to contain a fully ruptured or leaking 55-gallon drum. Low-density polyethylene construction (LDPE) resists UV rays, rust, corrosion and most chemicals, and translucent white sidewalls allow easy visual inspection.




DRM374

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

HELPS YOU COMPLY with 40 CFR 122.26 when used as a BMP in a Stormwater Pollution Prevention Plan

| PIG® Single Drum Container | | giq |
|--|-------|-------|
| Item # | 1 | 2+ |
| DRM878 • With 3/4" drain plug • Holds (1) 55-gal. Steel or Poly Drum 70 gal. sump capacity • 1,200 lb. load capacity 32.81"W x 32.81"L x 27.33"H | \$240 | \$233 |
| DRM373 • Without drain plug • Holds (1) 55-gal. Steel or Poly Drum 70 gal. sump capacity • 1,200 lb. load capacity 32.81"W x 32.81"L x 27.33"H | \$218 | \$216 |
| PIG® Steel Single Drum Container Dolly | | pig |
| Item # | 1 | + |
| DRM374 • 800 lb. load capacity | \$2 | 30 |
| Flammables Notice: See note on page 119 | • | |






PIG POLY SPILL DRUM DOLLY

Catch leaks during drum transport.

Holds up to 500 lbs. for easy moving of 55-gallon drums even when full. Dolly holds 11 gallons when empty and 5 gallons with a 55-gallon drum in place. The solid rubber, free-rolling casters and optional handle (DRM787) make drum transport easy. It's made of rugged polyethylene with UV inhibitors for indoor and outdoor use.

| PIG® Poly Spill Drum Dolly | | pig |
|---|-------|-------|
| Item # | 1-2 | 3+ |
| DRM786 • White • For 5- to 55-gal. Drums • 500 lb. load capacity 31" Dia. x 8.75"H • 11 gal. sump capacity | \$229 | \$220 |
| DRM949 • Hi-Viz Green • For 5- to 55-gal. Drums • 500 lb. load capacity 31" Dia. X 8.75" H • 11 gal. sump capacity | \$236 | \$227 |
| DRM787 • Handle | \$75 | \$72 |





PIG COLLAPSIBLE TRAY

Our leak and drip tray rolls up for storage but deploys instantly.

Collapsible trays require less storage space and rigid corner supports prevent them from buckling when in use. Easy-to-clean PVC-coated polyester is perfect for engine part degreasing or small liquid transfers.



Roll it up and secure with attached hookand-loop strap.

| PIG® Collapsible Utility Tray | pig |
|---|-------|
| Item # | 1+ |
| PAK1292 • 48"W x 48"L x 4.75"H • 47 gal. sump capacity | \$115 |
| PAK1291 • 30"W x 30"L x 4.75"H • 18.5 gal. sump capacity | \$75 |
| PAK1290 • 18"W x 18"L x 4.75"H • 6.6 gal. sump capacity | \$58 |

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

PIG UTILITY TRAY

Keep your greasy parts and leaky containers in a durable spill tray.

Thick-wall, chemical-resistant polyethylene won't bend or warp, and ribs on bottom add strength and elevate parts to keep them away from trapped liquids. They're ideal for storing liquids, granules or powders that may leak, drip or cause contamination if they reach the ground, plus they're stackable to store easily when not in use. PAK112 is designed to fit on top of a pallet for easy mobility with a forklift, and 40" x 48" pallets can also be placed inside of tray.





| PIG® Utility Containment Tray | | gig |
|--|-------|-------|
| Item # | 1-3 | 4+ |
| PAK920 • 33.75"W x 52"L x 5"H • 29.92 gal. sump capacity | \$122 | \$120 |
| PAK922 • 40"W x 40"L x 5"H • 26.92 gal. sump capacity | \$102 | \$96 |
| PAK919 • 28.25"W x 52.25"L x 5"H • 23.93 gal. sump capacity | \$72 | \$70 |
| PAK921 • 28.25"W x 40.25"L x 5"H • 17.95 gal. sump capacity | \$84 | \$81 |
| PAK918 • 16.25"W x 52.25"L x 5"H • 11.96 gal. sump capacity | \$70 | \$68 |
| PIG® Pallet Containment Tray | • | pig |
| Item # | 1-3 | 4+ |
| PAK112 • 43.58"W x 51.38"L x 4"H • 28.89 gal. sump capacity | \$167 | \$163 |

Flammables Notice: See note below.

POLYETHYLENE TRAY

Store small parts or capture leaks and drips from containers.

NEW! Rotationally-molded trays are ideal for applications that would compromise injected or thermoformed trays. Modular design allows efficent use of space on benches or shelves while the light color makes it easy to see screws, springs and other small parts. All-polyethylene composition won't rust or corrode and resists most chemicals. PAK849 has ribs on bottom for added strength; all others are flat. More sizes available at newpig.com.

| Polyeth | Polyethylene Tray | | | | | |
|-----------------|-----------------------|---------------|-------|--|--|--|
| Item # | Dimensions | Sump Capacity | 1+ | | | |
| PAK849 | 42"W x 86"L x 6"H | 70 gal. | \$340 | | | |
| PAK659 | 29.5"W x 29.5"L x 2"H | 6.18 gal. | \$66 | | | |
| PAK661 | 25"W x 38"L x 2.5"H | 8.83 gal. | \$85 | | | |
| PAK662 | 24"W x 37"L x 4"H | 13.48 gal. | \$86 | | | |
| PAK658 | 17"W x 24"L x 2.25"H | 3.27 gal. | \$53 | | | |
| PAK831 | 17"W x 21.5"L x 1.5"H | 2.25 gal. | \$46 | | | |
| ♦ ₽AK657 | 16"W x 20"L x 2.5"H | 3 gal. | \$52 | | | |
| PAK830 | 9"W x 22"L x 1.5"H | 1 gal. | \$26 | | | |

Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Servine.





PiB ROLL TOP SPILL PALLETS

Protect your drums from the elements using our roomy roll tops.

Without containment, your leaks and spills are direct contaminants to the environment. Our roll top slides up for easy access to drum tops while the rest of the unit stays closed. Low-profile pallet with sump catches leaks while keeping drum tops and accessories within reach. Weather-resistant design prevents contaminants from entering stormwater, and heavy-duty construction allows unit to be lifted by a forklift with drums in place. Polyethylene with UV inhibitors resists UV rays, rust, corrosion and most chemicals. Optional .75" drain plug lets you empty the sump without removing drums or grating. Doors and roll top can be secured with padlock (LCK901 and LCK902 sold separately at newpig.com).

HELPS YOU COMPLY with 40 CFR 264.175 for storage of haz waste (except DRM828)

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations
HELPS YOU COMPLY with 40 CFR 112.26 Stormwater Regulations

DID YOU KNOW?

28% OF AT-RISK DRAINS ARE WITHIN 20 FEET OF STORED LIQUIDS.

Sometimes you can't help it when liquids are stored near drains, but being prepared to properly respond to spills can help reduce the hazards of at-risk drains in your facility. Roll Tops are a great solution to preventing liquid releases outdoors.

Data provided by our patented Spill Risk Algorithm.

LEARN MORE AT NEWPIG.COM/ALGORITHM

NEED HELP CHOOSING THE RIGHT ROLL TOP? CALL OUR TECH TEAM AT 1-800-HOT-HOGS.









PIG ROLL TOP HARDCOVER SPILL PALLETS

In addition to the roll top, PAK601 features durable swing-out doors on the front for easy loading and unloading. PAK901 has swing-out doors on the front and the back to provide access from both sides. We have options to store one, two or four drums.





PAK901

PAK601

PAK150

| PIG® Roll Top Hardcover Spill Pallet | pig |
|---|--------|
| (Specify: With drain or without drain Add \$15 to price shown for Roll Top with drain for PAK901 and PAK (Specify: With drain or without drain Add \$16 to price shown for Roll Top with drain for DRM828 and PAI | |
| Item # | 1+ |
| PAK901 • Holds (4) 55-gal. Steel or Poly Drums • 75 gal. sump capacity 9,000 lb. load capacity • 65"W x 79"H x 62"D | \$1984 |
| PAK601 • Holds (2) 55-gal. Steel or Poly Drums • 66 gal. sump capacity 4,500 lb. load capacity • 67.5"W x 74"H x 41.25"D | \$1280 |
| DRM828 • Holds (1) 55-gal. Steel or Poly Drum • 70 gal. sump capacity 800 lb. load capacity • 32"W x 64"H x 34.25"D | \$534 |
| PAK150 • Holds (1) 55-gal. Steel or Poly Drum • 61 gal. sump capacity 800 lb. load capacity • 40"W x 80"H x 40"D | \$851 |
| PIG™ Adjustable Drum Dolly | giq |
| Item # | 1+ |
| DLY301-01 • For DRM828 • 800 lb. load capacity | \$232 |


Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.



Move unit manually with dolly.



Removable top lets you insert and replace drums.





"We've used PIG Roll Tops in the past, and our new one is just as good. The fit and finish are great; no difficulty in getting doors to fit together. Perfect for outdoor spill containment and storage."

— Doug, PAK601 Customer

LOADING RAMPS

Steel ramp (PAK603) features a polyethylene grate surface, and hinge assemblies let you store ramp upright inside a PIG Roll Top Hardcover. Poly ramp (PAK734) is easy to position, and the ribbed surface provides traction for added safety.

NOTE: Ramp must be detached to close doors.

| Steel Loading Ramp With Non-Slip Poly Grate | | | |
|---|-------|--|--|
| Item # | 1+ | | |
| PAK603 • Use with PAK901 and PAK601 • 1,000 lb. load capacity | \$701 | | |
| Poly Loading Ramp | | | |
| Item # | 1+ | | |
| PAK734 • Use with PAK901 and PAK601 • 700 lb. load capacity | \$324 | | |









PIG STEEL IBC SPILL CONTAINMENT PALLET

Steel pallet provides secondary containment for flammables.

IBC100 holds two stacked 330-gallon IBCs and IBC101 holds four stacked 330-gallon IBCs. They're perfect for storing oils, lubricants, solvents and flammables (grounding lug included). Made of long-lasting, heavy-duty steel with a powder-coated finish that protects against rust and corrosion for long life. Built-in ½" NPT drain plug makes draining easy, and can be moved with a forklift (move unloaded only).

HELPS YOU COMPLY with regulations listed on opposite page



Strong enough to hold four IBC totes

| PIG® Steel IBC Tote Spill Containment Pallet | | Big |
|--|--------|--------|
| Item # | 1 | 2+ |
| 3 IBC 100 • Holds (2) 330-gal. IBC, Double-stacked • 363-gal. sump capacity 12,000 lb. load capacity • 58"W x 58"L x 31.6"H | | |
| IBC101 • Holds (4) 330-gal. IBC, Double-stacked • 400 gal. sump capacity 24,000 lb. load capacity • 101"W x 58"L x 21"H | \$4850 | \$4665 |





PIG HEAVY-DUTY IBC TOTE UNIT

Stack two IBCs on our strongest unit. It holds up to 6 tons!

4"-thick, two-section decking is supported by all-poly inner pedestals for superior load handling. Heavyduty construction permits long-term stacked storage of two IBCs to save space. Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals. Textured grating holds a variety of IBC sizes; if tote has feet or pegs, be sure to use proper support plates (PAK1008, sold separately at newpiq.com).





Our containment unit test stand applies downforce to simulate the stress of long-term tote storage. Our units pass with flying colors!

| PIG® Heavy-Duty Poly IBC Tote Spill Containment Unit | | | pig |
|---|--------|--------|--------|
| Item # | 1-2 | 3-6 | 7+ |
| PAK1007 • With 3/4" Drain • Holds (2) 330-gal. IBC, Double-stacked • 400 gal. sump capacity • 12,000 lb. load capacity • 58"W x 58"L x 33.5"H | \$2109 | \$2000 | \$1889 |
| PAK467 • Without Drain • Holds (2) 330-gal. IBC, Double-stacked • 400 gal. sump capacity • 12,000 lb. load capacity • 58"W x 58"L x 33.5"H | \$2098 | \$1987 | \$1878 |

Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.







PIG POLY IBC TOTE SPILL PALLET

Your heavy totes are no problem for our high-capacity spill pallets.

Strong enough for long-term storage of IBCs, our innovative design transfers weight to load-bearing channels. Molded-in sump catches leaks, drips and spills while keeping storage areas clean. 26" height for single unit; 22" height for twin. Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals.

Available in single and twin units, with or without bucket shelf.

HELPS YOU COMPLY with 40 CFR 264.175 for storage of haz waste

HELPS YOU COMPLY with 40 CFR 122.26 when used as a BMP in a Stormwater Pollution Prevention Plan

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

PIG® Poly IBC Tote Spill Containment Pallet (Specify: With drain or without drain; Add \$16 to price shown for drain) Item # 1+ PAK735 • Holds (1) 330-gal. IBC • 360 gal. sump capacity \$1535 8,000 lb. load capacity • 62"W x 62"L x 26"H PAK736 • With Bucket Shelf • Holds (1) 330-gal. IBC • 360 gal. sump capacity \$1677 8,000 lb. load capacity • 62"W x 62"L x 26"H pig PIG® Twin Poly IBC Tote Spill Containment Pallet (Specify: With drain or without drain; Add \$16 to price shown for drain) Item # 1+ PAK749 • Holds (2) 450-gal. IBCs • 535 gal. sump capacity \$2340 16,000 lb. load capacity • 61.625"W x 124.6"L x 22"H PAK940 • With 2 Bucket Shelves • Holds (2) 450-gal. IBCs • 535 gal. sump capacity \$2577 16,000 lb. load capacity 61.625"W x 124.6"L x 22"H

Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

Mailing List Rental Preference: We occasionally make our customer list available to a few reputable, carefully screened companies whose products we feel may be of interest to you. If you do not wish to receive such mailings, you may do any of the following and we will promptly remove your name from our rental list. Mail: New Pig Customer Lists, One Pork Avenue, P.O. Box 304, Tipton, PA 16684; call: 1-800-643-OINK (6465); or email: hothogs@newpig.com.

Limited Warranty: Except as described in our 100% Money-Back Guarantee, there are no express warranties or implied warranties including, but not limited to, merchantability and fitness for a particular purpose. New Pig shall not be subject to and disclaims: 1) All obligations or liabilities arising out of breach of contract or of warranty, 2) All obligations whatsoever arising from tort claims (including negligence and strict liability) or arising under other theories of law with respect to products sold or services rendered by New Pig or any undertakings, acts or omissions relating thereto, and 3) All consequential, incidental and contingent damages whatsoever.

All Products Not Manufactured by New Pig: For complete product information, including disclaimers, please visit the product manufacturer's website.

Prices: All published prices are in U.S. dollars and must be paid in U.S. dollars. In the event of a printing error, New Pig reserves the right to charge the correct price. New Pig works hard to maintain prices, but they are subject to change due to market conditions.


Terms: These terms and conditions shall constitute the entire agreement between New Pig and the purchaser, and shall be governed by and construed according to the laws of the state of Pennsylvania and the United States of America.

OSHA Hazardous Substance Product Information: Safety Data Sheets are enclosed with all orders where required. If you would like a Safety Data Sheet prior to order, please call customer service at 1-800-468-4647.

Attention Distributors: If you hold integrated supply contracts with your customers and would like to provide New Pig Products to them, give us a holler. You may qualify for special pricing. Please call our Integrated Supply Team at 1-800-328-2464.

Offers expire in 30 days.





PIG STEEL IBC TOTE DRIP DECK

Steel deck is ideal for storing flammables.

Durable 12-gauge steel is powder coated for extended life. IBC can be bonded and grounded for safer storage of flammables. Grating is removable for easy cleanup, and included 1/2" NPT drain plug lets you empty sump without removing tote. Move from any direction (unloaded only) with fourway forklift access.

GROUNDING WIRES AVAILABLE AT NEWPIG.COM.



| Drag at 1 Da m t D t D | , | ofo |
|---|--------|--------|
| PIG® Steel IBC Tote Drip De | CK | Pr.R |
| Item # | 1-4 | 5+ |
| IBC102 • Holds (1) IBC • 66 gal. sump capacity • 5,000 lb. load capacity 55.25"W x 55.25"L x 8.75"H | \$1426 | \$1404 |



PIG POLY IBC TOTE DRIP DECK

Protect floors by catching small IBC leaks with this drip deck.

Molded-in sump catches leaks, and optional 3/4" drain plug allows emptying of sump without removing IBC or grating. Polyethylene construction resists UV rays, rust, corrosion and most chemicals. Lowprofile design provides convenient access to pumps and funnels while four-way forklift entry allows movement from any direction (if loaded, IBC must be properly secured).



| PIG® Poly IBC Tote Drip Deck | | | giq |
|--|--------|-------|-------|
| (Specify: With Drain or without Drain; Add \$15 to price shown for Deck with I | Orain) | | |
| Item # | 1-2 | 3-6 | 7+ |
| IBC103 • Holds (1) IBC • 75 gal. sump capacity 9,000 lb. load capacity • 62.5"W x 62.5"L x 8.75"H | \$621 | \$600 | \$587 |

Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

PIG POLY IBC ROLL TOP HARDCOVER PALLET

Store totes outdoors and meet EPA standards.

Provide protected storage and liquid containment for IBCs up to 52"L x 52"W x 53"H. Weather-resistant design prevents contaminants from entering stormwater and polyethylene construction with UV inhibitors resists UV rays, rust, corrosion and most chemicals. Durable rolling cover and swing-out doors on both sides provide easy access, and two-way forklift entry allows easy movement (unloaded only). Available with or without drain plug. Economical "twin" design shares interior wall to reduce complexity and save money over purchasing two single units.

HELPS YOU COMPLY with 40 CFR 264.175 storage of haz waste
HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Prevention
HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations





| PIG® Poly IBC Tote Roll Top Hardcover Spill Pallet | pig |
|--|--------|
| (Specify: With drain or without drain Add \$15 to price shown for Roll Top with drain) | |
| Item # | 1+ |
| PAK902 • Holds (1) 330-gal. IBC • 360 gal. sump capacity 8,000 lb. load capacity 64.5"W x 96"H x 62"D | \$2895 |
| PIG® Poly Twin IBC Tote Roll Top Hardcover Spill Pallet | pig |
| (Specify: With drain or without drain Add \$16 to price shown for Roll Top with drain) | |
| Item # | 1+ |
| PAK947 • Holds (2) 330-gal. IBCs • 535 gal. sump capacity 8,000 lb. load capacity each side • 126.5"W x 96"H x 62"D | \$4958 |
| lammables Notice: See note below | |

PIG SOFT-TOP SPILL PALLET

All-weather protection and containment for drums and IBCs.

NEW! Zipper doors allow easy access while hook and loop closures keep doors open during loading and unloading. Vinyl-coated fabric resists UV rays, rust, corrosion and most chemicals while pallet catches leaks.

Yellow cover can be purchased separately to fit existing pallets (PAK672 and PAK735 only) or as a replacement; search PAK6001 on newpig.com.



HELPS YOU COMPLY with Stormwater, Secondary Containment and SPCC regulations

| PIG® Sof | t-Top Spill P | allet | | | giq |
|------------------|------------------------------------|---------------------|--------------------|---------------------|--------|
| (Specify: With d | rain or without drain; A | dd \$15 to price sh | own for Pallet wit | th drain) | |
| Item # | Holds | Sump Capacity | Load Capacity | Product Dimensions | 1+ |
| PAK6000 | (4) 55-gal. Steel or Poly Drums | 75 gal. | 9000 lbs. | 62"W x 99"H x 62"D | \$1262 |
| IBC6000 | (1) 330-gal. IBC | 360 gal. | 8000 lbs. | 62"W x 114"H x 62"D | \$2068 |

Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov









PIG COLLAPSE-A-TAINER CONTAINMENT BERM

Create affordable drive-in containment anywhere you need it.

No assembly required; collapsible sidewalls have attached skirt with outside aluminum-reinforced supports that help the walls stay rigid. Made of a durable geomembrane that resists chemicals, abrasion and tearing, and sides fold down to allow pallet jacks and forklifts to be driven in and out. Folds to a compact size for easy transportation and storage.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations
HELPS YOU COMPLY with 40 CFR 122.26 Stormwater Regulations
HELPS YOU COMPLY with 40 CFR 264.175 for haz waste storage

PIG® Collapse-A-Tainer® Spill Containment Berm






PAK792

| The Compact of Lamies Spin Community | | | |
|---|--------|--------|---|
| Item # | 1 | 2+ | |
| PAK793 • 12'W x 12'L x 1'H Overall dimensions 10'W x 10'L x 1'H Sump dimensions • 748 gal. sump capacity | \$1787 | \$1696 | * |
| PAK792 • 8'W x 10'L x 1'H Overall dimensions 6'W x 8'L x 1'H Sump dimensions • 359 gal. sump capacity | \$957 | \$909 | * |
| PAK791 • 6'W x 8'L x 1'H Overall dimensions 4'W x 6'L x 1'H Sump dimensions • 179 gal. sump capacity | \$874 | \$836 | * |
| PIG® Collapse-A-Tainer® IBC Tote Containment Ber | m | pig | |
| Item# | 1 | 2+ | |
| IBC300 • 74"W x 97"L x 23"H Overall dimensions | \$554 | \$533 | * |

| IBC300 • 74"W x 97"L x 23"H Overall dimensions 48"W x 72"L x 23"H Sump dimensions • 390 gal. sump capacity | \$554 | \$533 | * |
|---|-------|-------|---|
| PIG® IBC Tote Dispensing Stand | | gig | |
| Item # | | 1+ | |
| IBC200 ● 12,000 lb. load capacity ● 45.5"W x 52"L x 26.5"H | | \$911 | |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov





pig

IBC300













PIG SELF-RISING CONTAINMENT BERM

Endwalls rise with a leak or can be locked in place.

Endwalls can remain folded down during use, but they automatically rise with the liquid level when a leak occurs. Heavy-duty hinges can be locked into place when snow, hoses or other heavy objects could prevent the flotation system from functioning. Folds to a compact size to let you store the system in a vehicle and transport it to a remote location, and included strap secures unit in place. Constructed of durable 30 oz. co-polymer geomembrane to resist chemicals, abrasion and tearing, plus grommets at each support hinge allow unit to be staked to the ground when needed. Ideal for use under storage tanks, pillow tanks, pallets loaded with drums and more. Custom sizes and colors available by calling 1-800-HOT-HOGS (468-4647).





^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov



PAK1003



PAK1002



PAK1001





Lightweight containment is easy to store, handle and deploy.

A great way to provide portable containment — no assembly required. Durable 18 oz. vinyl is chemical resistant, lightweight and easy to handle. Portable containment berm folds to a compact size for carrying or storing. 8" sidewalls are the perfect "step-over" height which is ideal for use as a decon station, and the optional grate elevates the area inside the containment berm.



PAK720 + PAK850



HELPS YOU COMPLY with regulations listed on opposite page



"Everything about these containments is great! They ship fast, collapse to almost nothing and work like a charm. Great product!"

Brad, PAK720 Customer

| | PIG® Collapse-A-Tainer® Lite Spill Containment Be | rm | pig |
|---|---|-------|-------|
| | Item # | 1 | 2+ |
| | PAK722 • 4'W x 8'L x 8"H Sump dimensions • 159 gal. sump capacity | \$558 | \$530 |
| • | PAK721 • 4'W x 6'L x 8"H Sump dimensions • 119 gal. sump capacity | \$411 | \$387 |
| | PAK720 • 4'W x 4'L x 8"H Sump dimensions • 79 gal. sump capacity | \$270 | \$257 |
| | PIG® Deck Grate | | giq |
| | Item # | 1-3 | 4+ |
| | PAK469 • 26"W x 52"L x 4"H | \$125 | \$121 |
| | PAK354 • 24"W x 48"L x 2.63"H | \$92 | \$87 |
| | Item # | 1-2 | 3+ |
| | PAK850 • 24"W x 24"L x 2.63"H | \$54 | \$50 |

^{*} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov





PIG FLEXBERM CONTAINMENT PAD

Roll right over the soft walls for easy washdowns or containment.

Pliable, 2"-high foam sidewalls contain liquids and spring back to shape after you roll over them. Double-layer, 18 oz. vinyl bottom resists chemicals, punctures and tears, and one-piece construction deploys in seconds with no assembly required. It's portable, lightweight and easy to store when not in use. ½" grommets on each corner help keep the berm in place. Deck Grate (see opposite page) with raised-profile and antislip grating adds traction and allows draining.



Open-cell foam sidewalls spring back to shape.

HELPS YOU COMPLY with regulations listed on opposite page



If you're not happy with your New Pig purchase, we'll refund every penny, including taxes and shipping. Even the return freight is on us!

| PIG® FlexBerm Spill Containment Pad | | giq |
|---|-------|-------|
| Item # | 1-2 | 3+ |
| PAK128 • 10.5'W x 18.5'L x 2"H Overall dimensions 10'W x 18'L x 2"H Sump dimensions • 200 gal. sump capacity | \$794 | \$754 |
| PAK936 • 10.5'W x 11.5'L x 2"H Overall dimensions 10'W x 11'L x 2"H Sump dimensions • 137 gal. sump capacity | \$615 | \$589 |
| PAK127 • 4.5'W x 8.5'L x 2"H Overall dimensions 4'W x 8'L x 2"H Sump dimensions • 35 gal. sump capacity | \$438 | \$413 |
| PAK724 • 2.7'W x 4.7'L x 2"H Overall dimensions 2'W x 4'L x 2"H Sump dimensions • 10 gal. sump capacity | \$189 | \$177 |
| PAK723 • 2.7'W x 2.7'L x 2"H Overall dimensions 2'W x 2'L x 2"H Sump dimensions • 5 gal. sump capacity | \$159 | \$153 |

* WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov

PIG TANK CONTAINMENT SUMP

Great for oil tanks, indoors or out.

Safely stores up to 1,000-gallon oval tanks with no measuring or guesswork required. Extra-large sump contains leaks, spills and overfills plus helps prevent groundwater contamination outdoors and slippery floors indoors. Low-density polyethylene resists UV rays, rust, corrosion and most chemicals for a long, troublefree life. Choose either 3/4" or 2" drain plug for convenient emptying; also available without drain. Use with tarp (sold separately at newpig.com) to prevent accumulation of rainwater outdoors.

HELPS YOU COMPLY with 40 CFR 112.7 SPCC Regulations

HELPS YOU COMPLY with 40 CFR 264.175 haz waste storage

KEEP RAINWATER OUT WITH A TARP. SEARCH FOR PAK579 AT NEWPIG.COM.



| PIG® Tank Spill Containment Sump | | pig |
|---|--------|--------|
| (Specify for PAK108 & PAK750: With drain or without drain; Add \$16 to price shown for Tank with drain) (Specify: 2" or .75" Drain Plug siz | e) | |
| Item # | 1-2 | 3+ |
| PAK108 • For 1,000-gal. tanks • 1,100 gal. capacity • 63"W x 148"L x 33"H | \$3451 | \$3351 |
| PAK750 • For 500- and 550-gal. tanks • 605 gal. capacity • 59.75"W x 89"L x 32.75"H | \$980 | \$927 |
| PAK949 • For 275-gal. tanks • 360 gal. capacity • 43.63 "W x 84.5" L x 29" H • With .75" Drain | \$712 | \$697 |
| PAK580 • For 275-gal. tanks • 360 gal. capacity • 43.63 "W x 84.5" L x 29" H • Without Drain | \$697 | \$682 |

Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services. Flammables Warning: Not for use with flammables (fig. 1417-F60.5°C).

PIG SPILL CONTAINMENT POOL

Store in your vehicle to be prepared for spill emergencies on the road.

Ideal for quick deployment to catch the contents of blown hydraulic lines, punctured tanks, leaking containers and decontamination operations. Heavy-duty, 18 oz., vinyl-coated polyester provides high resistance to tears and punctures. Deploys instantly for use in an emergency, and rim has foam ring that rises with level of liquid contained. Pliable material folds easily for storage on a truck or emergency response vehicle.

| PIG® Portable Spill Containment Pool | | pig |
|---|-------|-------|
| Item # | 1-2 | 3+ |
| PAK928 • 4.42' Dia. x 1.08'H Sump dimensions • 150 gal. sump capacity | \$233 | \$210 |
| PAK927 • 3.625' Dia. x 1'H Sump dimensions • 100 gal. sump capacity | \$186 | \$174 |
| PAK926 • 2.7' Dia x 1'H Sump dimensions • 66 gal. sump capacity | \$182 | \$167 |
| PAK925 • 1.5' Dia. x 11"H Sump dimensions • 20 gal. sump capacity | \$157 | \$143 |

^{*▲} WARNING: Cancer, Birth Defects and Reproductive Harm - www.P65Warnings.ca.gov



CLEANER, SAFER, BETTER WAYS TO WORK!

NEW STUFF!

32 pages of New Products

showcase the latest and greatest solutions from PIG and our trusted partners!

See N1-N32



SPILL KITS

PIG Spill Kits are designed for superfast response, and nobody offers more sizes, styles and options to fit your facility.

See pages 28-49



ABSORBENTS

PIG Mats & Socks are the best you can buy for soaking up leaks, drips and spills. Invented here in 1985 and still the World's #1 Brand.

See pages 4-27



STORMWATER

PIG Drain Filters & **Bioremediation Products** keep oil out of drains to protect waters and stay compliant.

See pages 66-77



SPILL CONTROL

PIG DrainBlocker Covers

go down fast and seal tight to stop spills and protect drains.

See pages 62-64



ADHESIVE-BACKED MATS

PIG Grippy Mats won't shift or bunch up — eliminate slips, trips and falls at entrances and walkways!

See pages 78-84



MAINTENANCE

PIG Leak Diverters go up fast to safely channel overhead leaks — it's a simple solution, made superior.

See pages 92-96



CONTAINMENT

PIG Spill Pallets & Decks give your hazardous liquids a safe space to spill into. Guaranteed not to fail!

See pages 115-117



STORAGE & MATERIAL HANDLING

PIG Latching Drum Lids & Burpless Funnels are built for speed and ease so you can work clean and comply with regs.

See pages 98-105



MORE AT NEWPIG.COM!

Like the stuff in this catalog? There are thousands more PIG Products online, plus expert advice, product reviews, live chat and more!





He's found that other brands cut corners in these five sneaky ways (AKA shrinkflation).

- ➤ Smaller sizes: Trimming a pad by 10% reduces material cost but also reduces absorbency
- X Lower quality: Cheap fillers compromise performance and chemical compatibility
- **X Rushed production:** Creates inconsistencies like voids, hard flecks and high lumps
- X Overlofting: Reducing material by injecting air diminishes absorbency and retention
- **Misleading specs:** Published specs are accurate in lab settings but don't reflect actual use



PIG MAT LIVES UP TO ITS PROMISES!

Nobody beats the quality, engineering, or performance of the World's #1 Mat Brand. To make sure our claims translate to real-world performance, we conduct regular testing, following strict ASTM and ISO standards. Our expectation: for every PIG Mat to do what we say it will do.



BASIS WEIGHT TEST

ASTM D3776 We measure basis weight per square yard which helps to ensure that realworld absorbency matches our specs.

BULK (LOFT) TEST

ASTM D1777 We check the thickness of PIG Mat to 1/1000 of an inch. This level of tolerance helps regulate loft to produce consistent material for superior retention.

TENSILE STRENGTH TEST

ASTM D5034 Force transducers stretch our mat until it pulls apart, far exceeding the rigors of real-world abuse.

OIL/WATER CAPACITY TEST

ASTM F726-17 and ISO 20158:2018 PIG Mat is soaked in DTE 24 hydraulic oil for 15 minutes then hung for drip-out, with weight measured before and after.

RECIPROCAL ABRASION TEST

ASTM D3884-22 The Reciprocal Abrasion Testing (RAT) Machine creates back-and-forth friction to gauge a mat's scuff resistance.

Shop PIG Mat on pages 6-27 or see the complete line at newpig.com.

To stop receiving PIG mail, send an image of this back cover to nomail@newpig.com or fax to 1-855-613-3194.




PRSRT STD U.S. POSTAGE PAID NEW PIG CORP.

Account#

Promo Code

Reference#





Something not working out? We'll refund your entire purchase, including taxes and shipping. We'll even schedule and pay for the return freight!



Named after the grandson of New Pig's co-founder, The Giorgio Foundation funds groundbreaking research on NF1. *Visit endNF1.org*





All rights reserved. PIG, the PIG logo, Pigalog, 1-800-HOT-HOGS and WORLD'S BEST STUFF FOR LEAKS, DRIPS AND SPILLS. are trademarks of New Pig in the U.S. and other countries. See more at tm.newpig.com. Other company, product or service names used may be trademarks of others.